

DAFTAR PUSTAKA

- [1] Olivia, “Kurangi Penggunaan Plastik hingga 9,5%.”
- [2] N. W. Aisha, “Pengaruh Bank Sampah Terhadap Jumlah Sampah Plastik di Indonesia,” *Jurnal Alternatif - Jurnal Ilmu Hubungan Internasional*, vol. 14, no. 1, pp. 68–73, 2023, doi: 10.31479/jualter.v14i1.57.
- [3] P. Brain Wilfer, G. Giridaran, J. Jeya Jeevahan, G. Britto Joseph, G. Senthil Kumar, and N. J. Thykattuserry, “Effect of starch type on the film properties of native starch based edible films,” *Mater Today Proc*, vol. 44, pp. 3903–3907, 2021, doi: 10.1016/j.matpr.2020.12.1118.
- [4] Y. Darni, H. Utami, and Si. N. Asriah, “Peningkatan Hidrofobisitas dan Sifat Fisik Plastik Biodegradable Pati Tapioka dengan Penambahan Selulosa Residu Rumput Laut Euchema spinosum,” *Prosiding Seminar Penelitian & Pengabdian Masyarakat*, 2009.
- [5] E. Hernández-García, A. Chiralt, M. Vargas, and S. Torres-Giner, “Lid Films of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/Microfibrillated Cellulose Composites for Fatty Food Preservation,” *Foods*, vol. 12, no. 2, 2023, doi: 10.3390/foods12020375.
- [6] R. Yulianti and E. Ginting, “Perbedaan karakteristik fisik edible film dari umbi-umbian yang dibuat dengan penambahan plasticizer,” *Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian*, vol. 31, no. 1990, pp. 131–136, 2012.
- [7] U. Shah, F. Naqash, A. Gani, and F. A. Masoodi, “Art and Science behind Modified Starch Edible Films and Coatings: A Review,” *Compr Rev Food Sci Food Saf*, vol. 15, no. 3, pp. 568–580, 2016, doi: 10.1111/1541-4337.12197.
- [8] F. Ardyansyah and M. Yuniwati, “Pembuatan Plastik Biodegradable Dari Pati Umbi Ganyong Menggunakan Plasticizer Gliserin dan Karagenan,” *Jurnal Inovasi Proses*, vol. 6, no. 1, pp. 20–28, 2021.
- [9] N. C. Yaruro Cáceres, H. Suarez Mahecha, A. de Francisco, S. M. Vásquez Mejia, and C. Diaz Moreno, “Physicochemical, thermal, microstructural

- and paste properties comparison of four achira (*Canna edulis* sp.) starch ecotypes,” *Int J Gastron Food Sci*, vol. 25, p. 100380, Oct. 2021, doi: 10.1016/j.ijgfs.2021.100380.
- [10] N. Noriko and A. Pambudi, “Diversifikasi pangan sumber karbohidrat *Canna edulis* Kerr. (Ganyong),” *Jurnal Al-Azhar Indonesia Seri Sains dan Teknologi*, vol. 2, no. 4, pp. 248–252, 2014.
- [11] C. A. Prameswari *et al.*, “Sintesis Plastik Biodegradable dari Pati Kulit Singkong dan Kitosan Kulit Larva Black Soldier Fly dengan Penambahan Polyethylene glycol sebagai Plasticizer,” *Jurnal Pendidikan ...*, vol. 6, no. 2019, pp. 4454–4461, 2022.
- [12] D. Knorr, “Functional Properties of Chitin and Chitosan,” *J. Food Sci*, vol. 8, p. 593, 1982.
- [13] K. Hayati, C. C. Setyaningrum, and S. Fatimah, “Pengaruh Penambahan Kitosan terhadap Karakteristik Plastik Biodegradable dari Limbah Nata de Coco dengan Metode Inversi Fasa,” *Jurnal Rekayasa Bahan Alam dan Energi Berkelanjutan*, vol. 4, no. 1, pp. 9–14, 2020.
- [14] Z. Azizati and A. K. Haqiqi, “Synthesis and characterization of bioplastic based on chitosan-urea-bentonite,” *IOP Conf Ser Earth Environ Sci*, vol. 1796, no. 1, 2021, doi: 10.1088/1742-6596/1796/1/012108.
- [15] A. Permanasari, W. Siswaningsih, and I. Wulandari, “Uji Kinerja Adsorben Kitosan-Bentonit Terhadap Logam Berat,” *Jurnal Sains dan Teknologi Kimia*, vol. 1, no. 2, pp. 121–134, 2010.
- [16] N. Bukit *et al.*, “Preparasi Bentonit Alam menjadi NanoPartikel sebagai Filler pada Termoplastik Hdpe,” *Jurnal Saintika*, vol. 14, no. 2, pp. 95–107, 2014.
- [17] F. I. Aryanti and T. B. Santoso, “Tensile Strength and Thermal Properties of Polypropylene/Nano-Bentonite Composites with Maleic Anhydride Coupling Agent,” *Jurnal Teknologi dan Manajemen*, vol. 22, no. 1, pp. 01–06, 2024, doi: 10.52330/jtm.v22i1.120.
- [18] Y. Xu, X. Ren, and M. A. Hanna, “Chitosan/clay nanocomposite film preparation and characterization,” *J Appl Polym Sci*, vol. 99, no. 4, pp. 1684–1691, 2006, doi: 10.1002/app.22664.

- [19] R. Krisnadi, Y. Handarni, and K. Udyani, “Pengaruh jenis plasticizer terhadap karakteristik plastik biodegradable dari bekatul padi,” *Seminar Nasional Sains dan Teknologi Terapan VII*, no. 100, pp. 125–130, 2019.
- [20] B. Santoso, *Edible Film: Teknologi dan Aplikasinya*. 2022.
- [21] S. Munfarida, “Modifikasi Pati Canna Edulis Kerr. Sebagai Potensi Pengganti Tepung Terigu,” *Jurnal Keteknikan Pertanian*, vol. 11, no. 1, pp. 16–28, 2023, doi: 10.19028/jtep.011.1.16-28.
- [22] A. Aprianita, T. Vasiljevic, A. Bannikova, and S. Kasapis, “Physicochemical properties of flours and starches derived from traditional Indonesian tubers and roots,” *J Food Sci Technol*, vol. 51, no. 12, pp. 3669–3679, Dec. 2014, doi: 10.1007/s13197-012-0915-5.
- [23] H. Heriyanto, H. Intansari, and A. Anggietisna, “Pembuatan Membran Kitosan Berikatan Silang,” *Teknika: Jurnal Sains dan Teknologi*, vol. 8, no. 2, p. 114, 2012, doi: 10.36055/tjst.v9i2.6694.
- [24] R. S. Dongre, “Introductory Chapter: Multitask Portfolio of Chitin/Chitosan: Biomatrix to Quantum Dot,” *Chitin-Chitosan - Myriad Functionalities in Science and Technology*, no. July, 2018, doi: 10.5772/intechopen.77218.
- [25] J. Hendri and A. Laila, *Kitin Kitosan*. 2013.
- [26] G. Yuan, X. Chen, and D. Li, *Chitosan films and coatings containing essential oils: The antioxidant and antimicrobial activity, and application in food systems*, vol. 89. Elsevier B.V., 2016. doi: 10.1016/j.foodres.2016.10.004.
- [27] A. Y. Aryanto, “Pemanfaatan Kitosan dari Limbah Kulit Udang (crustacea) sebagai Bahan untuk Pembuatan Membran,” Bogor Agricultural University, 2002.
- [28] E. Maina, H. Wanyika, and A. Gacanja, “Natural Pyrethrum Extracts Photo-stabilized with Organo Clays,” *J Sci Res Rep*, vol. 9, no. 7, pp. 1–20, 2016, doi: 10.9734/jsrr/2016/22433.
- [29] H. Liu, B. Xie, and Y. L. Qin, “Effect of Bentonite on the Pelleting Properties of Iron Concentrate,” *J Chem*, 2017, doi: 10.1155/2017/7639326.

- [30] J. S. John, “Bentonite,” *wein.plus*. [Online]. Available: <https://glossary.wein.plus/bentonite>
- [31] R. A. N. dan Ismiyati, “Pemanfaatan Nanobentonit Sebagai Bahan Tambahan Pada Formula Grease, Kosmetik Dan Nanokomposit Polimer,” *Seminar Nasional Sains dan Teknologi 2014*, no. November, pp. 1–4, 2014.
- [32] M. Shanmathy, M. Mohanta, and A. Thirugnanam, “Development of biodegradable bioplastic films from Taro starch reinforced with bentonite,” *Carbohydrate Polymer Technologies and Applications*, vol. 2, no. October, p. 100173, 2021, doi: 10.1016/j.carpta.2021.100173.
- [33] J. L. Leblanc, “Rubber-filler interactions and rheological properties in filled compounds,” *Progress in Polymer Science (Oxford)*, vol. 27, no. 4, pp. 627–687, 2002, doi: 10.1016/S0079-6700(01)00040-5.
- [34] D. J. Kohls and G. Beauchage, “Rational design of reinforced rubber,” *Curr Opin Solid State Mater Sci*, vol. 6, no. 3, pp. 183–194, 2002, doi: 10.1016/S1359-0286(02)00073-6.
- [35] W. D. Callister Jr and D. G. Rethwisch, “Material Science and Engineering an Introduction,” 1940, ch. 8, pp. 160–161.
- [36] J. C. J. Bart, *Additives in Polymers: Industrial Analysis and Applications*. 2005. doi: 10.1002/0470012064.
- [37] Cengristitama, Herdiansyah, and M. W. Sari, “Pengaruh Penambahan Kitosan dan Plasticizer Sorbitol pada Proses Pembuatan Plastik Biodegradable Berbahan Dasar Pati Kulit Pisang Tanduk,” *Jurnal TEDC*, vol. 17, no. 2, pp. 134–140, 2023.
- [38] M. Hijriawati and E. Febrina, “Edible Film Antimikroba,” *Jurnal Farmaka*, vol. 14, no. 1, pp. 8–16, 2016.
- [39] E. Fortunati, W. Yang, F. Luzi, J. Kenny, L. Torre, and D. Puglia, “Lignocellulosic nanostructures as reinforcement in extruded and solvent casted polymeric nanocomposites: an overview,” *Eur Polym J*, vol. 80, pp. 295–316, Jul. 2016, doi: 10.1016/j.eurpolymj.2016.04.013.
- [40] V. S. Wahyuni and S. B. Etika, “Pemanfaatan Pati Ubi Jalar (*Ipomoea batatas L.*) Sebagai Bahan Baku Pembuatan Plastik Biodegradable dengan

- Penambahan Plasticizer Gliserol,” *Jurnal Periodic Jurusan Kimia UNP*, vol. 11, no. 1, p. 51, 2022, doi: 10.24036/p.v11i1.113295.
- [41] I. Illing and S. MB, “Uji FTIR Bioplastik dari Limbah Ampas Sagu dengan Penambahan Variasi Konsentrasi Gelatin,” *Jurnal Dinamika*, vol. 08, no. 2, pp. 1–13, 2017.
- [42] P. Bhuyar, N. A. B. M. Tamizi, M. H. Ab. Rahim, G. P. Maniam, and N. Govindan, “Effect of ultraviolet light on the degradation of Low-Density and High-Density Polyethylene characterized by the weight loss and FTIR,” *Maejo International Journal of Energy and Environmental Communication*, vol. 1, no. 2, pp. 26–31, 2019, doi: 10.54279/mijeeec.v1i2.244915.
- [43] N. Devi and J. Dutta, “Preparation and characterization of chitosan-bentonite nanocomposite films for wound healing application,” *Int J Biol Macromol*, vol. 104, pp. 1897–1904, 2017, doi: 10.1016/j.ijbiomac.2017.02.080.
- [44] J. H. R. Llanos and C. C. Tadini, “Preparation and characterization of bio-nanocomposite films based on cassava starch or chitosan, reinforced with montmorillonite or bamboo nanofibers,” *Int J Biol Macromol*, vol. 107, no. PartA, pp. 371–382, 2018, doi: 10.1016/j.ijbiomac.2017.09.001.
- [45] K. Syamsu, C. Pandji, and E. R. Lumbanraja, “Pengaruh penambahan polioksietilen-(20)-sorbitan monolaurat pada karakteristik bioplastik polihidroksialcanoat (PHA) yang dihasilkan Ralstonia eutropha pada substrat hidrolisat pati sagu,” *Jurnal Teknik Industri Pertanian*, vol. 18, no. 2, pp. 41–46, 2018.
- [46] I. Syahbanu, S. A. Hartini, M. Yuspitiasari, and A. Rusmaningsih, “Sintesis dan Studi Sifat Termal Selulosa Asetat dari Selulosa Bakterial,” *Proceedings Of National Colloquium Research And Community Service*, pp. 35–38, 2017.
- [47] L. C. Thomas, “An Introduction to the Techniques of Differential Scanning Calorimetry (DSC) and Modulated DSC,” *TA Instruments*, pp. 1–17, 2005.
- [48] R. Harwood and E. Smith, *Testing of natural textile fibres*, vol. 1. Elsevier Ltd, 2020. doi: 10.1016/B978-0-12-818398-4.00017-7.

- [49] S. Akmal, “Fermentasi Jerami padi dengan Probiotik Sebagai Pakan Ternak Ruminansia,” *Jurnal Agrista*, vol. 5, no. 3, pp. 280–283, 2004.
- [50] D. M. Tyasning and M. Masykuri, “Pengaruh Penambahan Kitosan Terhadap Biodegradasi Plastik Berbahan Dasar Polipropilen,” *Seminar Nasional IX Pendidikan Biologi FKIP UNS*, pp. 380–385, 2009.
- [51] M. D. Halim, A. Karangan, S. Suprihatin, and A. Nandini, “Pemanfaatan Limbah Nasi Aking Pada Pembuatan Bioplastik Dengan Kitosan Dan Plasticizer Sorbitol,” *Jurnal Teknik Kimia*, vol. 17, no. 2, pp. 111–115, 2023, doi: 10.33005/jurnal_tekkim.v17i2.3792.
- [52] M. N. Alam, Kumalasari, NurmalaSari, and I. Illing, “Pengaruh Komposisi Kitosan terhadap Sifat Biodegradasi dan Water Uptake Bioplastik dari Serbuk Tongkol Jagung,” *Al Kimia*, vol. 6, no. 1, pp. 24–33, 2018.
- [53] B. Piluharto, Y. I. Mahendra, and N. Andarini, “Hybrid Kitosan/Bentonit Sebagai Matriks Untuk Pelepasan Ion Amonium Dalam Air,” *Jurnal Kimia Riset*, vol. 1, no. 1, p. 42, 2016, doi: 10.20473/jkr.v1i1.2441.
- [54] Z. Zamrud, W. M. Ng, and H. M. Salleh, “Effect of bentonite nanoclay filler on the properties of bioplastic based on sago starch,” *IOP Conf Ser Earth Environ Sci*, vol. 765, no. 1, 2021, doi: 10.1088/1755-1315/765/1/012009.
- [55] H. Fadiah, “Sintesis dan Karakterisasi Sifat Mekanis dan Kelarutan terhadap Air Film Kitosan,” 2021.
- [56] R. Desramadhani and Ss. B. W. Kusuma, “The Effect of Sorbitol Concentration on The Characteristics of Starch-Based Bioplastics,” *Indonesian Journal of Chemical Science*, vol. 12, no. 2, pp. 130–142, 2023.
- [57] R. Y. Aguirre-Loredo, A. Fonseca-García, H. L. Calambas, A. Salazar-Arango, and C. Caicedo, “Improvements of thermal and mechanical properties of achira starch/chitosan/clay nanocomposite films,” *Heliyon*, vol. 9, no. 6, p. e16782, Jun. 2023, doi: 10.1016/j.heliyon.2023.e16782.
- [58] E. S. B. Purba, “Lama Fermentasi Pupuk Organik Cair Limbah Cair Tahu dan Daun Lamtoro dengan Penambahan Bioaktuator EM4 Terhadap Kandungan Fosfor dan Kalium Total,” pp. 5–10, 2019.

- [59] N. M. Sudia, “Degradasi Polimer,” *Majalah Polimer Indonesia*, vol. 3, no. 1, pp. 20–21, 2000.
- [60] S. Mulyadi, E. S. Ningsih, and A. Abbas, “Modifikasi Polipropilena sebagai Polimer Komposit Biodegradable dengan Bahan Pengisi Pati Pisang dan Sorbitol sebagai Plasticizer,” *Prosiding Semirata FMIPA*, pp. 119–122, 2013.
- [61] R. D. Eristina, “Pengaruh Penambahan Kitosan terhadap Sifat Mekanik Bioplastik Pati Ubi Kayu dengan Plasticizer Gliserol dan Zinc Oxide (Zno) sebagai Penguinat,” pp. 1–26, 2018.