

DAFTAR PUSTAKA

- [1] Kemenperin, "Kemenperin: Menperin: Industri Otomotif Jadi Sektor Andalan Ekonomi Nasional." Accessed: Jun. 19, 2023. [Online]. Available: <https://www.kemenperin.go.id/artikel/22297/Menperin:-Industri-Otomotif-Jadi-Sektor-Andalan-Ekonomi-Nasional>
- [2] EuroPlas, "7 different types of polypropylene and their applications." Accessed: Jun. 20, 2023. [Online]. Available: <https://europلاس.com.vn/en-US/blog-1/7-different-types-of-polypropylene-and-their-applications>
- [3] B. L. Fernandes and A. J. Domingues, "Mechanical characterization of recycled polypropylene for automotive industry," *Polimeros*, vol. 17, no. 2, pp. 85–87, 2007, doi: 10.1590/s0104-14282007000200005.
- [4] F. Ahmad, H. S. Choi, and M. K. Park, "A review: Natural fiber composites selection in view of mechanical, light weight, and economic properties," *Macromolecular Materials and Engineering*, vol. 300, no. 1, pp. 10–24, 2015, doi: 10.1002/mame.201400089.
- [5] M. D. Sukardan, D. Natawijaya, P. Prettyanti, C. Cahyadi, and E. Novarini, "Karakterisasi Serat Dari Tanaman Biduri (*Calotropis Gigantea*) Dan Identifikasi Kemungkinan Pemanfaatannya Sebagai Serat Tekstil," *Arena Tekstil*, vol. 31, no. 2, pp. 51–62, 2017, doi: 10.31266/at.v31i2.1986.
- [6] Y. Zheng, Y. Zhu, A. Wang, and H. Hu, "Potential of *Calotropis gigantea* fiber as an absorbent for removal of oil from water," *Industrial Crops and Products*, vol. 83, pp. 387–390, 2016, doi: 10.1016/j.indcrop.2016.01.009.
- [7] A. Ashori and Z. Bahreini, "Evaluation of *calotropis gigantea* as a promising raw material for fiber-reinforced composite," *Journal of Composite Materials*, vol. 43, no. 11, pp. 1297–1304, 2009, doi: 10.1177/0021998308104526.
- [8] H. U. Zaman and R. A. Khan, "Surface Modified *Calotropis Gigantea* Fiber Reinforced Polypropylene Composites," *International Journal of Advanced Science and Engineering*, vol. 9, no. 1, pp. 2477–2487, 2022, doi: 10.29294/ijase.9.1.2022.2477-2487.
- [9] P. I. Purboputro, "Pengaruh panjang serat terhadap kekuatan impak komposit enceng gondok dengan matriks poliester," *Media Mesin: Majalah Teknik Mesin*, vol. 7, no. 2, pp. 70–76, 2017, doi: 10.23917/mesin.v7i2.3088.
- [10] A. J. Zulfikar and M. Y. R. Siahaan, "Analisis signifikansi roda skateboard berbahan komposit serbuk batang pisang terhadap perfoma kecepatan dengan metode anova," *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 4, no. 2, pp. 83–90, 2021.
- [11] M. K. Singh, R. Tewari, S. Zafar, S. M. Rangappa, and S. Siengchin, "A comprehensive review of various factors for application feasibility of natural fiber-reinforced polymer composites," *Results in Materials*, vol. 17, no. December 2022, p. 100355, 2023, doi: 10.1016/j.rinma.2022.100355.
- [12] J. George, M. S. Sreekala, and S. Thomas, "A review on interface modification and characterization of natural fiber reinforced plastic composites," *Polymer Engineering and Science*, vol. 41, no. 9, pp. 1471–1485, 2001, doi: 10.1002/pen.10846.
- [13] C. Kandeepan and K. Raja, "Investigation on the Mechanical Properties of Madar Fiber Reinforced in Polymer Matrix Composites," *International Conference on Current Research in Engineering Science and Technology*, pp. 110–116, 2016.
- [14] R. Hsissou, R. Seghiri, Z. Benzekri, M. Hilali, M. Rafik, and A. Elharfi, "Polymer composite materials: A comprehensive review," *Composite Structures*, vol. 262, no. January, pp. 0–3, 2021, doi: 10.1016/j.compstruct.2021.113640.
- [15] H. Maddah, "Polypropylene as a Promising Plastic: A Review," *American Journal of Polymer Science*, vol. 6, no. 1, pp. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [16] Q. T. H. Shubhra, A. K. M. M. Alam, and M. A. Quaiyyum, "Mechanical properties of polypropylene composites: A review," *Journal of Thermoplastic Composite Materials*, vol. 26, no. 3, pp. 362–391, 2013, doi: 10.1177/0892705711428659.
- [17] G. Wypych, *Handbook of Polymer*, Second edi. 2016.
- [18] UNEP, "Converting Waste Plastics into a Resource Compendium of Technologies," *United*

- Nations Environment Programme*, pp. 1–51, 2009.
- [19] A. D. Astuti, J. Wahyudi, A. Ernawati, and S. Q. Aini, “Kajian Pendirian Usaha Biji Plastik di Kabupaten Pati, Jawa Tengah,” *Jurnal Litbang: Media Informasi Penelitian, Pengembangan dan IPTEK*, vol. 16, no. 2, pp. 95–112, 2020, doi: 10.33658/jl.v16i2.204.
- [20] J. Jaafar, J. P. Siregar, S. Mohd Salleh, M. H. Mohd Hamdan, T. Cionita, and T. Rihayat, “Important Considerations in Manufacturing of Natural Fiber Composites: A Review,” *International Journal of Precision Engineering and Manufacturing - Green Technology*, vol. 6, no. 3, pp. 647–664, 2019, doi: 10.1007/s40684-019-00097-2.
- [21] R. H. Marchessault and P. R. Sundararajan, *Cellulose*. 1983. doi: 10.1016/b978-0-12-065602-8.50007-8.
- [22] D. N. Saheb and J. P. Jog, “0Deec52E7C9B24B713000000.Pdf,” *Journal of Advances in Polymer Technology*, vol. 18, no. 4, pp. 351–363, 1999.
- [23] M. A. Fuqua, S. Huo, and C. A. Ulven, “Natural fiber reinforced composites,” *Polymer Reviews*, vol. 52, no. 3–4, pp. 259–320, 2012, doi: 10.1080/15583724.2012.705409.
- [24] O. Faruk, A. K. Bledzki, H. P. Fink, and M. Sain, “Progress report on natural fiber reinforced composites,” *Macromolecular Materials and Engineering*, vol. 299, no. 1, pp. 9–26, 2014, doi: 10.1002/mame.201300008.
- [25] Narayana. Lakshmi, V and Rao. Bhaskara, L, “A brief review on the effect of alkali treatment on mechanical properties of various natural fiber reinforced polymer composites,” *Materials Today: Proceedings*, vol. 44, pp. 1988–1994, 2021, doi: 10.1016/j.matpr.2020.12.117.
- [26] T. Kanchan and A. Atreya, “Calotropis gigantea,” *Wilderness and Environmental Medicine*, vol. 27, no. 2, pp. 350–351, 2016, doi: 10.1016/j.wem.2015.12.011.
- [27] P. Narayanasamy *et al.*, “Characterization of a novel natural cellulosic fiber from Calotropis gigantea fruit bunch for ecofriendly polymer composites,” *International Journal of Biological Macromolecules*, vol. 150, pp. 793–801, 2020, doi: 10.1016/j.ijbiomac.2020.02.134.
- [28] M. D. Sukardan, D. Natawijaya, P. Prettyanti, C. Cahyadi, and E. Novarini, “Karakterisasi Serat Dari Tanaman Biduri (Calotropis Gigantea) Dan Identifikasi Kemungkinan Pemanfaatannya Sebagai Serat Tekstil,” *Arena Tekstil*, vol. 31, no. 2, pp. 51–62, 2017, doi: 10.31266/at.v31i2.1986.
- [29] P. Ovlaque, M. Bayart, S. Elkoun, and M. Robert, “Milkweed floss-reinforced thermoplastics: interfacial adhesion and related mechanical properties,” *Composite Interfaces*, vol. 29, no. 2, pp. 215–235, 2021, doi: 10.1080/09276440.2021.1920238.
- [30] Y. Kondo, M. Arsyad, D. Jurusan, T. Mesin, P. Negeri, and U. Pandang, “EFEK PERENDAMAN ALKALI TERHADAP KANDUNGAN LIGNOSELULOSA SERAT,” vol. 2018, no. Gambar 1, pp. 40–44, 2018.
- [31] X. Li, L. G. Tabil, and S. Panigrahi, “Chemical treatments of natural fiber for use in natural fiber-reinforced composites: A review,” *Journal of Polymers and the Environment*, vol. 15, no. 1, pp. 25–33, 2007, doi: 10.1007/s10924-006-0042-3.
- [32] K. Velusamy, P. Navaneethkrishnan, V. S. Arungalai, and K. K. Saravana, “Experimental investigations to evaluate the mechanical properties and behavior of raw and alkali treated king’s crown (calotropis gigantea) fiber to be employed for fabricating fiber composite,” *Applied Mechanics and Materials*, vol. 598, pp. 73–77, 2014, doi: 10.4028/www.scientific.net/AMM.598.73.
- [33] P. Ovlaque, M. Foruzanmehr, S. Elkoun, and M. Robert, “Milkweed floss fiber/PLA composites: effect of alkaline and epoxy-silanol surface modifications on their mechanical properties,” *Composite Interfaces*, vol. 27, no. 5, pp. 495–513, 2020, doi: 10.1080/09276440.2019.1655316.
- [34] Alatuji, “QC-601 Manual Forming Machine.”
- [35] Indotrading, “Jual Qc-601 Manual Forming Machine - PT Taharica - Jakarta Timur , DKI Jakarta | Indotrading.” Accessed: Aug. 21, 2023. [Online]. Available: <https://www.indotrading.com/taharica1/qc-601-manual-p388602.aspx>
- [36] BRIN, “E-Layanan Sains BRIN | Badan Riset dan Inovasi Nasional.” Accessed: Jul. 26, 2023. [Online]. Available: <https://elsa.brin.go.id/layanan/index/Kempa Panas>

SHINTO/1210

- [37] N. Saba, M. Jawaid, and M. T. H. Sultan, *An overview of mechanical and physical testing of composite materials*. Elsevier Ltd, 2019. doi: 10.1016/B978-0-08-102292-4.00001-1.
- [38] A. A. Ghazal, "The Process of Maintenance and Assessment of The Universal Testing Material Machine H50KS," *Jmsa*, vol. 4, 2020, doi: 10.17303/jmsa.2020.4.204.
- [39] PolyGlobal, "A Guide to Elongation at Break & Tensile Strength | PolyGlobal | Polyurethane UK Plastic Manufacturer and Supplier." Accessed: Aug. 23, 2023. [Online]. Available: <https://www.polyglobal.co.uk/a-guide-to-elongation-at-break-tensile-strength/>
- [40] R. Brown, "pdfcoffee.com_handbook-of-polymer-testing-physical-methods-brownpdf-3-pdf-free.pdf," 2014.
- [41] ASTM, "ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens," *ASTM International*, vol. 82, no. C, pp. 1–15, 2014, doi: 10.1520/D0638-14.1.
- [42] R. M. N. Arib, S. M. Sapuan, M. M. H. M. Ahmad, M. T. Paridah, and H. M. D. Khairul Zaman, "Mechanical properties of pineapple leaf fibre reinforced polypropylene composites," *Materials and Design*, vol. 27, no. 5, pp. 391–396, 2006, doi: 10.1016/j.matdes.2004.11.009.
- [43] S. Luo and A. N. Netravali, "Mechanical and thermal properties of environment-friendly 'green' composites made from pineapple leaf fibers and poly(hydroxybutyrate-co-valerate) resin," *Polym Compos*, vol. 20, no. 3, pp. 367–378, 1999, doi: 10.1002/pc.10363.
- [44] Q. T. H. Shubhra *et al.*, "Characterization of plant and animal based natural fibers reinforced polypropylene composites and their comparative study," *Fibers and Polymers*, vol. 11, no. 5, pp. 725–731, 2010, doi: 10.1007/s12221-010-0725-1.
- [45] Y. W. Leong, M. B. A. Bakar, Z. A. M. Ishak, A. Ariffin, and B. Pukanszky, "Leong_et_al-2004-Journal_of_Applied_Polymer_Science," 2003.
- [46] Ammar, Bouaziz, Haddar, and Mnif, "Talc as Reinforcing Filler in Polypropylene Compounds: Effect on Morphology and Mechanical Properties," *Polymer science*, vol. 03, no. 02, pp. 1–7, 2017, doi: 10.4172/2471-9935.100023.