

DAFTAR PUSTAKA

- [1] T. S. Dewayana, D. Sugiarto, and D. Hetharia, "Peluang dan Tantangan Industri Komponen Otomotif Indonesia," 2012.
- [2] C. Z. Liao and S. C. Tjong, "Mechanical and thermal performance of high-density polyethylene/alumina nanocomposites," *Journal of Macromolecular Science, Part B: Physics*, vol. 52, no. 6, pp. 812–825, 2013, doi: 10.1080/00222348.2012.733297.
- [3] J. Aalaie and A. Rahmatpour, "Study on preparation and properties of acrylonitrile-butadiene-styrene/ montmorillonite nanocomposites," *Journal of Macromolecular Science, Part B: Physics*, vol. 46, no. 6, pp. 1255–1265, 2007, doi: 10.1080/00222340701629372.
- [4] D. S. Auliyah, D. A. Rahmani, and M. I. Ramadhan, "Strategi Inovatif dalam Meningkatkan Kinerja Pemanfaatan Limbah Plastik Sebagai Bahan Bakar Melalui Metode Pirolisis," *Jurnal Ilmiah Multidisiplin*, vol. 3, no. 2, pp. 372–384, 2024.
- [5] M. Kostadinova, "Recycling of high density polyethylene containers," vol. 57, pp. 77–81, 1997.
- [6] M. Alzerreca, M. Paris, O. Boyron, D. Orditz, G. Louarn, and O. Correc, "Mechanical properties and molecular structures of virgin and recycled HDPE polymers used in gravity sewer systems," *Polym Test*, vol. 46, pp. 1–8, 2015, doi: 10.1016/j.polymertesting.2015.06.012.
- [7] J. R. Jambeck *et al.*, "Marine pollution. Plastic waste inputs from land into the ocean," *Science (1979)*, vol. 347, no. 6223, pp. 764–768, 2015.
- [8] D. A. I. Malyuta, K. L. Matteson, C. Ryan, M. P. Berry, and D. Bajwa, "An investigation into the tensile properties of recycled high-density polyethylene (rHDPE) blended with talc filler," *Results in Materials*, vol. 17, no. January, p. 100377, 2023, doi: 10.1016/j.rinma.2023.100377.
- [9] A. Shavandi, Y. Hou, A. Carne, M. McConnell, and A. E. din A. Bekhit, *Marine Waste Utilization as a Source of Functional and Health Compounds*, 1st ed., vol. 87. Elsevier Inc., 2019. doi: 10.1016/bs.afnr.2018.08.001.
- [10] M. Aider, "Chitosan application for active bio-based films production and potential in the food industry: Review," *Lwt*, vol. 43, no. 6, pp. 837–842, 2010, doi: 10.1016/j.lwt.2010.01.021.
- [11] P. Cazón and M. Vázquez, *Applications of Chitosan as Food Packaging Materials*. 2019. doi: 10.1007/978-3-030-16581-9_3.
- [12] D. V. Abere, S. A. Ojo, M. B. Paredes-Epinosa, and A. Hakami, "Derivation of composites of chitosan-nanoparticles from crustaceans source for nanomedicine:

A mini review," *Biomedical Engineering Advances*, vol. 4, no. July, p. 100058, 2022, doi: 10.1016/j.bea.2022.100058.

- [13] A. Kumar *et al.*, "Chitosan-Based Composites: Development and Perspective in Food Preservation and Biomedical Applications," Aug. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/polym15153150.
- [14] H. Aritonang, D. Katja, and A. Wuntu, *Sintesis Komposit Nanopartikel MgO-Ag/Kitosan Dan Aplikasinya Sebagai Fotokatalisis Dan Antibakteri*, no. November. 2020.
- [15] M. S. Lembang and M. Lestari, "Sintesis Nano Kitosan Sebagai Filter Amonia (Nh3) Dalam Perairan Budidaya," *Jurnal Harpodon Borneo*, vol. 13, no. 2, pp. 48–53, 2021, doi: 10.35334/harpodon.v13i2.1660.
- [16] M. Balasubramanian, *Composite materials and processing*. 2013. doi: 10.1201/b15551.
- [17] O. O. Daramola *et al.*, "Mechanical properties of high density polyethylene matrix composites reinforced with chitosan particles," *Mater Today Proc*, vol. 38, no. xxxx, pp. 682–687, 2021, doi: 10.1016/j.matpr.2020.03.695.
- [18] M. G. Faga *et al.*, "Electron-beam-induced grafting of chitosan onto hdpe/atz composites for biomedical applications," *Polymers (Basel)*, vol. 13, no. 22, 2021, doi: 10.3390/polym13224016.
- [19] P. S. Lima, C. F. Guedes, and S. M. L. Silva, "High-Density Polyethylene / Chitosan Compounds : Effect of Load Level on Thermal and Mechanical Properties," no. October, pp. 2–7, 2014.
- [20] Rochmadi and A. Permono, *Mengenal Polimer dan Polimerisasi*, 1st ed. Yogyakarta: Gadjah Mada University Press, 2018.
- [21] G. Yuliani, "Gambaran Umum tentang Polimer," 2019.
- [22] E. Riande, R. Diaz-Calleja, M. G. Prolongo, R. M. Masegosa, and C. Salom, *Polymer Viscoelasticity: Stress And Strain in Practice*, 1st ed. 270 Madison Avenue, New York: Headquartes, 1999.
- [23] H. T. Mohan, K. Jayanarayanan, and K. M. Mini, "Recent trends in utilization of plastics waste composites as construction materials," *Constr Build Mater*, vol. 271, no. xxxx, p. 121520, 2021, doi: 10.1016/j.conbuildmat.2020.121520.
- [24] G. Wypych, *Handbook of Polymers*. Canada: Chemtec Publishing, 2016. doi: 10.1016/c2021-0-00291-1.
- [25] A. Telehala, "Plastik Sebagai Bahan Campuran Aspal," *Jurnal Sosial Teknologi*, vol. 3, no. 2, pp. 139–152, 2023, doi: 10.59188/jurnalsostech.v3i2.646.
- [26] S. Ahmed and S. Ikram, *Chitosan "Derivative, Composites, and Application."* USA: Scrivener Publishing, 2017.

- [27] M. R. A. Thariq, A. Fadli, A. Rahmat, and R. Handayani, "Pengembangan Kitosan Terkini pada Berbagai Aplikasi Kehidupan : Review," *Jurnal Teknologi Pangan*, no. October, p. Hal. 49-57, 2016.
- [28] W. M. Abdeltwab, Y. F. Abdelaliem, W. A. Metry, and M. Eldeghedy, "Antimicrobial effect of Chitosan and Nano-Chitosan against some Pathogens and Spoilage Microorganisms Synbiotic dairy products View project Antimicrobial effect of Chitosan and Nano-Chitosan against some Pathogens and Spoilage Microorganisms," vol. 10, no. 1, pp. 8–15, 2019.
- [29] P. Suptijah, A. M. Jacob, and D. Rachmania, "Characterization Chitosan Nano from White Shrimp Shells (*Litopenaeus vannamei*) with Ionic Gelation Methods," *J Pengolah Has Perikan Indones*, vol. XIV, no. 2, pp. 78–84, 2011.
- [30] W. D. Callister Jr and D. G. Rethwisch, *Characteristics, Application, and Processing of Polymers*. 2003.
- [31] R. F. Gibson, "Principles of Composite Material Mechanics," *Medical Textiles*, 2016.
- [32] I. Risnasari *et al.*, *Alat Universal Testing Machine (UTM) dan Pengoperasiannya*, no. November 2022. 2021.
- [33] H. Budiman, "Analisis Pengujian Tarik (Tensile Test) Pada Baja St37 Dengan Alat Bantu Ukur Load Cell," *J-Ensitem*, vol. 3, no. 01, pp. 9–13, 2016, doi: 10.31949/j-ensitem.v3i01.309.
- [34] E. Melyna and A. P. Afridana, "The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites," *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, p. 14, 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [35] American Society for Testing and Materials, "ASTM D638-14, Standard Test Method for Tensile Properties of Plastics," *ASTM International*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [36] Y. Nuhgraha, M. K. A. Rosa, and I. Agustian, "Perancangan Alat Uji Impak Digital dengan Metode Charpy Untuk Mengukur Kekuatan Material Polimer," *Jurnal Amplifier : Jurnal Ilmiah Bidang Teknik Elektro Dan Komputer*, vol. 10, no. 2, pp. 15–19, 2020, doi: 10.33369/jamplifier.v10i2.15316.
- [37] E. Ghanbari, S. J. Picken, and J. H. van Esch, "Analysis of differential scanning calorimetry (DSC): determining the transition temperatures, and enthalpy and heat capacity changes in multicomponent systems by analytical model fitting," *J Therm Anal Calorim*, vol. 148, no. 22, pp. 12393–12409, 2023, doi: 10.1007/s10973-023-12356-1.
- [38] M. J. O'Neill, "The Analysis of a Temperature-Controlled Scanning Calorimeter," *Anal Chem*, vol. 36, no. 7, pp. 1238–1245, 1964, doi: 10.1021/ac60213a020.

- [39] P. Saxena, P. Shukla, and M. S. Gaur, "Thermal analysis of polymer blends and double layer by DSC," *Polymers and Polymer Composites*, vol. 29, no. 9, pp. S11–S18, 2021, doi: 10.1177/0967391120984606.
- [40] F. Gapsari and P. H. Setyarini, "Pengaruh Fraksi Volume Terhadap Kekuatan Tarik Dan Lentur Komposit Resin Berpenguat Serbuk Kayu," *Jurnal Rekayasa Mesin*, vol. 1, no. 2, pp. 59–64, 2017.
- [41] K. Sirisinha and D. Meksawat, "Comparison in processability and mechanical and thermal properties of ethylene-octene copolymer crosslinked by different techniques," *J Appl Polym Sci*, vol. 93, no. 3, pp. 1179–1185, 2004, doi: 10.1002/app.20554.
- [42] S. J. Grabowski, *Hydrogen Bonding in Polymeric Materials*. 2006. doi: 10.1007/978-1-4020-4853-1.
- [43] S. V. Canevarolo, "Polymer Molecular Structure," in *Polymer Science*, 2019, pp. 13–53. doi: 10.3139/9781569907269.002.
- [44] S. Wei Kuo, *Bonding in Polymeric Materials*. 2008.
- [45] I. Sriyanti, "Nanocomposite Prepared by Simple Mixing Method," *Proceeding Of The Third International Seminar On Science Education*, vol. 1, no. 1, p. 4, 2009.
- [46] V. Shah, *Handbook of Plastics Testing And Failure Analysis*, Third., vol. 3. Hoboken, New Jersey, 2007.
- [47] M. A. Ashraf, W. Peng, Y. Zare, and K. Y. Rhee, "Effects of Size and Aggregation/Agglomeration of Nanoparticles on the Interfacial/Interphase Properties and Tensile Strength of Polymer Nanocomposites," *Nanoscale Res Lett*, vol. 13, 2018, doi: 10.1186/s11671-018-2624-0.
- [48] M. J. Shirkavand, H. Azizi, I. Ghasemi, and M. Karabi, "Effect of Molecular Structure Parameters on Crystallinity and Environmental Stress Cracking Resistance of High-Density Polyethylene/TiO₂ Nanocomposites," *Advances in Polymer Technology*, vol. 37, no. 3, pp. 770–777, 2018, doi: 10.1002/adv.21719.
- [49] E. Tarani, I. Arvanitidis, D. Christofilos, D. N. Bikiaris, K. Chrissafis, and G. Vourlias, "Calculation of the degree of crystallinity of HDPE/GNPs nanocomposites by using various experimental techniques: a comparative study," *J Mater Sci*, vol. 58, no. 4, pp. 1621–1639, 2023, doi: 10.1007/s10853-022-08125-4.
- [50] S. L. Kodjie, L. Li, B. Li, W. Cai, C. Y. Li, and M. Keating, "Morphology and crystallization behavior of HDPE/CNT nanocomposite," *J Macromol Sci Phys*, vol. 45 B, no. 2, pp. 231–245, 2006, doi: 10.1080/00222340500522299.