

## DAFTAR PUSTAKA

- [1] D. Yulianto, M. Rintami, I. Anwar, K. Hastuti, dan R. Melysa, "THE EFFECT OF NATURAL FIBER COMPOSITE OF ACASIA BARK AND OIL PALM EMPTY FRUITS USING EPOXY RESIN ADHESIVE ON MECHANICAL PROPERTIES (PENGARUH SERAT ALAM KOMPOSIT KULIT KAYU AKASIA DAN TANDAN KOSONG KELAPA SAWIT MENGGUNAKAN PEREKAT RESIN EPOXY TERHADAP SIFAT MEKANIS)," *Journal Renewable Energy & Mechanics*, 2022, doi: 10.25299/rem.2022.vol5(02).9709.
- [2] F. Khan *dkk.*, "Advances of composite materials in automobile applications – A review," 2024, *Elsevier B.V.* doi: 10.1016/j.jer.2024.02.017.
- [3] A. Nurhidayat, "PENGARUH FRAKSI VOLUME PADA PEMBUATAN KOMPOSIT HDPE LIMBAH-CANTULA DAN BERBAGAI JENIS PEREKAT DALAM PEMBUATAN LAMINATE," 2021. Diakses: 23 April 2024. [Daring]. Tersedia pada: [https://d1wqtxts1xzle7.cloudfront.net/39313864/TESIS\\_Fulltext\\_1-5-libre.pdf?1445331607=&response-content-disposition=inline%3B+filename%3DTESIS\\_Fulltext\\_1\\_5.pdf&Expires=1713810922&Signature=gpCQ--Nrc~RwiyrDEUlh9WNhFGVd1JQGGyzW-c0qhDxNvYVETM0-CJMziAgr1PTzF8qE2-j6EujT0Wy8VPTnoZ84hA~H39cYoQFbQLLe-ZwkngW~UCmLeOmG5gR-xq~E9Lb1QsGAiqjShIApf8sgZwncUYvSs7Vu3EUmwMevmUzllIsAKxDfNS97qXT-E1pBOGsiM98eK9icJGUZ-U9RD62v09s3bxCiX4q4zRCCzLxdk25MemJexmozKQltGKHv8c3qd01HcRKHsSje0fCx8N4un~USUtqLvyuoliTwvx2KPhb8Rk47UJbXD84Uu6wJxVlFEB0zNdOdAyUIAArQ\\_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA](https://d1wqtxts1xzle7.cloudfront.net/39313864/TESIS_Fulltext_1-5-libre.pdf?1445331607=&response-content-disposition=inline%3B+filename%3DTESIS_Fulltext_1_5.pdf&Expires=1713810922&Signature=gpCQ--Nrc~RwiyrDEUlh9WNhFGVd1JQGGyzW-c0qhDxNvYVETM0-CJMziAgr1PTzF8qE2-j6EujT0Wy8VPTnoZ84hA~H39cYoQFbQLLe-ZwkngW~UCmLeOmG5gR-xq~E9Lb1QsGAiqjShIApf8sgZwncUYvSs7Vu3EUmwMevmUzllIsAKxDfNS97qXT-E1pBOGsiM98eK9icJGUZ-U9RD62v09s3bxCiX4q4zRCCzLxdk25MemJexmozKQltGKHv8c3qd01HcRKHsSje0fCx8N4un~USUtqLvyuoliTwvx2KPhb8Rk47UJbXD84Uu6wJxVlFEB0zNdOdAyUIAArQ_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA)
- [4] A. Masyruroh, I. Rahmawati, B. Jaya, J. Syech, N. Albantani, dan S. Banten, "PEMBUATAN RECYCLE PLASTIK HDPE SEDERHANA MENJADI ASBAK," vol. 3, no. 1, hlm. 53, 2021.
- [5] M. S. S. V. M. R. Ramadhani T, "View of Model Prediksi Umur Kepiting Berdasarkan Data Morfometrik dan Gender: Pendekatan Model Support Vector Regression." Diakses: 17 April 2024. [Daring]. Tersedia pada: <https://ojs.unud.ac.id/index.php/jik/article/view/102868/51784>
- [6] I. Lestari, D. S. B. Prasetya, dan D. Pangga, "Uji Mekanik Membran Kitosan Berbahan Dasar Cangkang Kepiting," *Lensa: Jurnal Kependidikan Fisika*, vol. 6, no. 1, hlm. 23, Jun 2018, doi: 10.33394/j-lkf.v6i1.932.
- [7] C. Ivana, A. S. Husin, dan A. Setiawati, "Prosiding Seminar Nasional Teknik Kimia 'Kejuangan' Metode Ekstraksi dan Karakterisasi Kitosan Dari Limbah Seafood : Kajian Pustaka," 2023.
- [8] A. Aji, "Jurnal Teknologi Kimia Unimal Jurnal Teknologi Kimia Unimal PEMBUATAN KITOSAN DARI LIMBAH CANGKANG KEPITING," 2012. [Daring]. Tersedia pada: [www.ft.unimal.ac.id/jurnal\\_teknik\\_kimia](http://www.ft.unimal.ac.id/jurnal_teknik_kimia)
- [9] D. V. Abere, S. A. Ojo, M. B. Paredes-Epinosa, dan A. Hakami, "Derivation of composites of chitosan-nanoparticles from crustaceans source for

- nanomedicine: A mini review," *Biomedical Engineering Advances*, vol. 4, hlm. 100058, Des 2022, doi: 10.1016/J.BEA.2022.100058.
- [10] C. DeArmitt dan R. Rother, "Dispersants and Coupling Agents," dalam *Applied Plastics Engineering Handbook: Processing and Materials*, Elsevier, 2011, hlm. 441–454. doi: 10.1016/B978-1-4377-3514-7.10025-X.
- [11] Y. Adityawardhana, "Studi Penambahan Coupling Agent Anhidrat Maleat Terhadap Sifat Mekanik dan Morfologi Komposit Serat Karbon/Epoksi Untuk Lambung Kapal." [Daring]. Tersedia pada:  
<https://www.researchgate.net/publication/382150173>
- [12] M. Shelly, M. Raghavendra, A. Prabhu, H. B. Ravikumar, M. Mathew, dan T. Francis, "Improved mechanical and microstructural performance of high-density polyethylene–chitosan–hydroxyapatite composites as potential bone implant materials," *Materials Today Sustainability*, vol. 19, Nov 2022, doi: 10.1016/j.mtsust.2022.100186.
- [13] O. O. Daramola *dkk.*, "Mechanical properties of high density polyethylene matrix composites reinforced with chitosan particles," dalam *Materials Today: Proceedings*, Elsevier Ltd, Jan 2020, hlm. 682–687. doi: 10.1016/j.matpr.2020.03.695.
- [14] S. S. Giat, D. Indah Anwar, dan dan Basril Abbas, "SIFAT FISIS DAN MEKANIS KOMPOSIT HIGH DENSITY POLYETHYLENE (HDPE)-HYDROXYAPATITE (HAp) DENGAN TEKNIK IRADIASI GAMMA (PHYSICO AND MECHANICAL PROPERTIES OF HIGH DENSITY POLYETHYLENE (HDPE)-HYDROXYAPATITE (HAp) COMPOSITES USING GAMMA IRRADIATION TECHNIQUES)," 2015.
- [15] Kusumaningrum & Aisha, "PRARANCANGAN PABRIK HDPE DARI ETHYLENE KAPASITAS 50.000 TON/TAHUN," 2022.
- [16] H. Wang, D. Yang, W. Xiong, W. Liu, dan X. Qiu, "One-pot preparation of hydrophobic lignin/SiO<sub>2</sub> nanoparticles and its reinforcing effect on HDPE," *Int J Biol Macromol*, vol. 180, hlm. 523–532, Jun 2021, doi: 10.1016/j.ijbiomac.2021.03.091.
- [17] L. K. Muharrami, "European Journal of Hospitality and Tourism Research," 2013, [Daring]. Tersedia pada: <http://journal.trunojoyo.ac.id/jurnalrekayasa>
- [18] L. K. Muharrami, "European Journal of Hospitality and Tourism Research," 2013, [Daring]. Tersedia pada: <http://journal.trunojoyo.ac.id/jurnalrekayasa>
- [19] D. A. Malyuta, K. L. Matteson, C. Ryan, M. P. Berry, dan D. Bajwa, "An investigation into the tensile properties of recycled high-density polyethylene (rHDPE) blended with talc filler," 2021. [Daring]. Tersedia pada:  
<https://ssrn.com/abstract=4178074>
- [20] S. Tesfaw, O. Fatoba, dan T. Mulatie, "Evaluation of tensile and flexural strength properties of virgin and recycled high-density polyethylene (HDPE) for pipe fitting application," dalam *Materials Today: Proceedings*, Elsevier Ltd, Jan 2022, hlm. 3103–3113. doi: 10.1016/j.matpr.2022.03.385.

- [21] F. I. Aryanti dan E. C. Pasya, "Purge material berbasis campuran recycled HDPE dan lempung kaolin untuk ekstrusi polipropilena dan masterbatch," *Majalah Kulit, Karet, dan Plastik*, vol. 37, no. 1, hlm. 17, Jul 2021, doi: 10.20543/mkcp.v37i1.6657.
- [22] A. Aji, "Jurnal Teknologi Kimia Unimal Jurnal Teknologi Kimia Unimal PEMBUATAN KITOSAN DARI LIMBAH CANGKANG KEPITING," 2012. [Daring]. Tersedia pada: [www.ft.unimal.ac.id/jurnal\\_teknik\\_kimia](http://www.ft.unimal.ac.id/jurnal_teknik_kimia)
- [23] A. Purwanti, "ANALISIS KUAT TARIK DAN ELONGASI PLASTIK KITOSAN TERPLASTISASI SORBITOL," 2010.
- [24] A. Kumar *dkk.*, "Chitosan-Based Composites: Development and Perspective in Food Preservation and Biomedical Applications," 1 Agustus 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/polym15153150.
- [25] B. T. Iber, N. A. Kasan, D. Torsabo, dan J. W. Omuwa, "A review of various sources of chitin and chitosan in nature," 2022, *Tech Science Press*. doi: 10.32604/JRM.2022.018142.
- [26] I. Dewi Sartika, M. Amin Alamsjah, N. Erma Nasution Sugijanto, P. Studi Bioteknologi Perikanan dan Kelautan, U. Airlangga, dan F. Perikanan dan Kelautan, "Isolasi dan Karakterisasi Kitosan dari Cangkang Rajungan (*Portunus pelagicus*)," 2016.
- [27] K. Y. Zhu, H. Merzendorfer, W. Zhang, J. Zhang, dan S. Muthukrishnan, "Biosynthesis, Turnover, and Functions of Chitin in Insects," 11 Maret 2016, *Annual Reviews Inc*. doi: 10.1146/annurev-ento-010715-023933.
- [28] S. Kaur dan G. S. Dhillon, "The versatile biopolymer chitosan: Potential sources, evaluation of extraction methods and applications," Mei 2014. doi: 10.3109/1040841X.2013.770385.
- [29] R. Román-Doval, S. P. Torres-Arellanes, A. Y. Tenorio-Barajas, A. Gómez-Sánchez, dan A. A. Valencia-Lazcano, "Chitosan: Properties and Its Application in Agriculture in Context of Molecular Weight," 1 Juli 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/polym15132867.
- [30] N. Kubota, "NOTE Permeability Properties of Chitosan-Transition Metal Complex Membranes."
- [31] "Handbook of Pharmaceutical Excipients."
- [32] I. Sejati Sam dan S. Eka Putri, "Sintesis Nanokitosan dari Limbah Kulit Udang Windu (*Panaeus monodon*) Synthesis of Nanochitosan from Tiger Shrimp Sell Waste (*Panaeus monodon*)," Cetak. [Daring]. Tersedia pada: <http://ojs.unm.ac.id/index.php/sainsmat>
- [33] M. A. Ashraf, W. Peng, Y. Zare, dan K. Y. Rhee, "Effects of Size and Aggregation/Agglomeration of Nanoparticles on the Interfacial/Interphase Properties and Tensile Strength of Polymer Nanocomposites," *Nanoscale Res Lett*, vol. 13, 2018, doi: 10.1186/s11671-018-2624-0.

- [34] M. Okamoto, "Polymer Nanocomposites," 1 Maret 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/eng4010028.
- [35] M. S. Sivakami, T. Gomathi, J. Venkatesan, H. S. Jeong, S. K. Kim, dan P. N. Sudha, "Preparation and characterization of nano chitosan for treatment wastewaters," *Int J Biol Macromol*, vol. 57, hlm. 204–212, 2013, doi: 10.1016/j.ijbiomac.2013.03.005.
- [36] L. E. C. de Paz, A. Resin, K. A. Howard, D. S. Sutherland, dan P. L. Wejse, "Antimicrobial effect of chitosan nanoparticles on *Streptococcus mutans* biofilms," *Appl Environ Microbiol*, vol. 77, no. 11, hlm. 3892–3895, Jun 2011, doi: 10.1128/AEM.02941-10.
- [37] V. Ambrogi, C. Carfagna, P. Cerruti, dan V. Marturano, "Additives in Polymers," *Modification of Polymer Properties*, hlm. 87–108, Jan 2017, doi: 10.1016/B978-0-323-44353-1.00004-X.
- [38] C. DeArmitt dan R. Rothon, "Dispersants and Coupling Agents," dalam *Applied Plastics Engineering Handbook: Processing and Materials*, Elsevier, 2011, hlm. 441–454. doi: 10.1016/B978-1-4377-3514-7.10025-X.
- [39] D. Prasetyo dan W. Wisnu Raharjo, "PENGARUH PENAMBAHAN COUPLING AGENT TERHADAP KEKUATAN MEKANIK KOMPOSIT POLYESTER-CANTULA DENGAN ANYAMAN SERAT 3D ANGLE INTERLOCK," 2013.
- [40] U. Fathanah, "Kualitas Papan Komposit dari Sekam Padi dan Plastik HDPE Daur Ulang Menggunakan Maleic Anhydride (MAH) sebagai Compatibilizer," *Jurnal Rekayasa Kimia dan Lingkungan*, vol. 8, no. 2, hlm. 53–59, 2011.
- [41] D. K. Hood dan O. M. Musa, "Application of maleic anhydride-based materials," dalam *Handbook of Maleic Anhydride Based Materials: Syntheses, Properties and Applications*, Springer International Publishing, 2016, hlm. 577–628. doi: 10.1007/978-3-319-29454-4\_10.
- [42] M. Shelly, M. Raghavendra, H. B. Ravikumar, dan T. Francis, "Structural and free-hole volume characterization of high-density polyethylene-chitosan composites plasticized with palm oil," *Polym Eng Sci*, vol. 61, no. 12, hlm. 3060–3068, Des 2021, doi: 10.1002/pen.25818.
- [43] R. F. . Gibson, *Principles of composite material mechanics*. CRC Press, Taylor & Francis Group, 2016.
- [44] S. Si. ,MT Dr. PRANTASI HARMI TJAHJANTI, "BUKU AJAR TEORI DAN APLIKASI MATERIAL KOMPOSIT DAN POLIMER," *UMSIDA Press* , hlm. 1–15, Agu 2018.
- [45] B. Parveez, M. I. Kittur, I. A. Badruddin, S. Kamangar, M. Hussien, dan M. A. Umarfarooq, "Scientific Advancements in Composite Materials for Aircraft Applications: A Review," 1 November 2022, *MDPI*. doi: 10.3390/polym14225007.
- [46] R. F. . Gibson, *Principles of composite material mechanics*. CRC Press, Taylor & Francis Group, 2016.

- [47] Roosmariharso, "PETUNJUK PRAKTIK PEMROSESAN POLIMER LABORATORIUM DAN WORKSHOP POLIMER TEKNIK KIMIA POLIMER, POLITEKNIK STMI JAKARTA," 2021.
- [48] F. R. Arif, R. Nanda, V. Sari, S. Achsani, J. T. Perminyakan, dan F. T. Mineral, "Meningkatkan Ketahanan Polimer dalam EOR Terhadap Degradasi Polimer Menggunakan Nanokomposit Polimer," 2023.
- [49] M. Balasubramanian, "COMPOSITE MATERIALS AND PROCESSING," 2013.
- [50] M. G. Faga *dkk.*, "Electron-beam-induced grafting of chitosan onto hdpe/atc composites for biomedical applications," *Polymers (Basel)*, vol. 13, no. 22, Nov 2021, doi: 10.3390/polym13224016.
- [51] F. I. Aryanti dan T. B. Santoso, "Tensile Strength and Thermal Properties of Polypropylene/Nano-Bentonite Composites with Maleic Anhydride Coupling Agent," *Jurnal Teknologi dan Manajemen*, vol. 22, no. 1, hlm. 01–06, Feb 2024, doi: 10.52330/jtm.v22i1.120.
- [52] K. R. Perindustrian, S. Ahsan, M. Andi Rusnaenah, dan Ms. Fatah Dwi Pranaridho Ida Nur Apriani, "MODUL PRAKTIK KARAKTERISASI DAN UJI POLIMER POLITEKNIK STMI JAKARTA," 2023.
- [53] I. Risnasari dan R. Karolina, "ALAT UNIVERSAL TESTING MACHINE (UTM) DAN PENGOPERASIANNYA," 2022. [Daring]. Tersedia pada: <https://www.researchgate.net/publication/370940117>
- [54] E. Melyna dan A. P. Afridana, "The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites," *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, hlm. 14, Mar 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [55] O. O. Daramola *dkk.*, "Mechanical properties of high density polyethylene matrix composites reinforced with chitosan particles," dalam *Materials Today: Proceedings*, Elsevier Ltd, Jan 2021, hlm. 682–687. doi: 10.1016/j.matpr.2020.03.695.
- [56] S. Mir, T. Yasin, P. J. Halley, H. M. Siddiqi, dan T. Nicholson, "Thermal, rheological, mechanical and morphological behavior of HDPE/chitosan blend," *Carbohydr Polym*, vol. 83, no. 2, hlm. 414–421, Jan 2011, doi: 10.1016/j.carbpol.2010.07.069.
- [57] Y. Nuhgraha, M. Khairul, A. Rosa, dan I. Agustian, "Perancangan Alat Uji Impak Digital dengan Metode Charpy Untuk Mengukur Kekuatan Material Polimer," 2020.
- [58] N. Saba, M. Jawaid, dan M. T. H. Sultan, "An overview of mechanical and physical testing of composite materials," dalam *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites*, Elsevier, 2018, hlm. 1–12. doi: 10.1016/B978-0-08-102292-4.00001-1.
- [59] L. Šudomová, H. Doležalová Weissmannová, Z. Steinmetz, V. Řezáčová, dan J. Kučerík, "A differential scanning calorimetry (DSC) approach for assessing the quality of polyethylene terephthalate (PET) waste for physical recycling: a

- proof-of-concept study," *J Therm Anal Calorim*, vol. 148, no. 20, hlm. 10843–10855, Okt 2023, doi: 10.1007/s10973-023-12430-8.
- [60] R. Karoui, "Food Authenticity and Fraud," dalam *Chemical Analysis of Food: Techniques and Applications*, Elsevier, 2012, hlm. 499–517. doi: 10.1016/B978-0-12-384862-8.00015-7.
- [61] S. S. Giat, D. Indah Anwar, dan dan Basril Abbas, "SIFAT FISIS DAN MEKANIS KOMPOSIT HIGH DENSITY POLYETHYLENE (HDPE)-HYDROXYAPATITE (HAp) DENGAN TEKNIK IRADIASI GAMMA (PHYSICO AND MECHANICAL PROPERTIES OF HIGH DENSITY POLYETHYLENE (HDPE)-HYDROXYAPATITE (HAp) COMPOSITES USING GAMMA IRRADIATION TECHNIQUES)."
- [62] S. F. A. Karim, J. Jai, K. H. K. Hamid, dan M. A. Irfan, "Characterization of polyethylene-starch based film at a different percentage of crude palm oil and Aloe vera gel," *IOP Conf Ser Mater Sci Eng*, vol. 1053, no. 1, hlm. 012039, Feb 2021, doi: 10.1088/1757-899x/1053/1/012039.
- [63] J. Xu, G. Reiter, dan R. G. Alamo, "Concepts of nucleation in polymer crystallization," 1 Maret 2021, *MDPI AG*. doi: 10.3390/cryst11030304.
- [64] Y. He, B. Zhu, dan Y. Inoue, "Hydrogen bonds in polymer blends," Oktober 2004. doi: 10.1016/j.progpolymsci.2004.07.002.
- [65] A. Fernández-Barbero *dkk*, "Gels and microgels for nanotechnological applications," Maret 2009. doi: 10.1016/j.cis.2008.12.004.
- [66] "Polymer Molecular Structure."
- [67] M. Anthamatten, "Hydrogen bonding in supramolecular polymer networks: Glasses, melts, and elastomers," *Advances in Polymer Science*, vol. 268, hlm. 47–99, 2015, doi: 10.1007/978-3-319-15404-6\_2.
- [68] J. Kruszynski *dkk*, "iPP/HDPE blends compatibilized by a polyester: An unconventional concept to valuable products," 2024. [Daring]. Tersedia pada: <https://www.science.org>
- [69] M. Li, X. Wen, J. Liu, dan T. Tang, "Synergetic effect of epoxy resin and maleic anhydride grafted polypropylene on improving mechanical properties of polypropylene/short carbon fiber composites," *Compos Part A Appl Sci Manuf*, vol. 67, hlm. 212–220, 2014, doi: 10.1016/j.compositesa.2014.09.001.
- [70] A. H. Esbati dan S. Irani, "Effect of functionalized process and CNTs aggregation on fracture mechanism and mechanical properties of polymer nanocomposite," *Mechanics of Materials*, vol. 118, hlm. 106–119, Mar 2018, doi: 10.1016/j.mechmat.2018.01.001.
- [71] S. Biswas, H. Fukushima, dan L. T. Drzal, "Mechanical and electrical property enhancement in exfoliated graphene nanoplatelet/liquid crystalline polymer nanocomposites," *Compos Part A Appl Sci Manuf*, vol. 42, no. 4, hlm. 371–375, Apr 2011, doi: 10.1016/j.compositesa.2010.12.006.
- [72] M. Li, X. Wen, J. Liu, dan T. Tang, "Synergetic effect of epoxy resin and maleic anhydride grafted polypropylene on improving mechanical properties of

- polypropylene/short carbon fiber composites," *Compos Part A Appl Sci Manuf*, vol. 67, hlm. 212–220, 2014, doi: 10.1016/j.compositesa.2014.09.001.
- [73] M. Okamoto, "Polymer Nanocomposites," 1 Maret 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/eng4010028.
- [74] L. Jiang, Y. Zhou, F. Jin, dan Z. Hou, "Influence of Polymer Matrices on the Tensile and Impact Properties of Long Fiber-Reinforced Thermoplastic Composites," *Polymers (Basel)*, vol. 15, no. 2, Jan 2023, doi: 10.3390/polym15020408.
- [75] S. Mir, T. Yasin, P. J. Halley, H. M. Siddiqi, dan T. Nicholson, "Thermal, rheological, mechanical and morphological behavior of HDPE/chitosan blend," *Carbohydr Polym*, vol. 83, no. 2, hlm. 414–421, Jan 2011, doi: 10.1016/j.carbpol.2010.07.069.
- [76] W. D. Callister Jr. dan D. R. Rethwisch, "Callister's Materials Science and Engineering, 10th Edition, Global Edition," hlm. 307–323, 2019, Diakses: 24 Juli 2024. [Daring]. Tersedia pada: <https://www.wiley.com/en-gb/Callister's+Materials+Science+and+Engineering%2C+Global+Edition%2C+10th+Edition-p-9781119455202>
- [77] E. Tarani, I. Arvanitidis, D. Christofilos, D. N. Bikiaris, K. Chrissafis, dan G. Vourlias, "Calculation of the degree of crystallinity of HDPE/GNPs nanocomposites by using various experimental techniques: a comparative study," *J Mater Sci*, vol. 58, no. 4, hlm. 1621–1639, Jan 2023, doi: 10.1007/s10853-022-08125-4.
- [78] E. Roumeli *dkk.*, "Effect of maleic anhydride on the mechanical and thermal properties of hemp/high-density polyethylene green composites," *J Therm Anal Calorim*, vol. 121, no. 1, hlm. 93–105, Jul 2015, doi: 10.1007/s10973-015-4596-y.
- [79] J. Xu, G. Reiter, dan R. G. Alamo, "Concepts of nucleation in polymer crystallization," 1 Maret 2021, *MDPI AG*. doi: 10.3390/cryst11030304.
- [80] M. A. Ashraf, W. Peng, Y. Zare, dan K. Y. Rhee, "Effects of Size and Aggregation/Agglomeration of Nanoparticles on the Interfacial/Interphase Properties and Tensile Strength of Polymer Nanocomposites," *Nanoscale Res Lett*, vol. 13, 2018, doi: 10.1186/s11671-018-2624-0.
- [81] E. Tarani, I. Arvanitidis, D. Christofilos, D. N. Bikiaris, K. Chrissafis, dan G. Vourlias, "Calculation of the degree of crystallinity of HDPE/GNPs nanocomposites by using various experimental techniques: a comparative study," *J Mater Sci*, vol. 58, no. 4, hlm. 1621–1639, Jan 2023, doi: 10.1007/s10853-022-08125-4.
- [82] "Analytical Methods for Polymer Characterization." [Daring]. Tersedia pada: <http://taylorandfrancis.com>
- [83] G. Leite Milião *dkk.*, "pH influence on the mechanisms of interaction between chitosan and ovalbumin: a multi-spectroscopic approach," *Food Hydrocoll*, vol. 123, Feb 2022, doi: 10.1016/j.foodhyd.2021.107137.

- [84] C. H. Lee, A. Khalina, dan S. H. Lee, "Importance of interfacial adhesion condition on characterization of plant-fiber-reinforced polymer composites: A review," 1 Februari 2021, *MDPI AG*. doi: 10.3390/polym13030438.
- [85] M. Sood, D. Dharmpal, dan V. K. Gupta, "Effect of Fiber Chemical Treatment on Mechanical Properties of Sisal Fiber/Recycled HDPE Composite," dalam *Materials Today: Proceedings*, Elsevier Ltd, 2015, hlm. 3149–3155. doi: 10.1016/j.matpr.2015.07.103.
- [86] Prasetya, "Pengaruh Maleic Anhydride Terhadap Sifat Mekanik, Stabilitas Termal, dan Konduktivitas Listrik Komposit Epoksi/Triethylamine/Maleic Anhydride/Grafit Sebagai Kandidat Pelapisan (Cat) Komposit Konduktif Pada Pesawat Terbang".
- [87] T.-M. Don dan H.-R. Chen, "Modification of Chitosan with Maleic Anhydride and Synthesis of Chitosan-g-Poly(N-isopropylacrylamide)."
- [88] P. S. Lima *dkk.*, "HDPE/chitosan composites modified with PE-g-MA. thermal, morphological and antibacterial analysis," *Polymers (Basel)*, vol. 11, no. 10, Okt 2019, doi: 10.3390/polym11101559.