

DAFTAR PUSTAKA

- [1] A. Dwinahari Putri, "Review: Pemanfaatan Polimer Alami Dalam Pembuatan Plastik Biodegradable," *Jurnal Al'Ilmi*, vol. 12, no. 1, p. 2023, 2023.
- [2] L. Widodo, K. Priyanto, and B. Margono, "Analisis Ketangguhan Impak Komposit Polyester Berpenguat Serat Daun Nanas Berdasarkan Jenis Anyaman," *Teknika*, vol. 7, no. 4, pp. 217–227, 2022, doi: 10.52561/teknika.v7i4.207.
- [3] S. Nanda and F. Berruti, "Thermochemical conversion of plastic waste to fuels: a review," *Environmental Chemistry Letters*, vol. 19, no. 1, pp. 123–148, 2021, doi: 10.1007/s10311-020-01094-7.
- [4] S. Miskah, A. Yusra, and W. H. Permana, "Pengaruh Penggunaan Katalis CU-AL₂O₃ terhadap Pembuatan Bahan Bakar Cair dari Bahan LDPE dan PET," *Jurnal Teknik Kimia*, vol. 4, no. 1, pp. 1–23, 2016.
- [5] B. Afriyanto, E. W. Indriyati, and P. Hardini, "Pengaruh Limbah Plastik Low Density Polyethylene Terhadap Karakteristik Dasar Aspal," *Jurnal Transportasi*, vol. 19, no. 1, pp. 59–66, 2019, doi: 10.26593/jt.v19i1.3263.59-66.
- [6] D. Dan, L. Sun, Y. Guo, and W. Cheng, "Study on the mechanical properties of stay cable HDPE sheathing fatigue in dynamic bridge environments," *Polymers*, vol. 7, no. 8, pp. 1564–1576, 2015, doi: 10.3390/polym7081470.
- [7] I. Pleša, P. V. Nožingher, C. Stancu, F. Wiesbrock, and S. Schlögl, "Polyethylene nanocomposites for power cable insulations," *Polymers*, vol. 11, no. 1, 2019, doi: 10.3390/polym11010024.
- [8] D. E. N. Siagian, M. Hakiem, and S. Putra, "Serat Alam Sebagai Bahan Komposit Ramah Lingkungan Natural Fiber As an Environmentally Friendly Composite Material," *Hal*, vol. 5, no. 1, pp. 55–60, 2024.
- [9] F. I. Aryanti, "Pembuatan Komposit Polimer Polipropilena/Talk/Masterbatch Hitam Pada Cover Tail," *Jurnal Teknologi dan Manajemen*, vol. 19, no. 1, pp. 1–6, 2021, doi: 10.52330/jtm.v19i1.8.
- [10] E. Melyna, K. S. Nisa, A. Aurel, and L. Fitri, "Pengaruh penambahan serbuk alumina (Al₂O₃) pada komposit serat kayu jati bermatriks polipropilena The effect of alumina (Al₂O₃) addition on teak powder and polypropylene composite," *Jurnal Teknik Kimia*, vol. 29, no. 2, pp. 2721–4885, 2023.
- [11] C. I. Ezekwem, "Composite Materials Literature review for Car bumper Composite Materials Literature review," *ResearchGate*, no. August, 2016, doi: 10.13140/RG.2.1.1817.3683.
- [12] M. Ilham and H. Istiqlaliyah, "Pemanfaatan Serat Rami (Boehmeria Nivea) Sebagai Bahan Komposit Bermatrik Polimer," *Jurnal Mesin Nusantara*, vol. 2, no. 1, pp. 34–41, 2019, doi: 10.29407/jmn.v2i1.13125.
- [13] R. Kozlowski, M. Rawluk, and J. Barriga-Bedoya, "Ramie," *Bast and Other Plant Fibres*, pp. 207–227, 2005, doi: 10.1533/9781845690618.207.
- [14] A. Jahan *et al.*, "Comparative Study of Physical And Elastic Properties of Jute And Glass Fiber Reinforced LDPE Composites," *International Journal of Scientific & Technology Research*, vol. 1, no. 10, pp. 68–72, 2012.
- [15] N. Srahputri, S. Steven, and R. Suratman, "Sifat Tarik Dan Sifat Impak Komposit Polipropilena High Impact Berpenguat Serat Rami Acak Yang Dibuat Dengan Metode Injection Molding," *Mesin*, vol. 26, no. 1, pp. 8–16, 2017, doi: 10.5614/mesin.2017.26.1.2.
- [16] M. Nasrun and S. Sujianto, "Pembuatan dan Pengujian Sifat Fisis dan Sifat Mekanik Keramik Alumina Sebagai Komponen Mekanik," *Teknika: Jurnal Sains dan Teknologi*, vol. 16, no. 2, p. 249, 2020, doi: 10.36055/tjst.v16i2.9075.

- [17] I. Mawardi, H. Razak, Z. Akadir, and R. P. Jaya, "The effect of containing Al₂O₃ microparticles in different matrix polymers on properties of pineapple fiber-reinforced composites," *Frattura ed Integrità Strutturale*, vol. 18, no. 67, pp. 94–107, 2024, doi: 10.3221/IGF-ESIS.67.07.
- [18] I. Hasanuddin, I. Mawardi, N. Nurdin, and R. P. Jaya, "Evaluation of properties of hybrid laminated composites with different fiber layers based on Coir/Al₂O₃ reinforced composites for structural application," *Results in Engineering*, vol. 17, no. February, p. 100948, 2023, doi: 10.1016/j.rineng.2023.100948.
- [19] C. Y. Chee, N. L. Song, L. C. Abdullah, T. S. Y. Choong, A. Ibrahim, and T. R. Chantara, "Characterization of mechanical properties: Low-density polyethylene nanocomposite using nanoalumina particle as filler," *Journal of Nanomaterials*, vol. 2012, 2012, doi: 10.1155/2012/215978.
- [20] R. Dhabale and V. S. Jatti, "A bio-material: Mechanical behaviour of LDPE-Al₂O₃-TiO₂," *IOP Conference Series: Materials Science and Engineering*, vol. 149, no. 1, 2016, doi: 10.1088/1757-899X/149/1/012043.
- [21] Z. Noer and I. Dayana, *Buku Fisika dan Teknologi Polimer*. Guepedia, 2021. [Online]. Available: https://www.google.co.id/books/edition/Buku_Fisika_dan_Teknologi_Polimer/gxJNEAAAQBAJ?hl=en&gbpv=1&dq=Klasifikasi&pg=PA27&printsec=frontcover
- [22] N. H. Sari and Suteja, *Polimer Termoset*. Deepublish, 2021. [Online]. Available: https://www.google.co.id/books/edition/Polimer_Termoset/UelHEAAAQBAJ?hl=en&gbpv=1&dq=polimer&pg=PA9&printsec=frontcover
- [23] R. Sidik, "Studi pengaruh penambahan polypropylene dan low density polyethylene terhadap sifat fisik dan mekanik wood plastic composite untuk aplikasi genteng ramah lingkungan," pp. 1–112, 2018.
- [24] M. Biron, *Thermoplastics and Thermoplastic Composites, Second Edition*. 2012. doi: 10.1016/C2011-0-05605-3.
- [25] K. Mukmin, "Pengaruh arah serat ijuk terhadap kekuatan tarik dan bending material komposit serat ijuk-epoxy," 2019.
- [26] S. Budi Utomo, "Pengaruh Penambahan Nanoselulosa Dari Serat Tandan Kosong Kelapa Sawit Pada Komposit Poliurethane Untuk Insulasi Thermal dan Absorpsi Suara Pada Interior Mobil," *Jurnal ITS*, p. 110, 2017.
- [27] T.-D. Ngo, *Composite and Nanocomposite Materials - From Knowledge to Industrial Applications fibres*, vol. 11, no. tourism. 2016.
- [28] K. Boimau, "Efek Panjang Serat Terhadap Sifat Tarik Komposit Poliester Berpenguat Serat Buah Lontar Yang Diberi Perlakuan Alkali," *Jurnal Mesin Nusantara*, vol. 5, no. 1, pp. 129–140, 2022, doi: 10.29407/jmn.v5i1.17948.
- [29] A. Q. Hasyim, "Pengaruh Perlakuan Alkali Terhadap Morfologi Serat Dan Kuat Geser Rekatan Antarmuka Serat Ijuk/Poliester," 2017.
- [30] E. Lesatari, "Pengaruh Perlakuan Alkali Terhadap Sifat Mekanik Pada Komposit Berpenguat Serat Alam : Penelitian Kepustakaan," *Jurusan Teknik Metalurgi Fakultas Teknik Universitas Sultan Ageng Tirtayasa*, 2023.
- [31] K. R. Dantes, P. T. Mesin, and U. P. Ganesha, "analisis kekuatan impact komposit matrix polyester berpenguat serat rami dengan perlakuan alkali NaOH-Nengah Subadra-Univ Ganesha-2018," vol. 6, no. 2, pp. 77–87, 2018.
- [32] R. D. Purwati, "Strategi pengembangan rami (Boehmeria nivea Gaud.)," *Perspektif*, vol. 9, no. 2, pp. 106–118, 2010.
- [33] P. H. Tjahjanti, "Teori Dan Aplikasi Material Komposit Dan Polimer," *Universitas Muhammadiyah Surakarta*. p. 17, 2018.
- [34] Rusnoto and Soebyakto, "Studi Penambahan Serbuk Alumina pada Kerapatan/Densitas Komposit Matrik Epoksi," pp. 1–32, 2020.
- [35] S. Y. Fu, X. Q. Feng, B. Lauke, and Y. W. Mai, "Effects of particle size, particle/matrix interface adhesion and particle loading on mechanical properties of

- particulate-polymer composites,” *Composites Part B: Engineering*, vol. 39, no. 6, pp. 933–961, 2008, doi: 10.1016/j.compositesb.2008.01.002.
- [36] Aminur, Muhammad. Hasbi, and Yuspian. Gunawan, “Proses Pembuatan Biokomposit Polimer Serat Untuk Aplikasi Kampas Rem,” *Seminar Nasional Sains dan Teknologi*, vol. 1, no. 1, pp. 1–7, 2015.
- [37] H. Fahmi, “Alumina Diperkuat Serbuk Aluminium Dan Tembaga,” *Jurnal Teknik Mesin*, vol. 5, no. 1, pp. 42–48, 2015.
- [38] G. F. Aynalem and B. Sirahbizu, “Effect of Al₂O₃ on the tensile and impact strength of flax/unsaturated polyester composite with emphasis on automobile body applications,” *Advances in Materials Science and Engineering*, vol. 2021, 2021, doi: 10.1155/2021/6641029.
- [39] B. Li, R. Li, and Y. Xie, “Properties and effect of preparation method of thermally conductive polypropylene/aluminum oxide composite,” *Journal of Materials Science*, vol. 52, no. 5, pp. 2524–2533, 2017, doi: 10.1007/s10853-016-0546-8.
- [40] A. Eko Nugroho, “Pengaruh komposisi resin terhadap kekuatan mekanik papan partikel yang di perkuat serbuk kayu akasia,” *Pengaruh komposisi resin terhadap kekuatan mekanik papan partikel yang di perkuat serbuk kayu akasia*, vol. 5, no. 2, pp. 99–107, 2016.
- [41] ASTM D368, “Standard Test Method for Tensile Properties of Plastics,” vol. 14, no. 200, pp. 4–5, 1995, doi: 10.1520/D0638-22.1.
- [42] American Society for Testing and Materials, “ASTM D638-14, Standard practice for preparation of metallographic specimens,” *ASTM International*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [43] E. Budiyanto and S. D. Handono, *Pengujian Material*. 2020. [Online]. Available: https://www.google.co.id/books/edition/Pengujian_Material/YAYhEAAAQBAJ?hl=en&gbpv=1&dq=pengujian+uji+tarik+pada+material&pg=PA49&printsec=frontcover
- [44] N. Lu and T. Korman, “Engineering sustainable construction material: Hemp fiber reinforced composite with recycled high density polyethylene matrix,” *ICSDC 2011: Integrating Sustainability Practices in the Construction Industry - Proceedings of the International Conference on Sustainable Design and Construction 2011*, pp. 569–576, 2012, doi: 10.1061/41204(426)70.
- [45] O. Güney, İ. Bilici, D. Doğan, and A. Ü. Metin, “Mechanical and thermal properties of recycled polyethylene/surface treated hemp fiber bio-composites,” *Polymer Composites*, vol. 44, no. 8, pp. 4976–4992, 2023, doi: 10.1002/pc.27463.
- [46] N. Lu and S. Oza, “A comparative study of the mechanical properties of hemp fiber with virgin and recycled high density polyethylene matrix,” *Composites Part B: Engineering*, vol. 45, no. 1, pp. 1651–1656, 2013, doi: 10.1016/j.compositesb.2012.09.076.
- [47] A. W. Gunandar, “Analisis Kekuatan Tarik Dan Impak Bahan Komposit Hibrid Berpenguat Serbuk Kayu Akasia Dan Tandan Kosong Kelapa Sawit,” 2021.
- [48] R. A. Sani, *Karakterisasi Material*. PT Bumi Aksara, 2019. [Online]. Available: https://books.google.co.id/books?id=ooM_EAAAQBAJ&newbks=1&newbks_redir=0&lpg=PA14&dq=metode+charpy+pada+kuat+impak&hl=id&pg=PA14#v=onepage&q=metode+charpy+pada+kuat+impak&f=false
- [49] ISO 179, “Standard Test Method for impact Properties of Plastics,” vol. 2020, 2020.
- [50] F. Hasfi and F. Ika, “Pengaruh Penambahan Serbuk Alumina (Al₂O₃) Terhadap Kuat Tarik dan Sifat Termal Komposit HDPE / Serbuk Kayu Mahoni,” vol. 1, no. 1, pp. 9–16, 2024, doi: 10.52330/jpccet.v1i1.236.
- [51] S. Ahsan, “Spektrum Inframerah dan Sifat Termal Poliasam Laktat (PLA): Perbandingan Filler Seng Oksida dan Kalsium Karbonat,” *Jurnal Teknologi dan Manajemen*, vol. 18, no. 2, pp. 40–50, 2020.

- [52] L. Stelea *et al.*, “Characterisation of Hemp Fibres Reinforced Composites Using Thermoplastic Polymers as Matrices,” *Polymers*, vol. 14, no. 3, 2022, doi: 10.3390/polym14030481.
- [53] H. Arina and N. Faizah, “Pengaruh Penambahan Serat Kulit Jagung Terhadap Sifat Mekanik Komposit Polipropilena (PP) dengan Penambahan Aluminium Oksida (Al₂O₃) dan Maleat Anhidrida (MAH) sebagai Coupling Agent,” *Journal of Polymer Chemical Engineering and Technology*, vol. 1, no. 1, pp. 41–48, 2024, doi: 10.52330/jpcet.v1i1.257.
- [54] A. Arendra and S. Akhmad, “Rancang Bangun Mesin Hot Press untuk Recycle Plastik Hdpe dan Karakterisasi Pengaruh Temperatur Pemanasan Waktu Pemanasan dan Temperatur Pembukaan terhadap Cacat Flashing Cacat Warpage dan Konsumsi Energi Pencetakan,” *Rekayasa*, vol. 10, no. 2, p. 108, 2017, doi: 10.21107/rekayasa.v10i2.3612.
- [55] E. Melyna and A. P. Afridana, “The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites,” *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, p. 14, 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [56] S. Kormin, F. Kormin, M. D. H. Beg, and M. B. M. Piah, “Physical and mechanical properties of LDPE incorporated with different starch sources,” *IOP Conference Series: Materials Science and Engineering*, vol. 226, no. 1, 2017, doi: 10.1088/1757-899X/226/1/012157.
- [57] A. Y. Al-Maharma and P. Sendur, “Review of the Main Factors Controlling the Fracture Toughness and Impact Strength Properties of Natural Composites,” 2018.
- [58] V. Y. Pamela, R. Syarief, E. S. Iriani, and N. E. Suyatma, “Alkohol dengan Penambahan Nanopartikel ZnO dan Asam Stearat untuk Kemasan Multilayer,” *Jurnal Penelitian Pascapanen Pertanian*, vol. 13, no. 2, pp. 63–73, 2016.
- [59] M. Pracella, D. Chionna, I. Anguillesi, Z. Kulinski, and E. Piorkowska, “Functionalization, compatibilization and properties of polypropylene composites with Hemp fibres,” *Composites Science and Technology*, vol. 66, no. 13, pp. 2218–2230, 2006, doi: 10.1016/j.compscitech.2005.12.006.
- [60] A. Mahesha, B. M. Rudresh, H. N. Reddappa, and D. Madhu, “Thermal Characterization of Ramie – Sisal Fiber Reinforced Hybrid Polypropylene Composites,” vol. 4099, 2021.