

DAFTAR PUSTAKA

- [1] Kemenperin, “Dampak Pandemi Covid-19 Terhadap Industri Otomotif,” vol. 1, KEMENPERIN RI, p. 29, 2021.
- [2] D. Waluyo, “Industri Alat Angkut Indonesia 2024: Kontribusi dan Tantangan,” Portal Informasi Indonesia. Accessed: Oct. 17, 2024. [Online]. Available: <https://indonesia.go.id/kategori/editorial/8405/industri-alat-angkut-indonesia-2024-kontribusi-dan-tantangan?lang=1>
- [3] E. D. Dimitri, “DESAIN SEPEDA MOTOR LISTRIK UNTUK MOBILITAS MASYARAKAT DI PERKOTAAN,” pp. 310–315, 2021.
- [4] L. W. McKeen, *8 Polyamides (Nylons)*. 2017. doi: 10.1016/B978-0-12-813292-0.00008-3.
- [5] F. Ullman, *Polymers and Plastics*. Wiley-VCH, 2016.
- [6] A. Nawawi, “PENGARUH PENAMBAHAN FILLER ZEOLIT ALAM TERHADAP KUAT TARIK, KUAT LENTUR, DAN KRISTALINITAS KOMPOSIT BERMATRIKS POLIAMIDA 66 (PA66) DAUR ULANG,” 2023.
- [7] G. D. Domingo and A. M. C. Souza, “PA6 / PA66 / talc composite : Effect of reprocessing on the structure and properties,” no. October, pp. 1–9, 2021, doi: 10.1002/app.51869.
- [8] P. G. Kadam and S. T. Mhaske, “Composite Materials,” 2014, doi: 10.1177/0892705714551591.
- [9] F. I. Aryanti, “Pembuatan Komposit Polimer Polipropilena / Talk / Masterbatch Hitam Pada Cover Tail,” vol. 01, pp. 1–6, 2021, doi: 10.52330/jtm.v19i1.8.
- [10] H. Harahap, S. Pandia, and M. T. Al Fath, “The Effect of Filler Content on the Properties of Zeolite,” vol. 020053, 2020.
- [11] KUSDARTO, “Potensi zeolit di indonesia,” vol. 7, no. 2, pp. 78–87, 2008.
- [12] S. Dur, “ZEOLITE PROCESSING AS HEAVY MATERIAL,” vol. 1, no. 2, pp. 33–45, 2017.
- [13] N. Hindryawati, “AKTIVASI DAN KARAKTERISASI ZEOLIT ALAM MENGGUNAKAN NaOH,” pp. 106–110, 2018.
- [14] R. Mohsenzadeh, “Experimental studies on mechanical properties and toughening mechanisms of PA6 / zeolite nanocomposites,” 2021, doi: 10.1177/09544062211005798.
- [15] T. D. Widodo, R. Raharjo, R. Bintarto, F. Akbar, and S. Adi, “Effect of Zeolite Addition on The Tensile Strength of Polypropylene as Injection Molding Product,” pp. 27–31, 2018.

- [16] H. Pehlivan, F. Tihminliog̃ lu, S. Ulku, and D. Balkose, "Effect of Zeolite Filler on the Thermal Degradation Kinetics of Polypropylene," *ZTECH Institutional Repository*, pp. 1–6, 2005, doi: 10.1002/app.23105.
- [17] A. S. Kareem, K. M. Hamza, and M. A. Erteeb, "The effect of addition of the Filler (Zeolite) to the Polyethylene," *Journal of Faculties of Education*, no. March 2019, pp. 1–16, 2019.
- [18] H. Nasution, "Properties of Unsaturated Polyester Composite Filled Activated Zeolite : The Effect of Filler Addition and Compression Properties of Unsaturated Polyester Composite Filled Activated Zeolite : The Effect of Filler Addition and Compression," 2019, doi: 10.1088/1742-6596/1230/1/012091.
- [19] G. Yuliani, "Gambaran Umum tentang Polimer," pp. 1–41, 2009.
- [20] M. N. Subramanian, *Basics of Polymers*. 2015.
- [21] Azhari, A. Nuryawan, and S. I. Ritonga, *Penggunaan Melt Flow Index Tester*. 2022.
- [22] R. A. F. Siburian *et al.*, *Polimer: Ilmu Material*. 2017.
- [23] Rochmadi and A. Permono, *Mengenal Polimer dan Polimerisasi*. Yogyakarta: Gadjah Mada University Press, 2018.
- [24] N. H. Sari and Suteja, *Polimer Termoset*. Yogyakarta: Deepublish Publisher, 2021.
- [25] K. J. Saunders, *ORGANIC POLYMER CHEMISTRY*. 1988.
- [26] Matthews and Rawings, *Composite Materials: Engineering and Science*. CRC Press, 1999. doi: 10.3139/B978-1-85573-473-9.50004-7.
- [27] A. K. Sharma, R. Bhandari, and A. Aherwar, "Materials Today : Proceedings Matrix materials used in composites : A comprehensive study," no. xxxx, pp. 0–3, 2019, doi: 10.1016/j.matpr.2019.11.086.
- [28] H. Altenbach, *Mechanics of Composite Structural Elements*. 2004. doi: 10.1007/978-981-10-8935-0.
- [29] S. M. Sapuan, *Chapter 3 - Composite Materials*, vol. 72. Elsevier Inc., 2017. doi: 10.1016/B978-0-12-802507-9/00003-9.
- [30] N. Nayiroh, "Teknologi Material Komposit," p. 21, 2013.
- [31] T. Las, "Penggunaan Zeolit Dalam Bidang Industri dan Lingkungan," *Jurnal Zeolit Indonesia*, pp. 23–30, 2002.
- [32] M. Gilbert, "Aliphatic Polyamides," vol. 5, 2020, doi: 10.1016/B978-0-323-35824-8.00018-9.
- [33] G. Czel, A. Sycheva, and D. Janovszky, "Effect of different fillers on thermal conductivity , tribological properties of Polyamide 6," *Scientific Reports*, pp. 1–15, 2023, doi: 10.1038/s41598-023-27740-y.

- [34] D. L. Francisco, L. B. Paiva, and W. Aldeia, "Advances in Polyamide Nanocomposites : A Review," 2018, doi: 10.1002/pc.24837.
- [35] R. Autay and D. Fakhreddine, "Effect of thermal aging on mechanical and tribological behaviors of short glass fiber – reinforced PA66," *Journal of Thermoplastic Composite Materials.*, vol. 1–15, no. October, p. 16, 2018, doi: 10.1177/0892705718807961.
- [36] D. Y. Lestari, "Kajian modifikasi dan karakterisasi zeolit alam dari berbagai negara," 2010.
- [37] P. H. D. Setyawan, "Pengaruh Perlakuan Asam, Hidrotermal dan Impregnasi Logam Kromium pada Zeolit Alam dalam Preparasi Katalis," *Jurnal Ilmu Dasar*, vol. Vol 3, 2002.
- [38] M. Amin and A. D. Istiqomah, "Pengaruh aktivasi secara kimia menggunakan larutan asam dan basa terhadap karakteristik zeolit alam the effect of chemical activation by using acid and base solution on natural zeolite characteristics," pp. 266–271, 2019.
- [39] N. Aas, S. Er, and A. Zulkania, "Pengaruh perlakuan kimia terhadap karakteristik zeolit alam aktif," pp. 99–106, 2018.
- [40] H. E. Mayasari and N. M. Setyadewi, "Effect of Natural Zeolite as Substrate on The Properties of NBR/EDPM Blend," vol. 35, no. 1, pp. 25–32, 2019.
- [41] E. M. Ginting, "Preparation and Characterization of Natural Zeolite and Rice Husk Ash as Filler Material HDPE Thermoplastic," vol. 7, no. 2, pp. 20–28, 2015.
- [42] E. Herald and S. Hisyam, "CHARACTERIZATION AND ACTIVATION OF NATURAL ZEOLIT FROM PONOROGO," vol. 3, no. 2, pp. 91–97, 2003.
- [43] S. Yulianti, "PENGARUH AKTIVASI ASAM PADA ZEOLIT ALAM TUREN TERHADAP KAPASITAS TUKAR KATION Ni, Co, Mn, dan Fe," 2008.
- [44] R. B. Sampurno, "APLIKASI POLIMER DALAM INDUSTRI KEMASAN," *Indonesian Journal of Materials Science*, pp. 15–22, 2006.
- [45] D. Irawan and R. M. Bisono, *Rancang bangun prototype mesin ekstrusi polimer single screw*, no. September. 2018.
- [46] M. N. Subramanian, *Introduction to Polymer Compounding: Machine and Technology, Volume 2*. Shawburry: Smithers Rapra Technology, 2015.
- [47] A. Kuhne, "3 Single Screw Extruder : Equipment," pp. 17–46, 2014, doi: 10.1016/B978-1-4377-3481-2.00003-X.
- [48] R. A. Tatara, *Compression Molding*, Second Edi. Elsevier Inc., 2017. doi: 10.1016/B978-0-323-39040-8/00014-6.

- [49] U. Hasanah, "Jurnal Mekanik Terapan Pengaruh Tekanan Compression Moulding terhadap Kinerja Pelat Bipolar Komposit Grafit / Resin Epoksi Komposisi 20 % Karbon Tempurung Kelapa," vol. 01, no. 01, pp. 71–80, 2020.
- [50] R. D. Safitri and D. K. Maharani, "KARAKTERISASI FILM PVA/KITOSAN/ZEOLIT TERSUBSTITUSI ION Ag+ BERPOTENSI SEBAGAI KEMASAN AKTIF," vol. 11, no. 1, pp. 46–52, 2022.
- [51] T. Siregar, "PENGUNAAN ZEOLIT ALAM SENTANI SEBAGAI," vol. 10, no. September 2013, pp. 22–31, 2014.
- [52] B. Margono and L. Widodo, "ANALISIS SIFAT MEKANIK MATERIAL KOMPOSIT PLASTIK HDPE BERPENGUAT SERAT AMPAS TEBU DITINJAU DARI KEKUATAN TARIK DAN BENDING," vol. 6, no. September, pp. 55–61, 2020.
- [53] J. Oroh, Frans. P. Sappu, and R. Lumintang, "ANALISIS SIFAT MEKANIK MATERIAL KOMPOSIT PLASTIK HDPE BERPENGUAT SERAT AMPAS TEBU DITINJAU DARI KEKUATAN TARIK DAN BENDING," vol. d, p. 10, 2013.
- [54] M. Arsyad, Y. Kondo, Arman, M. Rezky, and Saparuddin, "ANALISA PENGARUH KOMPOSISI SERAT SABUT KELAPA TERHADAP KEKUATAN LENTUR KOMPOSIT SERAT SABUT KELAPA," 2022.
- [55] N. Utami and E. Cahyo, "Sifat mekanik komposit fiberglass melalui uji lentur," *Teknika STTKD*, vol. 8, no. 2, pp. 361–369, 2022.
- [56] N. Saba, M. Jawaid, and M. T. H. Sultan, *1 - An overview of mechanical and physical testing of composite materials*. Elsevier Ltd, 2019. doi: 10.1016/B978-0-08-102292-4.00001-1.
- [57] Ronald. F. Gibson, *Principles of composite material mechanics*. New York: McGraw-Hill, Inc., 1994.
- [58] D. M. Putra, "Pengaruh Komposisi Pengisi Zeolit Serta Besar Tekanan Hot Press pada Komposit Poliester Tak Jenuh Terisi Zeolit Terhadap Sifat Mekanik dan Sifat Fisik," *The University Institute Repository*, 2018.
- [59] Waryat, M. Romli, A. Suryani, I. Yuliasih, and S. Johan, "KARAKTERISTIK MORFOLOGI, TERMAL, FISIK-MEKANIK, DAN BARRIER PLASTIK BIODEGRADABEL BERBAHAN BAKU KOMPOSIT PATI TERMOPLASTIK LLDPE/HDPE," *Agritech*, vol. 33, no. 2, pp. 197–207, 2013.
- [60] H. F. M. De Queiroz, R. A. A. Aguiar, and M. D. Banea, "A Review on the Thermal Characterisation of Natural and Hybrid Fiber Composites," 2021.
- [61] E. Frida, N. Bukit, and F. Zebua, "Analysis Mechanics and Thermal Composites Thermoplastic High Density Polyethylene with Zeolite Modification Filler," vol. 6, no. 3, pp. 126–134, 2014.
- [62] F. You, Y. Li, Y. Zuo, and J. Li, "The Influence of γ -Ray Irradiation on the Mechanical and Thermal Behaviors of nHA / PA66 Composite Scaffolds," vol. 2013, 2013, doi: 10.1155/2013/162384.

- [63] F. Gultom and U. D. Agung, "NANOKOMPOSIT FOAM POLIURETAN," vol. XXVII, pp. 1179–1190, 2019.
- [64] S. V Canevarolo, "Polymer Molecular Structure," *Polymer Science*, pp. 13–53, 2019, doi: 10.3139/9781569907269.002.
- [65] C. Cabello-Alvarado, M. Andrade-Guel, and P. Gamero-Melo, "Composites based on nylon 6 / clinoptilolite by ultrasound - assisted extrusion for enhanced flame retardant and mechanical properties," *Polymer Bulletin*, no. 0123456789, 2021, doi: 10.1007/s00289-021-03582-4.