

DAFTAR PUSTAKA

- [1] S. R. Amalia *et al.*, “Kuat Tarik Komposit Polipropilena (PP) dengan Penguji Silika (SiO₂),” 2014.
- [2] V. A. Fabiani, “Edukasi dan Sosialisasi Pengelolaan Sampah Plastik pada KSM Srimenanti Jaya Sungailiat Bangka,” *Empowerment: Jurnal Pengabdian ...*, vol. 1, pp. 630–636, 2022.
- [3] A. K. Gupta, M. Biswal, S. Mohanty, and S. K. Nayak, “Mechanical, thermal degradation, and flammability studies on surface modified sisal fiber reinforced recycled polypropylene composites,” *Advances in Mechanical Engineering*, vol. 2012, 2012, doi: 10.1155/2012/418031.
- [4] N. Hayeemasae, L. W. Song, and H. Ismail, “Sustainable use of eggshell powder in the composite based on recycled polystyrene and virgin polystyrene mixture,” *International Journal of Polymer Analysis and Characterization*, vol. 24, no. 3, pp. 266–275, 2019, doi: 10.1080/1023666X.2019.1567089.
- [5] Dr. R. K. Chandrappa and Mrs. S. S. Kamath, “The Egg shell as a filler in composite materials - a review,” *Journal of Mechanical and Energy Engineering*, vol. 4, no. 4, pp. 335–340, Apr. 2021, doi: 10.30464/jmee.2020.4.4.335.
- [6] E. S. Bhagavatheswaran *et al.*, “The Taste of Waste: The Edge of Eggshell Over Calcium Carbonate in Acrylonitrile Butadiene Rubber,” *J Polym Environ*, vol. 27, no. 11, pp. 2478–2489, 2019, doi: 10.1007/s10924-019-01530-y.
- [7] T. Ghabeer, R. Dweiri, and S. Al-Khateeb, “Thermal and mechanical characterization of polypropylene/eggshell biocomposites,” *Journal of Reinforced Plastics and Composites*, vol. 32, no. 6, pp. 402–409, 2013, doi: 10.1177/0731684412470015.
- [8] J. Broda, C. Slusarczyk, J. Fabia, and A. Demsar, “Formation and properties of polypropylene/stearic acid composite fibers,” *Textile Research Journal*, vol. 86, no. 1, pp. 64–71, 2016, doi: 10.1177/0040517514566104.
- [9] Y. Hernández *et al.*, “Stearic acid as interface modifier and lubricant agent of the system: Polypropylene/calcium carbonate nanoparticles,” *Polym Eng Sci*, vol. 59, no. s2, pp. E279–E285, 2019, doi: 10.1002/pen.25053.
- [10] M. T. Hayajneh, F. M. Al-Oqla, and M. M. Al-Shrida, “Hybrid green organic/inorganic filler polypropylene composites: Morphological study and mechanical performance investigations,” *E-Polymers*, vol. 21, no. 1, pp. 710–721, 2021, doi: 10.1515/epoly-2021-0074.
- [11] S. Y. Lisha and A. Mahyudin, “Pengaruh Panjang Serat Pinang terhadap Sifat Mekanik dan Uji Biodegradabel Komposit Polipropilena Berpati Talas,” *Jurnal Fisika Unand*, vol. 8, no. 2, pp. 139–145, 2013, doi: 10.25077/jfu.8.2.139-145.2019.
- [12] W. Z. W. Zahari, R. N. R. L. Badri, H. Ardyananta, D. Kurniawan, and F. M. Nor, “Mechanical Properties and Water Absorption Behavior of Polypropylene / Ijuk Fiber Composite by Using Silane Treatment,” *Procedia Manuf*, vol. 2, no. February, pp. 573–578, 2015, doi: 10.1016/j.promfg.2015.07.099.
- [13] E. Mahmuda, S. Savetlana, and - Sugiyanto, “Pengaruh Panjang Serat Terhadap Kekuatan Tarik,” *Jurnal Ilmiah Teknik Mesin*, vol. 1, pp. 79–84, 2013.
- [14] S. Siburuan, *Ilmu material*. 2007.
- [15] M. Fitriawan and U. N. Semarang, “Kuat Tarik Komposit Polipropilena (PP) dengan Penguji Silika (SiO₂) Fisika Radiasi dan Nuklir View project Material Pigment from Mill Scale and Iron Sand View project Agus Yulianto,” 2014, doi: 10.13140/RG.2.1.3253.2002.
- [16] R. H. Fajri, Tarkono, and Sugiyanto, “Studisifat Mekanik Komposit Seratsansevieriacylindricadengan Variasi Fraksivolumebermatrikpolyester,” *Jurnal Fema*, vol. 1, no. April, pp. 85–93, 2013.
- [17] U. B. Surono and Sukoco, “Analisa sifat fisis dan mekanis komposit serat ijuk dengan bahan matrik poliester,” *Prosiding Seminar Nasional XI “Rekayasa Teknologi Industri dan Informasi*, no. 11, pp. 298–303, 2016.
- [18] Zulnazri and R. Dewi, “Perbandingan Ketebalan Serat Dalam Meningkatkan Kualitas Komposit Polipropilen Daur Ulang Dengan Metode Cetak Tekan,” *Jurnal Teknologi Kimia*

- Unimal 1:1*, vol. 1, no. November, pp. 65–78, 2012.
- [19] L. Diana, A. Ghani Safitra, and M. Nabel Ariansyah, “Analisis Kekuatan Tarik pada Material Komposit dengan Serat Penguat Polimer,” *Jurnal Engine: Energi, Manufaktur, dan Material*, vol. 4, no. 2, pp. 59–67, 2020.
- [20] N. Arlofa and H. Herutomo, “Perbandingan Analisis Gugus Ataktik pada Polimer Polipropilena Dengan Metode Gravimetri dan Fourier Transform Infra Red (FTIR),” *Prosiding Seminar Nasional Riset ...*, vol. 971, no. November, pp. 1–0, 2017.
- [21] S. Fadel Muhammad, A. Hasan, P. Studi Teknologi Kimia Industri, J. Teknik Kimia, and P. Negeri Sriwijaya Jl Sriwijaya Negara Bukit Besar Palembang, “Pembuatan Dan Uji Karakteristik Papan Serat Dari Serat Sabut Kelapa Dan Plastik Polipropilena Daur Ulang Production and Characteristic Test of Fiber Board Made From Coconut Fiber and Recycled Polypropylene,” *Jurnal Kinetika*, vol. 12, no. 02, pp. 1–7, 2021.
- [22] C. Maier and T. Calafut, “Introduction,” *Polypropylene*, pp. 1–2, 1998, doi: 10.1016/b978-188420758-7.50005-9.
- [23] S. Prabowo, M. Chalid, and D. Rusmana, “Perbandingan Sifat Kekerasan dan Penyusutan Produk Berbahan Dasar Polipropilene Murni dan Campuran Hasil Pemanasan Berulang,” *Piston: Journal of Technical Engineering*, vol. 5, no. 2, p. 83, 2022, doi: 10.32493/pjte.v5i2.19379.
- [24] S. Moritomi, T. Watanabe, and S. Kanzak, “Polypropylene Compounds for Automotive Applications,” *Predicting the Potential of Agro Waste Fibers*, vol. 1, pp. 1–16, 2010.
- [25] I. Lokantara, N. Suardana, K. T. Suantara, and N. H. Sar, “Pengaruh Variasi Panjang Serat Terhadap Kekuatan Tarik Komposit Polypropylene Daur Ulang Berpenguat Serat *Sansevieria trifasciata*,” *Jurnal Ilmiah Teknik Desain Mekanika*, vol. 7, no. 4, pp. 341–346, 2018.
- [26] P. D. Setyawan, N. H. Sari, and D. G. Pertama Putra, “Pengaruh orientasi Dan fraksi Volume Serat Daun Nanas (*Ananas Comosus*) Terhadap Kekuatan Tarik Komposit Polyestertak Jenuh (Up),” *Dinamika Teknik Mesin*, vol. 2, no. 1, pp. 28–32, 2012, doi: 10.29303/d.v2i1.108.
- [27] T. Bayush, A. A. Hassen, M. Dizbay-onat, U. Alabama, and A. S. Bec, “Polimer Termoplastik : Karakterisasi Termal dan Mekanik Polipropilen yang Diisi Dengan CaCO₃,” vol. 23, no. 9, pp. 653–662, 2015.
- [28] I. Munandar, S. Savetlana, and S. Sugiyanto, “Kekuatan Tarik Serat Ijuk (*Arenga Pinnata Merr*),” *Jurnal Ilmiah Teknik Mesin FEMA*, vol. 1, no. 3, p. 97942, 2013.
- [29] J. Smoleń *et al.*, “The Use of Carbon Fibers Recovered by Pyrolysis from End-of-Life Wind Turbine Blades in Epoxy-Based Composite Panels,” *Polymers (Basel)*, vol. 14, no. 14, 2022, doi: 10.3390/polym14142925.
- [30] Prasetyo dkk., “Pemanfaatan Serat Ijuk sebagai Bahan Gesek Alternatif Kampas Rem Sepeda Motor,” pp. 1–8, 2013.
- [31] R. Oktaviana, B. Sitorus, and M. B. Malino, “Pengaruh 3-Aminopropyltriethoxysilane Terhadap Sifat Dan Morfologi Komposit Karet Alam-Selulosa Tandan Kosong Kelapa Sawit,” *Jkk*, vol. 4, no. 4, pp. 94–100, 2015.
- [32] Sugiarto, T. C. Sunarti, A. Suryani, Sutrisno, and I. Yuliasih, “Aplikasi asam stearat sebagai,” *Jurnal Teknologi Industri Pertanian*, vol. 26, no. 1, pp. 1–8, 2016.
- [33] C. Del Angel *et al.*, “Mechanical and rheological properties of polypropylene/bentonite composites with stearic acid as an interface modifier,” *J Appl Polym Sci*, vol. 132, no. 30, pp. 1–8, 2015, doi: 10.1002/app.42264.
- [34] Ginting M. H. and H. R., “Pengaruh Asam Stearat Terhadap Sifat Kekuatan Tarik dan Pemanjangan Pada Saat Putus Komposit Termoplastik Bekas Berpengisi Serbuk Tempurung Kelapa,” pp. 1–4, 2012.
- [35] K. Witono, Y. Surya Irawan, R. Soenoko, and H. Suryanto, “Pengaruh Perlakuan Alkali (NaOH) Terhadap Morfologi dan Kekuatan Tarik Serat Mendong,” *Jurnal Rekayasa Mesin*, vol. 4, no. 3, pp. 227–234, 2013.
- [36] B. Maryanti, A. Sonief, and S. Wahyudi, “Pengaruh Alkalisasi Komposit Serat Kelapa-Poliester Terhadap Kekuatan Tarik,” *Rekayasa Mesin*, vol. 2, no. 2, pp. 123–129, 2011.
- [37] Zulkifli and I. B. Dharmawan, “Analisa Pengaruh Perlakuan Alkalisasi Dan Hydrogen

- Peroksida Terhadap Kekuatan Mekanik Komposit Serat Sabut Kelapa Bermatriks Epoxy,” *Jurnal Polimesin*, vol. 17, no. 1, pp. 41–46, 2019.
- [38] M. M. Ruben Daniel, “Rancang Bangun Mesin Compression Molding untuk Material Biokomposit Bagian 1: Struktur dan Mekanisme Penggerak,” pp. 734–742, 2019.
- [39] R. A. Tatara, “Compression Molding,” in *Applied Plastics Engineering Handbook*, Second Edi., Elsevier Inc., 2017, pp. 291–320. doi: 10.1016/B978-0-323-39040-8/00014-6.
- [40] L. K. Muharrami, “Analisa DSC Terhadap Sintesis Plastik HDPE–fly ash,” *J Chem Inf Model*, vol. 53, no. 9, pp. 1689–1699, 2013.
- [41] I. Mawardi, S. Rizal, S. Aprilia, and M. Faisal, “Kajian stabilitas termal bahan baku material insulasi panas berbasis serat alam : kayu kelapa sawit dan serat rami Study of the thermal stability of raw materials for thermal insulation materials based on natural fibers : palm wood and ramie fiber,” pp. 16–21, 2021.
- [42] American Society for Testing and Material, “ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens,” *ASTM International*, vol. 82, no. C, pp. 1–15, 2014, doi: 10.1520/D0638-14.1.
- [43] A. A. Hassen, M. Dizbay-Onat, D. Bansal, T. Bayush, and U. Vaidya, “Utilization of chicken Eggshell Waste as a Bio-Filler for thermoplastic Polymers: Thermal and Mechanical characterization of Polypropylene Filled With naturally derived caco3,” *Polymers and Polymer Composites*, vol. 23, no. 9, pp. 653–662, 2015, doi: 10.1177/096739111502300908.
- [44] M. A. Dendy and H. A. Bakar, “Analisis Kekuatan Struktur Landing Skid Akibat Impact Saat Landing Dengan Variasi Beban Pada Helikopter Synergy N9,” *Industri Elektro Penerbangan*, vol. 5, no. 2, pp. 35–45, 2015.
- [45] Pudja dkk., “Jurnal Ilmiah Teknologi Pertanian,” *Ojs.Unud.Ac.Id*, vol. 5, no. 1, pp. 1–8, 2020.
- [46] E. S. Arbintarso, “Tinjauan Kekuatan Lengkung Papan Serat Sabut Kelapa Sebagai Bahan Teknik,” *J Teknol*, vol. 2, no. 1, pp. 53–60, 2009.
- [47] S. Sengupta, P. Maity, D. Ray, and A. Mukhopadhyay, “Stearic acid as coupling agent in fly ash reinforced recycled polypropylene matrix composites: Structural, mechanical, and thermal characterizations,” *J Appl Polym Sci*, vol. 130, no. 3, pp. 1996–2004, 2013, doi: 10.1002/app.39413.