

## DAFTAR PUSTAKA

- [1] J. Hinczica, M. Messiha, T. Koch, A. Frank, and G. Pinter, "Influence of Recyclates on Mechanical Properties and Lifetime Performance of Polypropylene Materials," *Procedia Structural Integrity*, vol. 42, no. 2019, pp. 139–146, 2022, doi: 10.1016/j.prostr.2022.12.017.
- [2] P. Gijsman and R. Fiorio, "Long term thermo-oxidative degradation and stabilization of polypropylene (PP) and the implications for its recyclability," *Polymer Degradation and Stability*, vol. 208, no. December 2022, 2023, doi: 10.1016/j.polymdegradstab.2023.110260.
- [3] J. Hernández-Fernández, E. Rayón, J. López, and M. P. Arrieta, "Enhancing the Thermal Stability of Polypropylene by Blending with Low Amounts of Natural Antioxidants," *Macromolecular Materials and Engineering*, vol. 304, no. 11, pp. 1–13, 2019, doi: 10.1002/mame.201900379.
- [4] C. E. Carraher Jr., "Free-Radical Chain Polymerization (Addition Polymerization)," *Carraher's Polymer Chemistry*, pp. 219–254, 2020, doi: 10.1201/b15405-10.
- [5] J. Ullah *et al.*, "The effect of masterbatch pigments on the crystallisation, morphology, and shrinkage behaviour of Isotactic Polypropylene," *Journal of Polymer Research*, vol. 29, no. 5, 2022, doi: 10.1007/s10965-022-03028-z.
- [6] S. J. L. Bispo, R. C. S. Freire Júnior, J. F. Barbosa, C. C. da Silva, and E. T. L. Cöuras Ford, "Recycling of polypropylene and curaua fiber-based ecomposites: Effect of reprocessing on mechanical properties," *Journal of Strain Analysis for Engineering Design*, vol. 57, no. 2, pp. 75–83, 2022, doi: 10.1177/0309324721997652.
- [7] B. von Vacano, O. Reich, G. Huber, and G. Türkoglu, "Elucidating pathways of polypropylene chain cleavage and stabilization for multiple loop mechanical recycling," *Journal of Polymer Science*, vol. 61, no. 16, pp. 1849–1858, 2023, doi: 10.1002/pol.20230121.
- [8] E. O. Achukwu *et al.*, "Effect of reprocessing on the service life properties of glass fiber-reinforced in-house polypropylene waste composites," *Advanced Manufacturing: Polymer and Composites Science*, vol. 9, no. 1, p., 2023, doi: 10.1080/20550340.2023.2195317.
- [9] H. D. Garcia-Vazquez *et al.*, "Impact of thermomechanical reprocessing conditions on polypropylene composites made from automotive waste parts: A path to a circular economy," *Polymer Engineering and Science*, vol. 63, no. 7, pp. 2031–2042, 2023, doi: 10.1002/pen.26343.
- [10] Z. O. G. Schyns and M. P. Shaver, "Mechanical Recycling of Packaging Plastics: A Review," *Macromolecular Rapid Communications*, vol. 42, no. 3, pp. 1–27, 2021, doi: 10.1002/marc.202000415.

- [11] C. Sergi, J. Tirillò, C. Iacovacci, and F. Sarasini, "Influence of reprocessing cycles on the morphological, thermal and mechanical properties of flax/basalt hybrid polypropylene composites," *Sustainable Materials and Technologies*, vol. 36, no. April, 2023, doi: 10.1016/j.susmat.2023.e00648.
- [12] N. Januarti, "Penetapan Bobot Jenis dan Massa Jenis," *Jurnal Fakultas Ilmu Pengetahuan Alam Universitas Hassanuddin*, pp. 2–6, 2009.
- [13] Q. T. H. Shubhra, A. K. M. M. Alam, and M. A. Quaiyyum, "Mechanical properties of polypropylene composites: A review," *Journal of Thermoplastic Composite Materials*, vol. 26, no. 3, pp. 362–391, 2013, doi: 10.1177/0892705711428659.
- [14] N. N. Aisa, R. Setiawan, and D. Wicaksono, "The Effect of Recycling Frequency on the Melt Flow Rate of Polypropylene Materials," pp. 1–6, 2022.
- [15] J. Rychlý *et al.*, "Comparison of the UV stabilisation effect of commercially available processing stabilizers Irganox HP 136 and Irganox 1010," *Polymer Degradation and Stability*, vol. 118, pp. 10–16, 2015, doi: 10.1016/j.polymdegradstab.2015.04.007.
- [16] H. Xia *et al.*, "Natural antioxidant from bamboo leaves for the processing stability of polypropylene," *Journal of Thermal Analysis and Calorimetry*, vol. 146, no. 4, pp. 1657–1665, 2021, doi: 10.1007/s10973-020-10115-0.
- [17] E. Oktariani, H. Arina, and R. Christine, "Penyuluhan Pemanfaatan Limbah Serbuk Kayu Sebagai Penguat Polipropilena Di Pt. Laksana Teknik Makmur," *Aptekmas*, vol. 6, no. 1, pp. 101–105, 2023.
- [18] S. Banerjee, P. Singh, V. P. Singh, and S. Samanta, "INFLUENCE OF THE REPROCESSING CYCLES ON THE PROPERTIES OF POLYPROPYLENE," vol. 12, no. 3, pp. 229–245, 2023.
- [19] M. Abd El-Wahab and M. G. El-Desouky, "Study the effect of antioxidants on biological activity and on homopolypropylene; mechanical and physical properties," *Journal of the Indian Chemical Society*, vol. 99, no. 12, p. 100764, 2022, doi: 10.1016/j.jics.2022.100764.
- [20] C. N. Hoang and N. T. H. X. Le, "Application of Antioxidant in BOPP book cover recycling," *Science and Technology Development Journal*, vol. 25, no. 3, pp. 2469–2480, 2022, doi: 10.32508/stdj.v25i3.3955.
- [21] H. G. Karian, *Polypropylene: Structure, Properties, Manufacturing Processes, and Applications*. 2021. doi: 10.1201/9780203911808-7.
- [22] D. Musajan, M. Mamatjan, R. Beken, and M. Yimit, "Impact of natural antioxidant systems on the oxidation resistance and mechanical properties of polypropylene," *Polish Journal of Chemical Technology*, vol. 22, no. 1, pp. 68–74, 2020, doi: 10.2478/pjct-2020-0010.
- [23] A. Alsabri, F. Tahir, and S. G. Al-Ghamdi, "Environmental impacts of polypropylene (PP) production and prospects of its recycling in the GCC region,"

- Materials Today: Proceedings*, vol. 56, no. April, pp. 2245–2251, 2022, doi: 10.1016/j.matpr.2021.11.574.
- [24] M. N. Subramanian, *Basics of Polymers*. 2015.
- [25] Hisham A. Maddah, “Polypropylene as a Promising Plastic: A Review,” *American Journal of Polymer Science*, vol. 6, no. 1, pp. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [26] J. Brito, H. Hlushko, A. Abbott, A. Aliakseyeu, R. Hlushko, and S. A. Sukhishvili, “Integrating Antioxidant Functionality into Polymer Materials: Fundamentals, Strategies, and Applications,” *ACS Appl Mater Interfaces*, vol. 13, no. 35, pp. 41372–41395, 2021, doi: 10.1021/acsami.1c08061.
- [27] G. Wypch, *Handbook of Polymer*. 2016.
- [28] R. Pfaendner, “Restabilization – 30 years of research for quality improvement of recycled plastics review,” *Polymer Degradation and Stability*, vol. 203, no. July, p. 110082, 2022, doi: 10.1016/j.polymdegradstab.2022.110082.
- [29] A. Dhawan, V. Kumar, V. S. Parmar, and A. L. Cholli, *Antioxidant Polymers: Synthesis, Properties, and Applications*. 2012. doi: 10.1002/9781118445440.ch13.
- [30] N. S. Allen and M. Edge, “Perspectives on additives for polymers. 1. Aspects of stabilization,” *Journal of Vinyl and Additive Technology*, vol. 27, no. 1, pp. 5–27, 2021, doi: 10.1002/vnl.21807.
- [31] M. Gatcher, R and Muller, “Plastic Additives Handbook 3rd Edition,” 1999, *Hanser Publisher, New York*.
- [32] P. Gijssman, G. Hensen, and M. Mak, “Thermal initiation of the oxidation of thermoplastic polymers (Polyamides, Polyesters and UHMWPE),” *Polymer Degradation and Stability*, vol. 183, p. 109452, 2021, doi: 10.1016/j.polymdegradstab.2020.109452.
- [33] G. Grause, M. F. Chien, and C. Inoue, “Changes during the weathering of polyolefins,” *Polymer Degradation and Stability*, vol. 181, 2020, doi: 10.1016/j.polymdegradstab.2020.109364.
- [34] BASF, “IRGANOX® 1010 | BASF.” Accessed: Jun. 24, 2024. [Online]. Available: <https://dispersions-resins-products.basf.us/products/irganox-1010>
- [35] BASF, “Plastic Additives.” Accessed: Jun. 24, 2024. [Online]. Available: [https://plastics-rubber.basf.com/asiapacific/en/plastic\\_additives/india.html](https://plastics-rubber.basf.com/asiapacific/en/plastic_additives/india.html)
- [36] M. Tolinski, *Antioxidants and Heat Stabilization*. Elsevier Inc., 2009. doi: 10.1016/b978-0-8155-2051-1.00003-0.
- [37] M. Matthews and A. van Reenen, “Recycling of Polyolefins for Multiple Lifecycles,” *Macromolecular Materials and Engineering*, vol. 2300421, pp. 1–10, 2024, doi: 10.1002/mame.202300421.

- [38] X. Ji *et al.*, "Synthetic Antioxidants as Contaminants of Emerging Concern in Indoor Environments : Knowns and Unknowns," 2023, doi: 10.1021/acs.est.3c06487.
- [39] X. Wang, M. Martínez, and A. Anad, "Synthetic phenolic antioxidants : Metabolism , hazards and mechanism of action," vol. 353, no. February, 2021, doi: 10.1016/j.foodchem.2021.129488.
- [40] R. Liu and S. A. Mabury, "Synthetic Phenolic Antioxidants : A Review of Environmental Occurrence , Fate , Human Exposure , and Toxicity," 2020, doi: 10.1021/acs.est.0c05077.
- [41] M. Ulfah, "2702-7241-1-Pb," vol. 2, no. 2, pp. 9–14, 2017.
- [42] X. Hu, M. Zhao, and H. Huang, "Modification of Pineapple Peel Fiber as Metal Ion Adsorbent through Reaction with Succinic Anhydride in Pyridine and Dimethyl Sulfoxide Solvents," *Water Environment Research*, vol. 82, no. 8, pp. 733–741, 2010, doi: 10.2175/106143009x12529484816150.
- [43] R. C. Thompson, S. H. Swan, C. J. Moore, and F. S. Vom Saal, "Our plastic age," *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 364, no. 1526, pp. 1973–1976, 2009, doi: 10.1098/rstb.2009.0054.
- [44] D. L. Pavia, G. M. Lampman, G. S. Kriz, and J. R. and Vyvyan, *Introduction to Spectroscopy.pdf*, 3rd Editio. United State of America: Brooks/Cole Cengage Learning, 2009.
- [45] C. Vipulanandan and Y. J. Ahoassin Guezo, "Effects of temperature and strain rate on the tensile behavior of polypropylene composites insulator coatings used in offshore deepwater pipelines," *Journal of Applied Polymer Science*, vol. 134, no. 36, pp. 1–11, 2017, doi: 10.1002/app.45209.
- [46] A. Hoff and S. Jacobsson, "Thermal oxidation of polypropylene in the temperature range of 120–280°C," *Journal of Applied Polymer Science*, vol. 29, no. 2, pp. 465–480, 1984, doi: 10.1002/app.1984.070290203.
- [47] J. R. Davis, *Tensile Testing*, vol. 275. 2024. doi: 10.1007/978-3-031-45990-0\_1.
- [48] I. Catic, *Polymer testing*, Third Edit., vol. 12, no. 3–4. Carl Hanser Verlag GmbH & Co. KG, 1991. doi: 10.3139/9781569908075.fm.
- [49] G. Wypch, *Handbook of Polymer*. 2016.
- [50] E. E. Meybodi, S. K. Hussain, M. F. Marji, and V. Rasouli, "Application of Machine Learning Models for Predicting Rock Fracture Toughness Mode-I and Mode-II," *Journal of Mining and Environment*, vol. 13, no. 2, pp. 467–482, 2022, doi: 10.22044/jme.2022.11596.2148.
- [51] ASTM Internatiional, *ASTM D1238 Standard Test Method for Melt Flow Rates of Thermoplastics by Extrusion Plastometer*. United States., 2010. doi: 10.1520/D1238-20.10.1520/D1238-23.2.

- [52] M. P. Serdeczny, R. Comminal, D. B. Pedersen, and J. Spangenberg, "Experimental and analytical study of the polymer melt flow through the hot-end in material extrusion additive manufacturing," *Additive Manufacturing*, vol. 32, no. December 2019, p. 100997, 2020, doi: 10.1016/j.addma.2019.100997.
- [53] DIN, "Plastics — Determination of the melt mass-flow rate ( MFR ) and the melt volume-flow rate ( MVR ) of thermoplastics," *International Standard*, vol. Fourth Edi, pp. 2; 12, 2005.