

DAFTAR PUSTAKA

- [1] W. Callister dan D. G. Rethwisch, “Materials Science and Engineering,” 2018.
- [2] Afrizal, Y. Darvina, H. Amir, dan R. Hidayat, “Analisis Pengaruh Variasi Massa Serat Pelepah Pisang Dengan Matrik Polypropylene (PP) Terhadap Konduktivitas Termal Dan Porositas Panel Komposit,” 2024.
- [3] S. Brahma, S. M. Raafi, S. N. Arju, dan J. ur Rehman, “Dyeability and mechanical properties of banana fiber reinforced polypropylene composite,” *SPE Polymers*, vol. 5, no. 3, hlm. 353–365, Jul 2024, doi: 10.1002/pls2.10129.
- [4] D. E. N. Siagian, M. Hakiem, dan S. Putra, “SERAT ALAM SEBAGAI BAHAN KOMPOSIT RAMAH LINGKUNGAN,” *Hal*, vol. 5, no. 1, 2024, [Daring]. Tersedia pada: <http://jurnalnasional.ump.ac.id?index.php/civeng>
- [5] B. Santoso, M. Mastur, dan F. T. Kadarwati, “ABAKA (Musa textilis Nee) SEBAGAI SUMBER SERAT ALAM, PENGHASIL BAHAN BAKU PULP KERTAS DAN SUMBER PENDAPATAN PETANI,” *Perspektif*, vol. 15, no. 1, hlm. 01, Jan 2017, doi: 10.21082/psp.v15n1.2016.01-10.
- [6] E. S. Gultom, A. F. Sitompul, dan S. Rezeqi, “PEMANFAATAN LIMBAH BATANG POHON PISANG UNTUK PEMBUATAN PUPUK ORGANIK CAIR DI DESA KULASAR KECAMATAN SILINDA KABUPATEN SERDANG BEDAGAI,” 2021.
- [7] V. V. Arun Sankar, P. Suresh, V. Arun Kumar, S. Dhanasekar, E. Harish Kumar, dan R. Nandhakumar, “Experimental research into the mechanical behaviour of banana fibre reinforced PP composite material,” dalam *Materials Today: Proceedings*, Elsevier Ltd, 2020, hlm. 3097–3101. doi: 10.1016/j.matpr.2020.03.685.
- [8] H. U. Zaman dan R. A. Khan, “Biocomposites from abaca strands and polypropylene: Effect of chemical treatment by stearic acid,” *Applied Engineering Letters*, vol. 5, no. 4, hlm. 126–134, 2020, doi: 10.18485/aeletters.2020.5.4.3.
- [9] H. Suryanto, “REVIEW SERAT ALAM : KOMPOSISI, STRUKTUR, DAN SIFAT MEKANIS,” 2016.
- [10] D. Setiawan, “KARAKTERISASI SERAT ABACA SEBAGAI ALTERNATIF MATERIAL PENGUAT KOMPOSIT RAMAH LINGKUNGAN,” 2015.
- [11] George. Wypych, *Handbook of fillers*. ChemTec Publishing, 2016.
- [12] K. Guo, C. Yao, Z. Huang, dan H. Liu, “Fabrication of microfibrillated cellulose reinforced polypropylene composites assisted by a synergistic strategy of pre-quaternization and paper-making process,” *Polym Compos*, Mei 2024, doi: 10.1002/pc.29362.

- [13] M. Loos, "Carbon Nanotube Reinforced Composites," dalam *Carbon Nanotube Reinforced Composites: CNR Polymer Science and Technology*, Elsevier Inc., 2015, hlm. 37–72. doi: 10.1016/B978-1-4557-3195-4.00002-3.
- [14] D. Das dan B. Pourdeyhimi, *Composite Nonwoven Materials (Structure, Properties and Applications)*. Elsevier, 2014. [Daring]. Tersedia pada: <http://store.elsevier.com/>
- [15] H. N. Sari dan Sinarep, "ANALISA KEKUATAN BENDING KOMPOSIT EPOXY DENGAN PENGUATAN SERAT NILON," 2016.
- [16] H. A. Maddah, "Polypropylene as a Promising Plastic: A Review," *American Journal of Polymer Science*, vol. 6, no. 1, hlm. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [17] G. Wypych, "HANDBOOK OF POLYMERS," ChemTec Publishing, 2016. doi: 10.1016/b978-1-895198-92-8.50156-7.
- [18] H. G. Karian, *HANDBOOK OF POLYPROPYLENE AND POLYPROPYLENE COMPOSITES Second Edition, Revised and Expanded*, Second. New York, 2003.
- [19] A. S. Utama, "Studi Pemanfaatan Limbah Material Polypropilene (PP) untuk Pembuatan Produk Cone Benang dengan Penambah Material Kalsium Karbonat," *Jurnal Rekayasa Sistem Industri*, vol. 11, no. 1, hlm. 101–108, Apr 2022, doi: 10.26593/jrsi.v11i1.5288.101-108.
- [20] H. Widiyatmoko, P. Purwaningrum, dan F. P. P Arum, "ANALISIS KARAKTERISTIK SAMPAH PLASTIK DI PERMUKIMAN KECAMATAN TEBET DAN ALTERNATIF PENGOLAHANNYA," vol. Vol. 7, hlm. 24–33, 2016, doi: 10.25105/urbanenvirotech.v7i1.713.
- [21] C. Ruangnarong, S. Khojitime, S. Srivorradatphisan, N. Panyathikun, dan S. Chonsakorn, "Evaluation of mechanically extracted banana fibers from pseudostem layers: A sustainable textile raw material," *Heliyon*, vol. 10, no. 21, Nov 2024, doi: 10.1016/j.heliyon.2024.e39880.
- [22] S. Indrawati, L. Yuwana, Suyatno, M. Zainuri, dan Darminto, "Abaca Fiber as a Potential Reinforcer for Acoustic Absorption Material at Middle-High Frequencies," *J Renew Mater*, vol. 12, no. 5, hlm. 909–921, 2024, doi: 10.32604/jrm.2024.048452.
- [23] A. A. Mamun, H. P. Heim, O. Faruk, dan A. K. Bledzki, "The use of banana and abaca fibres as reinforcements in composites," dalam *Biofiber Reinforcements in Composite Materials*, Elsevier Inc., 2015, hlm. 236–272. doi: 10.1533/9781782421276.2.236.
- [24] V. Naik, M. Kumar, dan V. Kaup, "A Review on Natural Fiber Composite Materials in Automotive Applications," 2022, *Engineered Science Publisher*. doi: 10.30919/es8d589.

- [25] R. M. Kozlowski, *Handbook of Natural Fibres - Vol 1 - Types properties and factors affecting breeding and cultivation*. Woodhead publishing, 2012.
- [26] M. Lewin, *Handbook of Fiber Chemistry Third Edition*. CRC Press Taylor & Francis Group, 2007.
- [27] E. Lastri, "PENGARUH PERLAKUAN ALKALI TERHADAP SIFAT MEKANIK PADA KOMPOSIT BERPENGUAT SERAT ALAM : PENELITIAN KEPUSTAKAAN," 2023.
- [28] S. m Rangappa, D. K. Rajak, dan S. Siengchin, *Natural and Synthetic Fiber Reinforced Composites*. Wiley, 2022.
- [29] P. Sahu dan M. K. Gupta, "A review on the properties of natural fibres and its bio-composites: Effect of alkali treatment," 1 Januari 2020, *SAGE Publications Ltd*. doi: 10.1177/1464420719875163.
- [30] A. E. Purkuncoro, "ANALISIS PENGARUH PENGGUNAAN NaOH 5% PADA SERAT PELEPAH PISANG DENGAN FRAKSI VOLUME 40%, 50% DAN 60% TERHADAP KEKUATAN MEKANIS," *Jurnal Teknik Mesin UNISKA*, vol. 3, Nov 2018.
- [31] A. Widiyantoro, R. Linda, dan E. P. Kurniasih, "Karakteristik Serat Pelepah Pisang dari Berbagai Spesies dengan Variasi Perendaman," dalam *Prosiding Seminar Nasional Penerapan Ilmu Pengetahuan dan Teknologi : kampus merdeka meningkatkan kecerdasan sumberdaya manusia melalui interdisipliner ilmu pengetahuan dan teknologi : Pontianak, 24 Agustus 2021*, Untan Press, Nov 2021, hlm. 211–214. doi: 10.26418/pipt.2021.47.
- [32] A. Setiawan, V. Setiani, F. Hardiyanti, dan Devina Puspitasari, "PENGARUH TREATMENT ALKALI TERHADAP KARAKTERISTIK FIBER SABUT KELAPA SAWIT DAN PELEPAH PISANG SEBAGAI BAHAN KOMPOSIT POLIMER," *Journal of Research and Technology*, vol. 5, no. 2, 2019.
- [33] Z. I. Basyarahil, "KARAKTERISASI DAN PROSES MANUFaktur KOMPOSIT POLYPROPYLENE BERPENGUAT SERAT DENDROCALAMUS ASPER UNTUK APLIKASI RUANG MESIN OTOMOTIF," 2017.
- [34] S. F. M. Zamri, H. N. M. Rashid, N. A. Jamion, dan R. Mohamed, "Synthesis and characterisation of maleated polypropylene/lalang fiber/polypropylene composites: Optimisation preparation conditions and their properties," 2012. [Daring]. Tersedia pada: <https://www.researchgate.net/publication/287508789>
- [35] H. Sosiati, A. Nahyudin, D. Wijayanti, dan K. Triyana, "EFFECT OF ALKALI TREATMENT AND MAPP ADDITION ON TENSILE STRENGTH OF SISAL/POLYPROPYLENE COMPOSITES," 2018.
- [36] N. Amir, K. A. Z. Abidin, dan F. B. M. Shiri, "Effects of Fibre Configuration on Mechanical Properties of Banana Fibre/PP/MAPP Natural Fibre Reinforced Polymer Composite," dalam *Procedia Engineering*, Elsevier Ltd, 2017, hlm. 573–580. doi: 10.1016/j.proeng.2017.04.140.

- [37] N. Saba, M. Jawaid, dan M. T. H. Sultan, "An overview of mechanical and physical testing of composite materials," dalam *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites*, Elsevier, 2018, hlm. 1–12. doi: 10.1016/B978-0-08-102292-4.00001-1.
- [38] ASTM D638, *Standard Test Method for Tensile Properties of Plastics*. West Conshohocken, PA: ASTM International, 2014. doi: 10.1520/D0638-14.
- [39] ASTM D3418, *Standard Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry*. West Conshohocken, PA: ASTM International, 2021. doi: 10.1520/D3418-21.
- [40] R. Harwood dan E. Smith, "Testing of natural textile fibres," dalam *Handbook of Natural Fibres: Second Edition*, vol. 1, Elsevier Inc., 2020, hlm. 535–576. doi: 10.1016/B978-0-12-818398-4.00017-7.
- [41] Azhari, R. Karolina, dan S. I. Ritonga, *KARAKTERISASI TERMAL MATERIAL MENGGUNAKAN DIFFERENTIAL SCANNING CALORIMETRY (DSC)*. PT Nasya Expanding Management, 2022.
- [42] F. J. Lanyi, N. Wenzke, J. Kaschta, dan D. W. Schubert, "On the Determination of the Enthalpy of Fusion of α -Crystalline Isotactic Polypropylene Using Differential Scanning Calorimetry, X-Ray Diffraction, and Fourier-Transform Infrared Spectroscopy: An Old Story Revisited," *Adv Eng Mater*, vol. 22, no. 9, Sep 2020, doi: 10.1002/adem.201900796.
- [43] L. Techawinyutham, A. Frick, dan S. Siengchin, "Polypropylene/Maleic Anhydride Grafted Polypropylene (MAgPP)/Coconut Fiber Composites," *Advances in Mechanical Engineering*, vol. 8, no. 5, hlm. 1–9, Mei 2016, doi: 10.1177/1687814016645446.
- [44] P. H. P. M. da Silveira dkk., "Characterization of Thermo-Mechanical and Chemical Properties of Polypropylene/Hemp Fiber Biocomposites: Impact of Maleic Anhydride Compatibilizer and Fiber Content," *Polymers (Basel)*, vol. 15, no. 15, Agu 2023, doi: 10.3390/polym15153271.
- [45] E. K. Silviya, S. Varma, G. Unnikrishnan, dan S. Thomas, "Compounding and mixing of polymers," dalam *Advances in Polymer Processing: From Macro- To Nano- Scales*, Elsevier, 2009, hlm. 71–105. doi: 10.1533/9781845696429.1.71.
- [46] S. Ahsan dan F. I. Aryanti, *MODUL PRAKTIK KOMPOSIT POLIMER*. POLITEKNIK STMI JAKARTA, 2021.
- [47] F. Xiao, L. Zhu, dan L. Yu, "Evaluation of interfacial compatibility in wood flour/polypropylene composites by using dynamic thermomechanical analysis," *Polym Compos*, vol. 41, no. 9, hlm. 3606–3614, Sep 2020, doi: 10.1002/pc.25647.

- [48] J. B. Sajin *dkk.*, “Impact of fiber length on mechanical, morphological and thermal analysis of chemical treated jute fiber polymer composites for sustainable applications,” *Current Research in Green and Sustainable Chemistry*, vol. 5, Jan 2022, doi: 10.1016/j.crgsc.2021.100241.
- [49] A. K. Bledzki dan J. Gassan, “Composites reinforced with cellulose based fibres,” 1999.
- [50] J. Agarwal, S. Mohanty, dan S. K. Nayak, “Influence of cellulose nanocrystal/sisal fiber on the mechanical, thermal, and morphological performance of polypropylene hybrid composites,” *Polymer Bulletin*, vol. 78, no. 3, hlm. 1609–1635, Mar 2021, doi: 10.1007/s00289-020-03178-4.
- [51] X. Zhao *dkk.*, “Recycling of natural fiber composites: Challenges and opportunities,” 1 Februari 2022, *Elsevier B.V.* doi: 10.1016/j.resconrec.2021.105962.
- [52] M. Biron, “Thermal Properties,” dalam *Material Selection for Thermoplastic Parts*, Elsevier, 2016, hlm. 339–375. doi: 10.1016/B978-0-7020-6284-1.00008-8.