

DAFTAR PUSTAKA

- [1] Kementerian Perindustrian, “Kemenperin: Menperin: Industri Otomotif Jadi Sektor Andalan Ekonomi Nasional.” Diakses: 3 Februari 2025. [Daring]. Tersedia pada: <https://www.kemenperin.go.id/artikel/22297/Menperin:-Industri-Otomotif-Jadi-Sektor-Andalan-Ekonomi-Nasional>
- [2] B. T. Mulyo dan H. Yudiono, “Analisis kekuatan impak pada komposit serat daun nanas untuk bahan dasar pembuatan helm SNI,” 2018.
- [3] F. I. Aryanti, “Pembuatan Komposit Polimer Polipropilena/Talk/Masterbatch Hitam Pada Cover Tail,” *Jurnal Teknologi dan Manajemen*, vol. 19, no. 1, hlm. 1–6, 2021.
- [4] G. Rajeshkumar, T. Ramakrishnan, T. Pugalenth, dan P. Ravikumar, “Performance of Surface Modified Pineapple Leaf Fiber and Its Applications,” Singapore: Springer Nature Singapore Pte Ltd, 2020, hlm. 309–321.
- [5] Kementerian Pertanian RI, “Basis Data Statistik Pertanian.” Diakses: 28 Mei 2025. [Daring]. Tersedia pada: <https://bdsp2.pertanian.go.id/bdsp/id/home.html>
- [6] W. Luthfi, K. Hendra Permana, A. Firmansyah, P. E. Pertamina Zona, dan S. Field, “PESONA SUBANG: PEMBERDAYAAN MASYARAKAT MELALUI PEMANFAATAN SERAT DAUN NANAS UNTUK MENDUKUNG ZERO WASTE FARMING (Pesona Subang: Community Empowerment through the Use of Pineapple Leaf Fiber to Support Zero Waste Farming),” *Jurnal Resolusi Konflik, CSR, dan Pemberdayaan*, vol. 7, no. 1, hlm. 59–71, 2022.
- [7] A. M. Seid dan S. A. Adimass, “Review on the impact behavior of natural fiber epoxy based composites,” vol. 10, no. 20, hlm. 1–21, 2024.
- [8] L. Hu dan P. Y. Vuillaume, “Reactive compatibilization of polymer blends by coupling agents and interchange catalysts,” dalam *Compatibilization of Polymer Blends: Micro and Nano Scale Phase Morphologies, Interphase Characterization, and Properties*, Elsevier, 2019, hlm. 205–248. doi: 10.1016/B978-0-12-816006-0.00007-4.
- [9] E. Oktariani dkk., “Sifat Mekanis Polipropilena Berpenguat Serat Kenaf Pendek: Pengaruh Fraksi Massa dan Talk,” *Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, vol. 15, no. 2, hlm. 23–28, 2018.
- [10] A. Albedah dkk., “Potential of recycled polypropylene: A study on effect of natural fiber on the morphology and properties of biocomposite,” *Journal of King Saud University*, hlm. 1–7, 2024.
- [11] E. Achukwu dkk., “Effect of reprocessing on the service life properties of glass fiber-reinforced in-house polypropylene waste composites,” *Advanced Manufacturing Polymer & Composites Science*, vol. 9, no. 1, hlm. 1–10, 2023.

- [12] M. Jawaid, M. Asim, P. M. Tahir, dan M. Nasir, *Pineapple Leaf Fibers: Processing, Properties, and Applications*, 1 ed. Singapore: Springer Nature Singapore Pte Ltd, 2020.
- [13] F. Burgada dkk., "Upgrading recycled polypropylene from textile wastes in wood plastic composites with short hemp fiber," *Polymers (Basel)*, vol. 13, no. 8, Apr 2021, doi: 10.3390/polym13081248.
- [14] R. Chollakup, R. Tantatherdtam, S. Ujjin, dan K. Sriroth, "Pineapple Leaf Fiber Reinforced Thermoplastic Composites: Effects of Fiber Length and Fiber Content on Their Characteristics," *Journal of Applied Polymer Science*, vol. 119, no. 4, hlm. 1952–1960, 2010.
- [15] Supriyanto dan Jimin, "KARAKTERISIK KEKUATAN KOMPOSIT SERAT DAUN NANAS DENGAN VARIASI PANJANG SERAT," *Jurnal Mesin Nusantara*, vol. 4, no. 1, hlm. 30, 2021.
- [16] U. Hujuri, S. K. Chattopadhyay, R. Uppaluri, dan A. K. Ghoshal, "Effect of Maleic anhydride grafted polypropylene on the mechanical and morphological properties of chemically modified short-pineapple-leaf-fiber- reinforced polypropylene composites," *J Appl Polym Sci*, vol. 107, no. 3, hlm. 1507–1516, Feb 2008, doi: 10.1002/app.27156.
- [17] S. K. Chattopadhyay, R. K. Khandal, R. Uppaluri, dan A. K. Ghoshal, "Influence of varying fiber lengths on mechanical, thermal, and morphological properties of MA-g-PP compatibilized and chemically modified short pineapple leaf fiber reinforced polypropylene composites," *J Appl Polym Sci*, vol. 113, no. 6, hlm. 3750–3756, Sep 2009, doi: 10.1002/app.30252.
- [18] U. K. Dwivedi dan N. Chand, "Influence of MA-g-PP on abrasive wear behaviour of chopped sisal fibre reinforced polypropylene composites," *J Mater Process Technol*, vol. 209, no. 12–13, hlm. 5371–5375, Jul 2009, doi: 10.1016/j.jmatprotec.2009.04.008.
- [19] Z. Razak dkk., "The effects of maleic anhydride grafted PP (MAPP) on the mechanical properties of injection moulded kenaf/CNTs/PP composites," *Sains Malays*, vol. 47, no. 6, hlm. 1285–1291, Jun 2018, doi: 10.17576/jsm-2018-4706-25.
- [20] H. Sosiati, A. Nahyudin, D. Wijayanti, dan K. Triyana, "EFFECT OF ALKALI TREATMENT AND MAPP ADDITION ON TENSILE STRENGTH OF SISAL/POLYPROPYLENE COMPOSITES," *Journal of Advance Manufacturing Technology*, vol. 12, no. 2, hlm. 1985–3157, 2018.
- [21] L. Techawinyutham, A. Frick, dan S. Siengchin, "Polypropylene/Maleic Anhydride Grafted Polypropylene (MAgPP)/Coconut Fiber Composites," *Advances in Mechanical Engineering*, vol. 8, no. 5, hlm. 1–9, Mei 2016, doi: 10.1177/1687814016645446.

- [22] R. O. Ebewele, *POLYMER SCIENCE and TECHNOLOGY*. New York: CRC Press LLC, 2000.
- [23] G. Wypych, *Handbook of Polymers*, 2 ed. Toronto: ChemTec Publishing, 2016.
- [24] H. G. . Karian, *Handbook of polypropylene and polypropylene composites*, 2nd ed. New York: Marcel Dekker, 2003.
- [25] M. Chanda, *Plastics Technology Handbook Fifth Edition*, 5th ed. Boca Raton: CRC Press, 2017.
- [26] Achukwu dan M. Mfon Owen, "Influence of Reprocessing Cycles on the Mechanical and Morphological Properties of Recycled Polypropylene," 2020. [Daring]. Tersedia pada: <https://www.researchgate.net/publication/356536452>
- [27] S. Habibie dkk., "Serat Alam Sebagai Bahan Komposit Ramah Lingkungan, Suatu Kajian Pustaka Natural Fiber as A Friendly Environmental Composite Material, A Literature Review," 2021.
- [28] N. Masruchin, "Pengembangan Komposit Polipropilena Berpenguat Serat Sisal Dan Serat Sabut Kelapa Untuk Material Komponen Otomotif," Universitas Indonesia, Depok, 2012.
- [29] A. Mundhe dan B. Kandasubramanian, "Advancements in natural fiber composites: Innovative chemical surface treatments, characterizat on techniques, environmental sustainability, and wide-ranging applications," 1 Desember 2024, *Elsevier B.V.* doi: 10.1016/j.hybadv.2024.100282.
- [30] Komuraiah A, *Chemical composition of natural fibers and its influence on their mechanical properties*, vol. 50. Springer Link, 2014.
- [31] M. M. Kabir, H. Wang, K. T. Lau, dan F. Cardona, "Chemical treatments on plant-based natural fibre reinforced polymer composites: An overview," *Compos B Eng*, vol. 43, no. 7, hlm. 2883–2892, Okt 2012, doi: 10.1016/j.compositesb.2012.04.053.
- [32] D. D. Yanto dan A. Triono, "Pengaruh Alkalisasi Terhadap Kekuatan Tarik dan Impak pada Komposit Epoxy Berpenguat Serat Daun Nanas," *Jurnal STATOR*, vol. 2, no. 1, 2019.
- [33] J. J. S. Nesimnasi, K. Boimau, dan Y. M. Pell, "Pengaruh Perlakuan Alkali (NaOH) Pada Sera Agave Cantula Terhadap Kekuatan Tarik Komposit Polyester.," *Lontar Jurnal Teknik Mesin Undana*, vol. 2, no. 1, 2015.
- [34] M. A. Fuqua dan C. A. Ulven, "Characterization of polypropylene/corn fiber composites with maleic anhydride grafted polypropylene," *J Biobased Mater Bioenergy*, vol. 2, no. 3, hlm. 258–263, Sep 2008, doi: 10.1166/jbmb.2008.405.
- [35] F. Mulana, M. P. Aulia, Azwar, dan S. Aprilia, "Coconut fiber and fly ash polymer hybrid composite treated silane coupling agent: Study on morphology, physical, mechanical, and thermal properties," *S Afr J Chem Eng*, vol. 50, hlm. 10–19, 2024.

- [36] A. Mengual, D. Juarez, R. Balart, dan S. Ferrandiz, "PE-g-MA, PP-g-MA and SEBS-g-MA compatibilizers used in material blends," dalam *Manufacturing Engineering Society International Conference*, 2017, hlm. 321–326.
- [37] X. Yao dkk., "Bio-based high-grafting-rate compatibilizer: Dynamic reactive extrusion synthesis of itaconic anhydride-based copolymers with polypropylene grafts and the application in plant fiber composites," *Journal Industrial Corps and Products*, vol. 226, hlm. 1–12, 2025.
- [38] A. El-Sabbagh, "Effect of coupling agent on natural fibre in natural fibre/polypropylene composites on mechanical and thermal behaviour," *Compos B Eng*, vol. 57, hlm. 126–135, 2014, doi: 10.1016/j.compositesb.2013.09.047.
- [39] R. P. L. Nijssen, *Composite Materials An Introduction*. Belanda: Inholland University of Applied Sciences, 2015.
- [40] M. Riza, S. Aprilia, N. Razali, M. Rabani Fikry, dan H. Saputra, "Characterization of Eco-Friendly Composite Board as a Heat Insulator Based on Polypropylene Waste with Coconut Coir Filler," *Journal of Applied Technology*, vol. 9, no. 1, hlm. 7–15, 2022.
- [41] K. Mukmin, "PENGARUH ARAH SERAT IJUK TERHADAP KEKUATAN TARIK DAN BENDING MATERIAL KOMPOSIT SERAT IJUK-EPOXY," Universitas Negeri Semarang, Semarang, 2019.
- [42] Alat Uji, "QC-601A Manual Thermos Press Forming Machine." Diakses: 28 Februari 2025. [Daring]. Tersedia pada: <https://www.alatuji.com/detail/14/669/qc-601-manual-forming-machine>
- [43] R. Hanifi, Marno, Kardiman, dan E. Widiyanto, "RANCANG BANGUN MESIN HOTPRESS UNTUK PEMBUATAN PAPAN KOMPOSIT BERBASIS LIMBAH SEKAM PADI DAN PLASTIK HDPE," *Journal of Infrastructure&Science Engineering*, vol. 2, no. 1, hlm. 38, 2019.
- [44] Junaidi, "Pengembangan Alat Kempa Panas (Hot Press) Penekanan Dongkrak Hidrolik untuk Pembuatan Papan Komposit ukuran 25 cm x 25 cm," *Jurnal Teknik Mesin*, vol. 13, no. 1, hlm. 25, 2020, [Daring]. Tersedia pada: <http://ejournal2.pnp.ac.id/index.php/jtm>
- [45] ASTM D638, "Standard Test Methode for Tensile Properties of Plastics," 2014
- [46] Z. Razak dkk., "Effects of thermal cycling on physical and tensile properties of injection moulded kenaf/carbon nanotubes/polypropylene hybrid composites," *Compos B Eng*, vol. 168, hlm. 159–165, Jul 2019, doi: 10.1016/j.compositesb.2018.12.031.
- [47] G. Eller Haverroth dan B. Guenther Soares, "Polypropylene and hollow glass microspheres compatibilization via addition of compatibilizing agents," *Polym Compos*, vol. 42, no. 9, hlm. 4872–4883, Sep 2021, doi: 10.1002/pc.26196.

- [48] J. D. Menczel dan R. B. Prime, *THERMAL ANALYSIS OF POLYMERS*. New Jersey: John Wiley & Sons, Inc Publication, 2009.
- [49] K. Kv, A. Sr, Y. Pr, P. Ry, dan B. Vu, "Research and Reviews: Journal of Pharmaceutical Analysis Differential Scanning Calorimetry: A Review," 2014.
- [50] A. V. Markin *dkk.*, "Calorimetric and infrared studies of carbosilane dendrimers of the third generation with ethyleneoxide terminal groups," *Thermochim Acta*, vol. 617, hlm. 144–151, Okt 2015, doi: 10.1016/j.tca.2015.08.028.
- [51] SS Fopra, "Characterization of Polymers with Differential Scanning Calorimetry," 2019.
- [52] L. Baltes, L. Costiuc, S. Patachia, dan M. Tiorean, "Differential scanning calorimetry—a powerful tool for the determination of morphological features of the recycled polypropylene," *J Therm Anal Calorim*, vol. 138, no. 4, hlm. 2399–2408, Nov 2019, doi: 10.1007/s10973-019-08679-7.
- [53] ASTM D3418, "Standard Test Method for Transition Temperatures of Polymers By Differential Scanning Calorimetry," 2003, *ASTM International*. [Daring]. Tersedia pada: www.astm.org,
- [54] P. H. P. M. da Silveira *dkk.*, "Characterization of Thermo-Mechanical and Chemical Properties of Polypropylene/Hemp Fiber Biocomposites: Impact of Maleic Anhydride Compatibilizer and Fiber Content," *Polymers (Basel)*, vol. 15, no. 15, Agu 2023, doi: 10.3390/polym15153271.
- [55] X. Zhou, Y. Yu, Q. Lin, dan L. Chen, "MAPP in foamed PP composite," *Bioresources*, vol. 8, no. 4, hlm. 6263–6279, 2013.