

DAFTAR PUSTAKA

- [1] A. Alsabri, F. Tahir, dan S. G. Al-Ghamdi, "Environmental impacts of polypropylene (PP) production and prospects of its recycling in the GCC region," *Mater Today Proc*, vol. 56, hlm. 2245–2251, 2022, doi: 10.1016/j.matpr.2021.11.574.
- [2] D. Kouranou, C. Galanopoulou, D. M. Korres, A. Tzani, A. Detsi, dan S. Vouyiouka, "Restabilization of Post-Consumer Recycled Polypropylene With Natural Antioxidants From Spent Coffee Residue," *J Appl Polym Sci*, 2024, doi: 10.1002/app.56494.
- [3] Z. O. G. Schyns dan M. P. Shaver, "Mechanical Recycling of Packaging Plastics: A Review," *Macromol Rapid Commun*, vol. 42, hlm. 1–27, 2021, doi: 10.1002/marc.202000415.
- [4] E. Blázquez-Blázquez, T. M. Díez-Rodríguez, E. Pérez, dan M. L. Cerrada, "Recycling of metallocene isotactic polypropylene: importance of antioxidants," *J Therm Anal Calorim*, vol. 147, no. 23, Des 2022, doi: 10.1007/s10973-022-11505-2.
- [5] S. Banerjee, P. Singh, V. P. Singh, dan S. Samanta, "INFLUENCE OF THE REPROCESSING CYCLES ON THE PROPERTIES OF POLYPROPYLENE," 2023. [Daring]. Tersedia pada: www.ijssit.com
- [6] S. Sarrabi, M. Lacrampe, dan P. Krawczak, "Phosphorous antioxidants against polypropylene thermal degradation during rotational molding-kinetic modeling," *J Appl Polym Sci*, vol. 132, no. 3, hlm. 111, 2014, doi: 10.1002/app.41285.
- [7] I. Vulic, G. Vitarelli, dan J. M. Zenner, "Structure–property relationships: phenolic antioxidants with high efficiency and low colour contribution," *Polym Degrad Stab*, vol. 78, no. 1, hlm. 27–34, Jan 2002, doi: 10.1016/S0141-3910(02)00115-5.
- [8] D. Musajan, M. Mamatjan, R. Beken, dan M. Yimit, "Impact of natural antioxidant systems on the oxidation resistance and mechanical properties of polypropylene," *Polish Journal of Chemical Technology*, vol. 22, no. 1, hlm. 68–74, 2020, doi: 10.2478/pjct-2020-0010.
- [9] G. Cirillo dan F. Lemma, *ANTIOXIDANT POLYMERS*. Srivener, 2012.

- [10] H. Baloul, N. Belhaneche-Bensemra, A. Rodriguez Bernaldo De Quirós, dan R. Sendon, "Analysis and quantitative estimation of phenolic antioxidants in polypropylene packaging for fat products," *Journal of Polymer Engineering*, hlm. 1–6, 2018, doi: 10.1515/polyeng-2017-0454.
- [11] N. S. Allen dan M. Edge, "Perspectives on additives for polymers. 1. Aspects of stabilization," *Journal of Vinyl and Additive Technology*, vol. 27, no. 1, hlm. 5–27, 2020, doi: 10.1002/vnl.21807.
- [12] E. Blázquez-Blázquez, R. Barranco-García, T. M. Díez-Rodríguez, P. Posadas, E. Pérez, dan M. L. Cerrada, "Improvement of Thermal Protection in Recycled Polyolefins through Hybrid Mesoporous Silica–Antioxidant Particles," *Recycling*, vol. 9, no. 1, Feb 2024, doi: 10.3390/recycling9010003.
- [13] N. H. Cuong dan L. T. H. X. Nguyet, "Application of Antioxidant in BOPP book cover recycling," *Science and Technology Development Journal*, vol. 25, no. 3, hlm. 2469–2480, 2022, doi: 10.32508/stdj.v25i3.3955.
- [14] R. Yang, "Polymer degradation and stability," dalam *Polymer Science and Nanotechnology*, Elsevier, 2020, 7, hlm. 125–148. doi: 10.1016/B978-0-12-816806-6.00007-8.
- [15] J. Hernández-Fernández, E. Rayón, J. López, dan M. P. Arrieta, "Enhancing the Thermal Stability of Polypropylene by Blending with Low Amounts of Natural Antioxidants," *Macromol Mater Eng*, hlm. 1–13, 2019, doi: 10.1002/mame.201900379.
- [16] R. O. Ebewe, *POLYMER SCIENCE AND TECHNOLOGY*. Benin: Department of Chemical Engineering, 2000.
- [17] H. A. Maddah, "Polypropylene as a Promising Plastic: A Review," vol. 6, no. 1, hlm. 1–11, 2016.
- [18] A. Graziano, S. Jaffer, dan M. Sain, "Review on modification strategies of polyethylene/polypropylene immiscible thermoplastic polymer blends for enhancing their mechanical behavior," *Journal of Elastomers & Plastics*, hlm. 1–46, 2018, doi: 10.1177/0095244318783806.
- [19] Z. M. Arrif, A. Ariffin, S. S. Jikan, dan N. A. A. Rahim, "Rheological Behaviour of Polypropylene Through Extrusion and Capillary Rheometry," 2012, hlm. 30–48.

- [20] G. Wypych, *Handbook of Polymers. In Handbook of Thermoplastics: Second Edition*. ChemTec Publishing, 2016.
- [21] A. Patil, A. Patel, dan R. Purohit, "An overview of Polymeric Materials for Automotive Applications," dalam *Materials Today: Proceedings*, Elsevier Ltd, 2017, hlm. 3807–3815. doi: 10.1016/j.matpr.2017.02.278.
- [22] K. Ragaert, S. Hubo, dan C. I. Martins, "Evaluation of post-industrial and post-consumer polyolefin-based polymer waste streams for injection moulding," 2014. [Daring]. Tersedia pada: <https://www.researchgate.net/publication/270509481>
- [23] P. Gijsman dan R. Fiorio, "Long term thermo-oxidative degradation and stabilization of polypropylene (PP) and the implications for its recyclability," *Polym Degrad Stab*, vol. 208, 2023, doi: 10.1016/j.polymdegradstab.2023.110260.
- [24] J. Vohlídal, "Polymer degradation: a short review," *Chemistry Teacher International*, vol. 3, no. 2, hlm. 213–220, Des 2020, doi: 10.1515/cti-2020-0015.
- [25] T. R. . Crompton, *Thermo-oxidative degradation of polymers T. R. Crompton*. Smithers Rapra, 2010.
- [26] S. Ügdüler, K. M. Van Geem, M. Roosen, E. I. P. Delbeke, dan S. De Meester, "Challenges and opportunities of solvent-based additive extraction methods for plastic recycling," *Waste Management*, vol. 104, hlm. 148–182, Mar 2020, doi: 10.1016/j.wasman.2020.01.003.
- [27] M. Tolinski, *Additives for Polyolefins*, 1 ed. Elsevier, 2009.
- [28] J. Murphy, "Additives for Plastics Handbook," 2 ed., 2001, hlm. 95–97.
- [29] G. Zhang, C. Nam, dan T. Mike Chung, "Developing Polypropylene Bonded Hindered Phenol Antioxidants for Expanding Polypropylene Applications in High Temperature Conditions," *Journal of Material Science & Engineering*, vol. 06, no. 06, 2017, doi: 10.4172/2169-0022.1000393.
- [30] M. V. Basaglia, J. C. F. Gimenez, M. G. P. Homem, S. A. Cruz, L. H. Staffa, dan S. H. P. Bettini, "Improving UV-C stability in polypropylene through synergistic phenolic or hydroxylamine-based additives with UV absorbers," *Express Polym Lett*, vol. 19, no. 2, hlm. 124–139, Feb 2025, doi: 10.3144/expresspolymlett.2025.10.

- [31] J. D. Menczel dan B. Prime, *Thermal Analysis of Polymers*. Wiley, 2008.
doi: 10.1002/9780470423837.
- [32] K. V. Kodre, S. R. Attarde, P. R. Yendhe, dan V. U. Barge, "Differential Scanning Calorimetry: A Review," *J Pharm Anal*, vol. 3, no. 3, hlm. 11–22, 2014.
- [33] R. Yang, "Analytical Methods for Polymer Characterization," Taylor & Francis Group, 2018.
- [34] P. Saxena, P. Shukla, dan M. Gaur, "Thermal analysis of polymer blends and double layer by DSC," *Polymers and Polymer Composites*, vol. 29, no. 9, hlm. 1–8, 2021, doi: 10.1177/0967391120984606.
- [35] E. Oktariani, H. Arina, dan R. Christine, "PENYULUHAN PEMANFAATAN LIMBAH SERBUK KAYU SEBAGAI PENGUAT POLIPROPILENA DI PT. LAKSANA TEKNIK MAKMUR," *Jurnal Pengabdian Kepada Masyarakat*, vol. 6, no. 1, hlm. 101–105, 2023, doi: <http://dx.doi.org/10.36257/apts.vxix>.
- [36] S. J. Larasati, "Perbaikan Sifat Mekanis, Sifat Termal, dan Kristalinitas Polipropilena Daur Ulang dengan Aditif Antioksidan," Politeknik STMI Jakarta, 2024.
- [37] S. Raharjo, "Studi Pengaruh Kadar Monomer Etilena terhadap Karakteristik Polipropilena (PP) Homopolimer grade Thermoforming," UNIVERSITAS INDONESIA, Depok, 2009.
- [38] P. Ertl, "An algorithm to identify functional groups in organic molecules," *J Cheminform*, vol. 9, hlm. 1–7, 2017, doi: 10.1186/s13321-017-0225-z.
- [39] N. Arlofa dan H. Herutomo, "Perbandingan Analisis Gugus Ataktik pada Polimer Polipropilena Dengan Metode Gravimetri dan Fourier Transform Infra Red (FTIR)," *Seminar Nasional Riset Terapan 2017*, hlm. 139–146, 2017.
- [40] A. Dutta, "Fourier Transform Infrared Spectroscopy," Elsevier, 2017, 4, hlm. 73–93.
- [41] D. L. Pavia, G. M. Lampman, G. S. Kriz, dan J. R. Vyvyan, "INTRODUCTION TO SPECTROSCOPY," 4th Ed., 2008.

- [42] F. N. Dianti, “Perbaikan Kualitas Polipropilena Daur Ulang Dengan Antioksidan: Gugus Fungsi, Kuat Tarik, dan Melt Flow Rate,” Politeknik STMI Jakarta, Jakarta, 2024.
- [43] J. Coates, “Interpretation of Infrared Spectra, A Practical Approach,” dalam *Encyclopedia of Analytical Chemistry*, Wiley, 2006, hlm. 1–23. doi: 10.1002/9780470027318.a5606.
- [44] J. Xian, M. Li, Z. Lin, dan S. Deng, “Crystallization and thermal behavior of recycled polypropylene composites containing nonmetallic printed circuit board powder and β -nucleating agents,” *J Therm Anal Calorim*, 2017, doi: 10.1007/s10973-017-6445-7.
- [45] J. Ullah dkk., “The effect of masterbatch pigments on the crystallisation, morphology, and shrinkage behaviour of Isotactic Polypropylene,” *Journal of Polymer Research*, vol. 29, hlm. 1–16, 2022, doi: 10.1007/s10965-022-03028-z.
- [46] L. Baltes, L. Costiuc, S. Patachia, dan M. Tierean, “Differential scanning calorimetry—a powerful tool for the determination of morphological features of the recycled polypropylene,” *J Therm Anal Calorim*, 2019, doi: 10.1007/s10973-019-08679-7.
- [47] H. Jmal dkk., “Influence of the grade on the variability of the mechanical properties of polypropylene waste,” *Waste Management*, hlm. 1–14, 2018, doi: 10.1016/j.wasman.2018.02.006.
- [48] F. N. Dianti, “Perbaikan Kualitas Polipropilena Daur Ulang Dengan Antioksidan: Gugus Fungsi, Kuat Tarik, dan Melt Flow Rate,” 2024.