

DAFTAR PUSTAKA

- [1] P. P. I. P. Dewi, I. Gede Widhiantara, and I. Made Gde Sudyadnyana Sandhika, "Polimer Alam Sebagai Bahan Plastik Ramah Lingkungan: Kajian Pustaka," *Jurnal Kesehatan Terpadu*, vol. 7, no. 2, pp. 58–63, 2023.
- [2] J. Brady, T. Drig, P. I. Lee, and J. X. Li, "Polymer Properties and Characterization," *Developing Solid Oral Dosage Forms: Pharmaceutical Theory and Practice: Second Edition*, pp. 181–223, 2017, doi: 10.1016/B978-0-12-802447-8.00007-8.
- [3] E. F. Hartono and N. Rachmat, "Klasifikasi Jenis Plastik HDPE, LDPE, Dan PS Berdasarkan Tekstur Menggunakan Metode Support Vector Machine," *Jurnal Teknik Informatika dan Sistem Informasi*, vol. 9, no. 2, pp. 1403–1412, 2022, [Online]. Available: <http://jurnal.mdp.ac.id>
- [4] T. G. Yashas Gowda, M. R. Sanjay, K. Subrahmanya Bhat, P. Madhu, P. Senthamaraikannan, and B. Yogesha, "Polymer Matrix-Natural Fiber Composites: An overview," *Cogent Eng*, vol. 5, no. 1, pp. 1–13, Jan. 2018, doi: 10.1080/23311916.2018.1446667.
- [5] D. Sriwita and Astuti, "Pembuatan dan Karakterisasi Sifat Mekanik Bahan Komposit Serat Daun Nenas-Polyester Ditinjau Dari Fraksi Massa dan Orientasi Serat," *Jurnal Fisika Unand*, vol. 3, no. 1, pp. 30–36, 2014.
- [6] M. Muslimin Ilham and H. Istiqlaliyah, "Pemanfaatan Serat Rami (Boehmeria Nivea) Sebagai Bahan Komposit Bermatrik Polimer," *Jurnal Mesin Nusantara*, vol. 2, no. 1, pp. 34–41, 2019.
- [7] R. Fido Andretta and M. Arif Irfai, "Pengaruh Panjang Serat Rami Terhadap Kekuatan Tarik Komposit Sebagai Material Penyusun Kaki Palsu," *Jurnal Teknik Mesin*, vol. 9, no. 1, pp. 123–128, 2021.
- [8] Mardiyati, N. Srahputri, Steven, and R. Suratman, "Sifat Tarik Dan Sifat Impak Komposit Polipropilena High Impact Berpenguat Serat Rami Acak Yang Dibuat Dengan Metode Injection Molding," *MESIN*, vol. 26, no. 1, pp. 8–16, 2017, [Online]. Available: <https://download.garuda.kemdikbud.go.id/article.php?article=760032&val=12228&title=Sifat%20Tarik%20Dan%20Sifat%20Impak%20Komposit%20Polipropilena%20High%20Impact%20Berpenguat%20Serat%20Rami%20Acak%20Yang%20Dibuat%20Dengan%20Metode%20Injection%20Molding>
- [9] N. Lu and S. Oza, "A Comparative Study Of The Mechanical Properties Of Hemp Fiber With Virgin and Recycled High Density Polyethylene Matrix," *Compos B Eng*, vol. 45, no. 1, pp. 1651–1656, Feb. 2013, doi: 10.1016/j.compositesb.2012.09.076.
- [10] M. S. Anbupalani, C. D. Venkatachalam, and R. Rathanasamy, "Influence of Coupling Agent on Altering the Reinforcing Efficiency of Natural Fibre-Incorporated Polymers – A review," *Journal of Reinforced Plastics and*

Composites, vol. 39, no. 13–14, pp. 520–544, Jul. 2020, doi: 10.1177/0731684420918937.

- [11] U. Fathanah, “Kualitas Papan Komposit dari Sekam Padi dan Plastik HDPE Daur Ulang Menggunakan Maleic Anhydride (MAH) sebagai Compatibilizer,” *Jurnal Rekayasa Kimia dan Lingkungan*, vol. 8, no. 2, pp. 53–59, 2011.
- [12] A. B. Ismail, H. B. A. Bakar, and S. B. Shafei, “Comparison of LDPE/corn stalk with eco degradant and LDPE/corn stalk with MAPE: Influence of coupling agent and compatibiliser on mechanical properties,” *Mater Today Proc*, vol. 31, pp. 360–365, Jan. 2020, doi: 10.1016/j.matpr.2020.06.234.
- [13] D. Rodrigue, A. Kavianiboroujeni, and A. Cloutier, “Determination of the Optimum Coupling Agent Content for Composites Based On Hemp and High Density Polyethylene,” *AIP Conf Proc*, vol. 1914, Dec. 2017, doi: 10.1063/1.5016690.
- [14] S. Handayani, V. L. Riyandini, and S. Y. Lisha, “Pengaruh Maleic Anhydride Terhadap Kualitas Papan Komposit Termodifikasi Sebagai Produk Daur Ulang,” *Jurnal Engineering*, vol. 5, no. 1, pp. 18–26, 2023.
- [15] ST. , M. Burhanuddin, *Teknologi dan Rekayasa Material Polimer Komposit*, 1st ed. Makassar: Prodi Teknik Arsitektur UIN Alauddin, 2015. [Online]. Available: https://repositori.uin-alauddin.ac.id/22640/1/Editor%20Buku_Teknologi%20Dan%20Rekayasa%20Material%20Polimer%20Komposit.pdf
- [16] Z. S. S. M. S. Noer and I. M. S. Dayana, “Buku Fisika dan Teknologi Polimer,” in *Guepedia*, 2021. Accessed: Mar. 04, 2025. [Online]. Available: https://books.google.co.id/books/about/Buku_Fisika_dan_Teknologi_Polimer.html?id=gxJNEAAQBAJ&redir_esc=y
- [17] H. Said *et al.*, “Analisa Mampu Redam Suara Komposit Serat Sabut Kelapa Dengan Matriks Polyvinyl Acetate (Lem Fox),” *ENTHALPY-Jurnal Ilmiah Mahasiswa Teknik Mesin*, vol. 4, no. 1, pp. 1–13, 2019.
- [18] E. Widodo and Iswanto, *Buku Ajar Mekanika Komposit dan Bio-Komposit Penulis*. Sidoarjo: UMSIDA Press, 2022.
- [19] N. H. Sari and Sinarep, “Analisa Kekuatan Bending Komposit Epoxy dengan Penguatan Serat Nilon,” pp. 1–6, 2011.
- [20] A. J. Peacock, *Handbook Of Polyethylene Structures, Properties, and Applications*. New York: Marcel Dekker, Inc, 2000. [Online]. Available: <https://www.perlego.com/book/1509166/handbook-of-polyethylene-structures-properties-and-applications-pdf>
- [21] R. M. Clarinsa and S. Sutoyo, “Pembuatan dan Karakterisasi Plastik Biodegradable Dari Komposit HDPE (High Density Polyethylene) dan Pati Umbi Suweg (*Amorphophallus Campanulatus*),” *UNESA Journal of Chemistry*, vol. 10, no. 1, pp. 85–95, 2021, [Online]. Available:

<https://ejournal.unesa.ac.id/index.php/unesa-journal-of-chemistry/article/download/40304/34965>

- [22] G. Wypych, *Handbook of polymers*, 3rd ed. Chemtec Publishing, 2022. [Online]. Available: <https://doi.org/10.1016/c2021-0-00291-1>
- [23] S. Doddamani, S. M. Kulkarni, S. Joladarashi, M. K. T S, and A. K. Gurjar, "Analysis of Light Weight Natural Fiber Composites Against Ballistic Impact: A review," *International Journal of Lightweight Materials and Manufacture*, vol. 6, no. 3, pp. 450–468, Sep. 2023, doi: 10.1016/j.ijlmm.2023.01.003.
- [24] D. E. N. Siagian, M. Hakiem, and S. Putra, "Serat Alam Sebagai Bahan Komposit Ramah Lingkungan Natural Fiber as an Environmentally Friendly Composite Material," *CIVeng*, vol. 5, no. 1, pp. 55–60, 2024, [Online]. Available: <http://jurnalnasional.ump.ac.id/index.php/civeng>
- [25] S. Venkatarajan and A. Athijayamani, "An overview on natural cellulose fiber reinforced polymer composites," *Mater Today Proc*, vol. 37, no. Part 2, pp. 3620–3624, 2020, doi: 10.1016/j.matpr.2020.09.773.
- [26] M. Gefri, "Studi Laboratorium Pengaruh Temperature dan Konsentrasi H₂SO₄ Terhadap Kualitas Lignin Sebagai Bahan Dasar Surfaktan Lignosulfonat dari Tandan Kosong Kelapa Sawit," 2022.
- [27] F. Analda Souhoka and J. Latupeirissa, "Sintesis dan Karakterisasi Selulosa Asetat (CA) Synthesis and Characterization of Cellulose Acetate (CA)," *J. Chem. Res*, vol. 5, no. 2, pp. 58–62, 2018.
- [28] I. Mulyadi, "Isolasi dan Karakterisasi Selulosa : Review," *Jurnal Saintika Unpam*, vol. 1, no. 2, pp. 177–182, 2019.
- [29] J. Murphy, *Additives for Plastics Handbook 2nd Edition*, 2nd Edition. Japan: Elsevier Advanced Technology, 2001.
- [30] K. Weissemel and H.-J. Arpe, *Industrial Organic Chemistry*, 3 rd. Germany: VCH Verlagsgesellschaft mbH, 1997.
- [31] Y. Adityawardhana, "Studi Penambahan Coupling Agent Anhidrat Maleat Terhadap Sifat Mekanik dan Morfologi Komposit Serat Karbon/Epoksi Untuk Lambung Kapal," Thesis, Sepuluh Nopember, Surabaya, 2018. [Online]. Available: <https://www.researchgate.net/publication/382150173>
- [32] E. Roumeli *et al.*, "Effect of maleic anhydride on the mechanical and thermal properties of hemp/high-density polyethylene green composites," *J Therm Anal Calorim*, vol. 121, no. 1, pp. 93–105, Jul. 2015, doi: 10.1007/s10973-015-4596-y.
- [33] Herlin Arina, E. Melyna, and S. Salsabila, "Effect of Cornshell Fibre Addition on Mechanical Properties of High-Density Polyethylene (HDPE) Composites with Aluminium Oxide (Al₂O₃) and Maleic Anhydride (MAH) as Coupling Agent," *Jurnal Inotera*, vol. 9, no. 2, pp. 292–301, Aug. 2024, doi: 10.31572/inotera.vol9.iss2.2024.id356.

- [34] R. Hanifi, Marno, Kardiman, and E. Widiyanto, "Rancang Bangun Mesin Hot Press Untuk Pembuatan Papan Komposit Berbasis Limbah Sekam Padi dan Plastik HDPE," *Journal Of Infrastructure & Science Engineering*, vol. 2, no. 1, pp. 38–44, 2019.
- [35] Rara, "QC-601A Manual Thermos Press Forming Machine," Alat Uji Products, Solution, Services. Accessed: Jun. 24, 2025. [Online]. Available: <https://www.alatuji.com/detail/14/669/qc-601-manual-forming-machine>
- [36] N. A. Sutisna, S. Winardi, and A. Suhartono, "Rancang Bangun Mesin Uji Universal Untuk Pengujian Tarik dan Tekuk Bertenaga Hidrolik," *Journal of Mechanical Engineering and Mechatronics*, vol. 6, no. 1, pp. 32–41, 2021.
- [37] American Society for Testing and Materials, "ASTM D638-14, Standard Test Method for Tensile Properties of Plastics," *ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959. United States*, pp. 1–15, 2014, doi: 10.1520/D0638-14.
- [38] H. N. Beliu, Y. M. Pell, and J. U. Jasron, "Analisa Kekuatan Tarik dan Bending pada Komposit Widuri-Polyester," *Lontar Jurnal Teknik Mesin Undana*, vol. 3, no. 2, pp. 11–20, 2016, [Online]. Available: <http://ejournal-fst-unc.com/index.php/LJTMU>
- [39] S. Ahsan, R. Diniyah, and M. F. Firmana, "Sifat Mekanis dan Termal PLA dengan Filler TiO₂ dan ZnO," *Jurnal Teknologi dan Manajemen*, vol. 20, no. 1, pp. 27–32, Feb. 2022, doi: 10.52330/jtm.v20i1.43.
- [40] S. Gerassimidou, C. A. Velis, P. T. Williams, and D. Komilis, "Characterisation and Composition Identification of Waste-Derived Fuels Obtained from Municipal Solid Waste Using thermogravimetry: A review," *Waste Management and Research*, vol. 38, no. 9, pp. 942–965, Sep. 2020, doi: 10.1177/0734242X20941085.
- [41] A. Anca-Couce *et al.*, "Biomass pyrolysis TGA assessment with an international round robin," *Fuel*, vol. 276, Sep. 2020, doi: 10.1016/j.fuel.2020.118002.
- [42] P. H. P. M. da Silveira *et al.*, "Characterization of Thermo-Mechanical and Chemical Properties of Polypropylene/Hemp Fiber Biocomposites: Impact of Maleic Anhydride Compatibilizer and Fiber Content," *Polymers (Basel)*, vol. 15, no. 15, Aug. 2023, doi: 10.3390/polym15153271.
- [43] A. R. Prasetya, H. Ardhyanta, and S. T. Wicaksono, "Pengaruh Maleic Anhydride Terhadap Sifat Mekanik, Stabilitas Termal, dan Konduktivitas Listrik Komposit Epoksi/Triethylamine/Maleic Anhydride/Grafit Sebagai Kandidat Pelapisan (Cat) Komposit Konduktif Pada Pesawat Terbang," Institut Teknologi Sepuluh Nopember, Surabaya, 2017.
- [44] ASTM E1131, "Standard Test Method for Compositional Analysis by Thermogravimetry," *ASTM International*, Sep. 2008, doi: 10.1520/E1131-08.
- [45] M. H. Rahmanto, "Analisa Kekuatan Tarik dan Impak Komposit Berpenguat Serat Kelapa dan Tebu dengan Perendaman NaOH dan Menggunakan Resin Polyester," *Jurnal Teknologi Material*, vol. 31, no. 1, pp. 31–40, 2019.

- [46] M. Li, X. Wen, J. Liu, and T. Tang, "Synergetic Effect of Epoxy Resin and Maleic Anhydride Grafted Polypropylene on Improving Mechanical Properties of Polypropylene/Short Carbon Fiber Composites," *Compos Part A Appl Sci Manuf*, vol. 67, pp. 212–220, 2014, doi: 10.1016/j.compositesa.2014.09.001.
- [47] X. Li, L. G. Tabil, and S. Panigrahi, "Chemical Treatments of Natural Fiber for Use In Natural Fiber-Reinforced Composites: A Review," *J Polym Environ*, vol. 15, no. 1, pp. 25–33, Jan. 2007, doi: 10.1007/s10924-006-0042-3.
- [48] H. Yang, R. Yan, H. Chen, D. H. Lee, and C. Zheng, "Characteristics of hemicellulose, cellulose and lignin pyrolysis," *Fuel*, vol. 86, no. 12–13, pp. 1781–1788, Aug. 2007, doi: 10.1016/j.fuel.2006.12.013.
- [49] D. R. Mulinari, H. J. C. Voorwald, M. O. H. Cioffi, and M. L. C. P. da Silva, "Cellulose fiber-reinforced high-density polyethylene composites—Mechanical and thermal properties," *J Compos Mater*, vol. 51, no. 13, pp. 1807–1815, Jun. 2017, doi: 10.1177/0021998316665241.
- [50] M. A. Musthaq, H. N. Dhakal, Z. Zhang, A. Barouni, and R. Zahari, "The Effect of Various Environmental Conditions on the Impact Damage Behaviour of Natural-Fibre-Reinforced Composites (NFRCS)—A Critical Review," *Polymers (Basel)*, vol. 15, no. 5, Mar. 2023, doi: 10.3390/polym15051229.
- [51] R. R. Rizkiansyah, Mardiyati, and Steven, "Pengaruh Berat Molekul Terhadap Ketahanan Termal, Absorpsi Air dan Kemampuan Biodegradasi Plastik Selulosa Teregenerasi dari Kapas Limbah Industri Tekstil," *Prosiding Seminar Nasional Metalurgi Dan Material (SENAMM)*, pp. 16–28, 2017.