

DAFTAR PUSTAKA

- [1] James. Maxwell, *Plastics in the automotive industry*. SAE International ; Woodhead, 1994.
- [2] A. Patil, A. Patel, dan R. Purohit, “An overview of Polymeric Materials for Automotive Applications,” dalam *Materials Today: Proceedings*, Elsevier Ltd, 2017, hlm. 3807–3815. doi: 10.1016/j.matpr.2017.02.278.
- [3] E. O. Achukwu *dkk.*, “Effect of reprocessing on the service life properties of glass fiber-reinforced in-house polypropylene waste composites,” *Advanced Manufacturing: Polymer and Composites Science*, vol. 9, no. 1, 2023, doi: 10.1080/20550340.2023.2195317.
- [4] L. Y. Mwaikambo dan M. P. Ansell, “Chemical modification of hemp, sisal, jute, and kapok fibers by alkalization,” *J Appl Polym Sci*, vol. 84, no. 12, hlm. 2222–2234, Jun 2002, doi: 10.1002/app.10460.
- [5] E. Widodo, *Buku Ajar Mekanika Komposit dan Bio-Komposit Penulis*. 2022.
- [6] B. C. Barkakaty, “Some Structural Aspects of Sisal Fibers,” 1976.
- [7] S. G. Abebayehu dan A. M. Engida, “Preparation of Biocomposite Material with Superhydrophobic Surface by Reinforcing Waste Polypropylene with Sisal (*Agave sisalana*) Fibers,” *Int J Polym Sci*, vol. 2021, 2021, doi: 10.1155/2021/6642112.
- [8] M. Budi Nur Rahman dan H. Sosiati, “Pengaruh Perlakuan Sebelum Alkalisasi dan Waktu Alkalisasi terhadap Sifat Bending Komposit Serat Sisal/PMMA,” 2020.
- [9] B. S. Selukar, “Short Review on Thermal and Mechanical Properties of Polymers,” JETIR, 2019. [Daring]. Tersedia pada: www.jetir.org
- [10] M. P. Stevens, *Polymer Chemistry: An Introduction*, 1 ed. Pradnya Paramita, 2020.
- [11] M. Ángel Hidalgo-Salazar, J. Pablo Correa-Aguirre, J. Manuel Montalvo-Navarrete, D. Fernando Lopez-Rodriguez, dan A. Felipe Rojas-González, “Recycled Polypropylene-Coffee Husk and Coir Coconut Biocomposites: Morphological, Mechanical, Thermal and Environmental Studies,” dalam *Thermosoftening Plastics*, IntechOpen, 2020. doi: 10.5772/intechopen.81635.
- [12] C. Carraher, *POLYMER CHEMISTRY Eighth Edition*. 2011.
- [13] H. G. . Karian, *Handbook of polypropylene and polypropylene composites*. Marcel Dekker, 2003.

- [14] George. Wypych, *Handbook of polymers*. ChemTec Publishing, 2016.
- [15] D. G. Weldon, *Differential scanning calorimetry*, 2nd ed., vol. 31, no. 6. 2014. doi: 10.1007/978-3-662-06710-9.
- [16] R. Oboigbaotor. Ebewe, *Polymer science and technology*. CRC Press, 2000.
- [17] O. Huerta-Cardoso, I. Durazo-Cardenas, V. Marchante-Rodriguez, P. Longhurst, F. Coulon, dan A. Encinas-Oropesa, "Up-cycling of agave tequilana bagasse-fibres: A study on the effect of fibre-surface treatments on interfacial bonding and mechanical properties," *Results in Materials*, vol. 8, Des 2020, doi: 10.1016/j.rinma.2020.100158.
- [18] M. Gahgah, A. Belaadi, M. Boumaaza, H. Alshahrani, dan M. K. A. Khan, "Effect of Number of Tests on the Mechanical Characteristics of Agave sisalana Yarns for Composites Structures: Statistical Approach," *Polymers (Basel)*, vol. 15, no. 13, Jul 2023, doi: 10.3390/polym15132885.
- [19] ditjenbun, "Kementerian Pertanian Direktorat Jenderal Perkebunan » Mengenal Sisal (Agave Sisalana) Sebagai Salah Satu Tanaman Yang Dapat Bertahan Di Lahan Kering," 11:03. Diakses: 17 April 2025. [Daring]. Tersedia pada: <https://ditjenbun.pertanian.go.id/mengenal-sisal-agave-sisalana-sebagai-salah-satu-tanaman-yang-dapat-bertahan-di-lahan-kering/>
- [20] A. Khoirun Nisa, N. N. Fauziah¹, S. Aritonang², dan R. Murniati³, "Kajian Review Aplikasi Serat Sisal (Sisal Fiber) Sebagai Alternatif Komposit Polimer," vol. 7, no. 2, hlm. 304–309, 2024, doi: 10.30596/rmme.v7i2.17364.
- [21] R. W. Eko Susanto dan S. Arif, "Pengaruh Serat Agave Sisal Terhadap Kekuatan Impak dan Tekan Komposit Nilon Termoplastik Gliserol," 2021.
- [22] Thanasis. Triantafillou, *Advanced High Strength Natural Fibre Composites in Construction*. Woodhead Publishing, 2016.
- [23] A. Kahar, "Rumus struktur selulosa ." Diakses: 13 Juli 2025. [Daring]. Tersedia pada: https://www.researchgate.net/figure/Gambar-1-Rumus-struktur-selulosa-kitin-C8H15NO6-dan-kitosan-C56H103N9O39_fig1_378826974
- [24] N. H. Sari dan Sinarep, "ANALISA KEKUATAN BENDING KOMPOSIT EPOXY DENGAN PENGUATAN SERAT NILON," 2011.
- [25] F. Vilaseca, A. Valadez-Gonzalez, P. J. Herrera-Franco, M. À. Pèlach, J. P. López, dan P. Mutjé, "Biocomposites from abaca strands and polypropylene. Part I: Evaluation of the tensile properties," *Bioresour Technol*, vol. 101, no. 1, hlm. 387–395, Jan 2010, doi: 10.1016/j.biortech.2009.07.066.

- [26] J. Murphy, *Additives for Plastics Handbook 2nd Edition*. 2001.
- [27] M. S. Anbupalani, C. D. Venkatachalam, dan R. Rathanasamy, "Influence of coupling agent on altering the reinforcing efficiency of natural fibre-incorporated polymers – A review," *Journal of Reinforced Plastics and Composites*, vol. 39, no. 13–14, hlm. 520–544, Jul 2020, doi: 10.1177/0731684420918937.
- [28] dakenchem, "Apa Itu Silana Panduan Lengkap." Diakses: 19 Juni 2025. [Daring]. Tersedia pada: https://www-dakenchem-com.translate.goog/what-is-silane-the-ultimate-guide/?_x_tr_sl=en&_x_tr_tl=id&_x_tr_hl=id&_x_tr_pto=imgs
- [29] D. P. Harper, "A proposed chemical structure of maleic anhydride polypropylene... | Download Scientific Diagram," Research Gate. Diakses: 15 Juli 2025. [Daring]. Tersedia pada: https://www.researchgate.net/figure/A-proposed-chemical-structure-of-maleic-anhydride-polypropylene-copolymer-where-the_fig6_6862201
- [30] Y. Peng, S. A. Gallegos, D. J. Gardner, Y. Han, dan Z. Cai, "Maleic anhydride polypropylene modified cellulose nanofibril polypropylene nanocomposites with enhanced impact strength," *Polym Compos*, vol. 37, no. 3, hlm. 782–793, Mar 2016, doi: 10.1002/pc.23235.
- [31] R. A. Lafia-Araga, A. Hassan, R. Yahya, N. A. Rahman, P. R. Hornsby, dan J. Heidarian, "Thermal and mechanical properties of treated and untreated Red Balau (*Shorea dipterocarpaceae*)/LDPE composites," *Journal of Reinforced Plastics and Composites*, vol. 31, no. 4, hlm. 215–224, Feb 2012, doi: 10.1177/0731684411433913.
- [32] T. B. Santoso, F. I. Aryanti, dan T. D. A. Sitanggang, "CHARACTERIZATION OF MECHANICAL, THERMAL, AND PHYSICAL PROPERTIES OF POLYPROPYLENE COMPOSITES WITH RICE HUSK FILLER USING COUPLING AGENT MALEIC ANHYDRIDE," *Jurnal Teknologi Kimia Unimal*, vol. 12, no. 2, hlm. 216–230, Nov 2023, doi: 10.29103/jtku.v12i2.13223.
- [33] H. Sosiati, A. Nahyudin, D. Wijayanti, dan K. Triyana, "EFFECT OF ALKALI TREATMENT AND MAPP ADDITION ON TENSILE STRENGTH OF SISAL/POLYPROPYLENE COMPOSITES," 2018.
- [34] N. Abacha dan S. Fellahi, "Synthesis of polypropylene-graft-maleic anhydride compatibilizer and evaluation of nylon 6/polypropylene blend properties," *Polym Int*, vol. 54, no. 6, hlm. 909–916, Jun 2005, doi: 10.1002/pi.1788.
- [35] U. K. Dwivedi dan N. Chand, "Influence of MA-g-PP on abrasive wear behaviour of chopped sisal fibre reinforced polypropylene composites," *J*

Mater Process Technol, vol. 209, no. 12–13, hlm. 5371–5375, Jul 2009, doi: 10.1016/j.jmatprotec.2009.04.008.

- [36] L. Y. Mwaikambo dan M. P. Ansell, “Mechanical properties of alkali treated plant fibres and their potential as reinforcement materials II. Sisal fibres,” *J Mater Sci*, vol. 41, no. 8, hlm. 2497–2508, Apr 2006, doi: 10.1007/s10853-006-5075-4.
- [37] A. Saleh, M. M. D. Pakpahan, dan N. Angelina, “PENGARUH KONSENTRASI PELARUT, TEMPERATUR DAN WAKTU PEMASAKAN PADA PEMBUATAN PULP DARI SABUT KELAPA MUDA,” 2009.
- [38] U. H. Hasyim, A. Yansah, dan M. F. Nuris, “MODIFIKASI SIFAT KIMIA SERBUK TEMPURUNG KELAPA (STK) SEBAGAI MATRIKS KOMPOSIT SERAT ALAM DENGAN PERBANDINGAN ALKALISASI NAOH DAN KOH,” 2018.
- [39] N. Suardana, M. Astika, dan I. D. Gusmanto, “Sifat tarik komposit unsaturated polyester serat sisal local,” 2013.
- [40] M. F. Fatoni, F. Widyawati, dan D. E. Yanuar, “EKSTRAKSI DAN ANALISIS SELULOSA LIMBAH SISAL (*Agave Sisalana*) MENGGUNAKAN PROSES ALKALISASI,” 2023.
- [41] J. Naveen, M. Jawaaid, P. Amuthakkannan, dan M. Chandrasekar, “Mechanical and physical properties of sisal and hybrid sisal fiber-reinforced polymer composites,” *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites*, hlm. 427–440, Jan 2018, doi: 10.1016/B978-0-08-102292-4.00021-7.
- [42] M. I. Mul'alim, P. Hartono, dan U. Lesmanah, “PENGARUH VARIASI WAKTU PERENDAMAN DENGAN NATRIUM HIDROKSIDA TERHADAP KEKUATAN TARIK KOMPOSIT SERAT DAUN NANAS,” 2024.
- [43] R. Hanifi dan E. Widiyanto, “RANCANG BANGUN MESIN HOTPRESS UNTUK PEMBUATAN PAPAN KOMPOSIT BERBASIS LIMBAH SEKAM PADI DAN PLASIK HDPE,” 2019.
- [44] Junaidi, “Pengembangan Alat Kempa Panas (Hot Press) Penekanan Dongkrak Hidrolik untuk Pembuatan Papan Komposit ukuran 25 cm x 25 cm,” 2020, [Daring]. Tersedia pada: <http://ejournal2.pnp.ac.id/index.php/jtm>
- [45] A. Arendra dan S. Akhmad, “Rancang Bangun Mesin Hot Press untuk Recycle Plastik Hdpe dan Karakterisasi Pengaruh Temperatur Pemanasan Waktu Pemanasan dan Temperatur Pembukaan terhadap Cacat Flashing

- Cacat Warpage dan Konsumsi Energi Pencetakan,” vol. 10, no. 2, hlm. 108–115, 2017.
- [46] M. Fadhillah Ansyari dan Y. Utami, “Optimization of Polypropylene-Based Polymer Composites Fabrication Using Manual Forming for Automotive and Energy Applications,” 2024, doi: 10.33096/jcpe.v9i3.1453.
 - [47] J. Menczel D dan R. B. Prime, *THERMAL ANALYSIS OF POLYMERS - Fundamentals and Applications*. 2009.
 - [48] “Pengecekan Kualitas dari Material Plastik dengan DSC |.” Diakses: 18 April 2025. [Daring]. Tersedia pada: <https://almeganews.wordpress.com/2015/12/04/pengecekan-kualitas-dari-material-plastik-dengan-dsc/>
 - [49] A. International dan files indexed by mero, “Standard Test Method for Transition Temperatures of Polymers By Differential Scanning Calorimetry 1,” 2014. [Daring]. Tersedia pada: www.astm.org,
 - [50] L. B. Fitaroni, J. A. De Lima, S. A. Cruz, dan W. R. Waldman, “Effect of compatibilizer and Irganox MD 1024 on the thermo-oxidative stability of PP/PP-g-MA/OMMT nanocomposites,” *Polym Test*, vol. 53, hlm. 165–173, Agu 2016, doi: 10.1016/j.polymertesting.2016.05.016.
 - [51] B. Mahato, V. O. Babarinde, S. G. Abaimov, S. V. Lomov, dan I. Akhatov, “Interface strength of glass fibers in polypropylene: Dependence on the cooling rate and the degree of crystallinity,” *Polym Compos*, vol. 41, no. 4, hlm. 1310–1322, Apr 2020, doi: 10.1002/pc.25456.
 - [52] M. Chanda, “Plastics Technology Handbook Fifth Edition,” 2018.
 - [53] A. Uji, “Universal Testing Machine.” Diakses: 18 April 2025. [Daring]. Tersedia pada: <https://www.testindo.com/kategori/231/universal-testing-machine>
 - [54] A. International dan files indexed by mero, “Test Method for Tensile Properties of Plastics,” 15 Desember 2014, *ASTM International, West Conshohocken, PA*. doi: 10.1520/D0638-14.
 - [55] W. D. Callister dan D. G. Rethwish, *Materials Science and Engineering*, 10 ed. Willey, 2017.
 - [56] L. Baltes, L. Costiuc, S. Patachia, dan M. Tiorean, “Differential scanning calorimetry—a powerful tool for the determination of morphological features of the recycled polypropylene,” *J Therm Anal Calorim*, vol. 138, no. 4, hlm. 2399–2408, Nov 2019, doi: 10.1007/s10973-019-08679-7.
 - [57] P. Krishnaiah, C. T. Ratnam, dan S. Manickam, “Enhancements in crystallinity, thermal stability, tensile modulus and strength of sisal fibres

and their PP composites induced by the synergistic effects of alkali and high intensity ultrasound (HIU) treatments,” *Ultrason Sonochem*, vol. 34, hlm. 729–742, Jan 2017, doi: 10.1016/j.ultsonch.2016.07.008.

- [58] F. Basiji, F. Erchiqui, A. Koubaa, I. Ghasemi, dan A. Baatti, “Impact of Fiber Morphology and Content on the Thermal Stability, and Mechanical Performance of Maple Wood Fiber-Polypropylene Composites,” *J Appl Polym Sci*, 2025, doi: 10.1002/app.57211.
- [59] S. M. Izwan, S. M. Sapuan, M. Y. M. Zuhri, dan A. R. Mohamed, “Thermal stability and dynamic mechanical analysis of benzoylation treated sugar palm/kenaf fiber reinforced polypropylene hybrid composites,” *Polymers (Basel)*, vol. 13, no. 17, Sep 2021, doi: 10.3390/polym13172961.