

DAFTAR PUSTAKA

- [1] F. Paundra *et al.*, “Analisis Pengaruh Temperatur Terhadap Kekuatan Tarik dan Tekuk pada Proses Hot Pressing Komposit Hybrid Serat Bambu dan Serat Daun Nanas Bermatriks HDPE,” *J-Proteksion*, vol. 8, no. 2, pp. 2541–3562, 2024, doi: 10.32528/jp.v8i2.1123.
- [2] S. Hidayatulloh, D. Ariawan, E. Surojo, and J. Triyono, “Pengaruh Waktu Perlakuan Alkali Terhadap Kekuatan Mekanik Komposit rHDPE Serat Pelepah Salak,” 2017.
- [3] D. Solahudin, D. Zahara, B. Krisna, G. Friyatna, D. Ardiatma, and P. Teknik Lingkungan, “Pemanfaatan Limbah Plastik HDPE sebagai Alternatif Material Komposit Menggunakan Laminasi Serat Bambu,” *Journal of Cross-Border Islamic Studies*, vol. 7, no. 1, 2025.
- [4] V. Viani and U. Prayudie, “Pengaruh Penambahan Serat Biduri (*Calotropis Gigantea*) Terhadap Sifat Mekanik Komposit Polipropilena Daur Ulang/Serat Biduri,” *Journal of Polymer Chemical Engineering and Technology*, vol. 1, no. 1, pp. 17–22, Feb. 2024, doi: 10.52330/jpcet.v1i1.237.
- [5] A. El-Khair and A. A. Ali, “The Mechanical Behaviour of Recycled High Density Polyethylene,” *International Journal of Modern Engineering Research (IJMER)*, vol. 3, no. 2, pp. 798–808, 2013.
- [6] S. Tesfaw, O. Fatoba, and T. Mulatie, “Evaluation of tensile and flexural strength properties of virgin and recycled high-density polyethylene (HDPE) for pipe fitting application,” in *Materials Today: Proceedings*, Elsevier Ltd, Jan. 2022, pp. 3103–3113. doi: 10.1016/j.matpr.2022.03.385.
- [7] F. Ali, M. Mezal, and V. Darmawan, “Pengaruh Penambahan Zeolit dan Kulit Kerang Darah terhadap Sifat Mekanis Rubber Compound,” *Jurnal Teknik Kimia*, vol. 20, pp. 57–61, 2014.
- [8] E. Oktariani, Syamrizal, and M. Hafizan, “Potensi Zeolit Alam Lampung Sebagai Filler dalam Komposit Polipropilena untuk Bahan Baku Industri Komponen Otomotif,” 2020.
- [9] F. I. Aryanti, “Pembuatan Komposit Polimer Polipropilena/Talk/Masterbatch Hitam Pada Cover Tail,” *Jurnal Teknologi dan Manajemen*, vol. 19, no. 1, pp. 1–6, Apr. 2021, doi: 10.52330/jtm.v19i1.8.
- [10] M. Ulfah, S. Aprilia, F. M. Djuned, J. Tgk Syech Abdul Rauf No, and B. Aceh, “Karakterisasi Bionanofiller Dari Limbah Serbuk Kayu Meranti

Sebagai Pengisi Pada Polimer Komposit,” *Serambi Engineering*, vol. III, no. 2, 2018.

- [11] R. Syidiq, L. O. Yusran, M. Anas, and S. Fayanto, “Characterization of Activated Charcoal Oil Palm (*Elaeis Guineensis* Jacq) Shell Waste using SEM and FTIR: Effect of Activation Temperature,” *Indonesian Review of Physics*, vol. 2, no. 2, p. 67, Dec. 2019, doi: 10.12928/irip.v2i2.812.
- [12] BPS, “BADAN PUSAT STATISTIK BPS-STATISTICS INDONESIA,” 2024.
- [13] Y. Meisrilestari, R. Khomaini, and H. Wijayanti, “Pembuatan Arang Aktif dari Cangkang Kelapa Sawit dengan Aktivasi Secara Fisika, Kimia dan Fisika-Kimia,” *Konversi*, vol. 2, no. 1, p. 45, Apr. 2013, doi: 10.20527/k.v2i1.136.
- [14] W. O. Salami, Ganiyu, Ali, Shekari, and Opara, “Effect of Calcinated Palm Kernel Shell Powder as Reinforcement on the Physico-Mechanical Properties of Recycled Low Density Polyethylene Composites For Interlocks,” 2023. [Online]. Available: www.nijostam.org
- [15] R. Ganjoo, S. Sharma, A. Kumar, and A. Daouda, “Activated Carbon: Fundamentals, Classification, and Properties,” 2023. [Online]. Available: www.rsc.org
- [16] Z. Damanik and S. Gumiri, “Pengaruh Lama Aktivasi Dengan H₃PO₄ dan Ukuran Butir Arang Cangkang Kelapa Sawit terhadap Ukuran Pori dan Luas Permukaan Butir Arang Aktif,” 2020.
- [17] A. Susanto, Abdullah, M. Elma, and M. D. Putra, “Palm Kernel Shell Activated Carbon Using Phosphoric Acid for Crude Palm Oil Clarification: Properties and Application,” *European Chemical Bulletin*, vol. 11, no. 4, pp. 1–11, 2022, doi: 10.31838/ecb/2022.11.04.001.
- [18] R. A. Permono, *Mengenal Polimer dan Polimerisasi*. UGM Press, 2018.
- [19] Febriandri, “Pengaruh Variasi Persentase Serat Alam terhadap Stabilitas Termal pada Komposit Bermatriks HDPE (High Density Polyethylene) Berpenguat Carbon Nanotube dan Serat Batang Pisang dengan Proses Alkali,” 2017.
- [20] Z. Noer and Dayana, *Buku Fisika dan Teknologi Polimer*. Guepedia, 2021.
- [21] M. Yani, B. Suroso, and R. Rajali, “Mechanical Properties Komposit Limbah Plastik,” *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 2, no. 1, pp. 74–83, Mar. 2019, doi: 10.30596/rmme.v2i1.3071.
- [22] D. J. Susila, “Pengaruh Serat Karbon Terhadap Sifat Mekanik dan Topografi pada Komposit Bermatriks Polyester BQTN 157,” 2021.

- [23] A. Subardi, N. A. Rahman, M. Ajiza, A. E. Purkuncoro, I. Teknologi, and N. Malang, "Peningkatan Ketrampilan di Panti Akhlaqul Karimah Kota Malang dengan Proses Pembuatan Produk Natural Fiber Komposit Serat Batang Pisang Kepok (Musa Paradisiaca)," vol. 4, no. 1, 2020, doi: <https://doi.org/10.37303/peduli.v4i1.163>.
- [24] P. h Tjahjanti, *Buku Ajar Teori dan Aplikasi Material Komposit dan Polimer*. 2018. doi: <https://doi.org/10.21070/2019/978-602-5914-27-0>.
- [25] G. H. Staab, "Introduction to Composite Materials," *Laminar Composites*, pp. 1–16, Jan. 1999, doi: 10.1016/B978-075067124-8/50001-1.
- [26] N. Sallih, P. Lescher, and D. Bhattacharyya, "Factorial study of material and process parameters on the mechanical properties of extruded kenaf fibre/polypropylene composite sheets," *Compos Part A Appl Sci Manuf*, vol. 61, pp. 91–107, Jun. 2014, doi: 10.1016/j.compositesa.2014.02.014.
- [27] S. Hadi Winata, A. Irwan, and F. A. Kurniawan, "Penyelidikan Mekanis Bahan Komposit Polimer Diperkuat Serat Batang Pisang Kepok Akibat Beban Impact," *SIMETRI REKAYASA*, 2020, [Online]. Available: <http://jurnal.harapan.ac.id/index.php/JSR>
- [28] W. D. Callister and J. G. David Rethwisch, *Materials Science and Engineering*. 2013.
- [29] R. M. German, *Particulate Composites Fundamentals and Applications*. 2016. doi: 10.1007/978-3-319-29917-4.
- [30] M. K. Egbo, "A fundamental review on composite materials and some of their applications in biomedical engineering," Dec. 01, 2021, *King Saud University*. doi: 10.1016/j.jksues.2020.07.007.
- [31] R. E. Prasetyo, "Pembuatan dan Pengujian Produk Cooling Pad dari Bahan Serat Rumpun Gajah dan Resin Polyester," 2012.
- [32] Junaidi and Ritonga, "Analisa Sifat Mekanik Komposit Uji Bending," *JITEKH*, vol. 8, 2020.
- [33] Waryat, M. Romli, A. Suryani, i Yuliasih, and s Johan, "Penggunaan Compatibilizer Untuk Meningkatkan Karakteristik Morfologi, Fisik dan Mekanik Plastik Biodegradable Berbahan Baku Pati Termoplastik Polietilen," *Indonesian Journal of Materials Science*, vol. 14, no. 3, pp. 214–221, 2013.
- [34] R. Dungani, P. Aditiawati, E. M. Alamsyah, T. H. Wardani, S. S. Munawar, and W. Fatriasari, "Physical, mechanical, and electrical conductivity characteristics of coconut shell-based H3PO4-Activated carbon/epoxy nanocomposites," *Case Studies in Chemical and Environmental Engineering*, vol. 10, p. 100948, Dec. 2024, doi: 10.1016/J.CSCEE.2024.100948.

- [35] I. A. Setiorini, "Sifat Kuat Tarik dan Morfologi Termoplastik Elastomer dari Komposit Polypropylene & Natural Rubber," 2017.
- [36] R. Sadiku *et al.*, "Automotive components composed of polyolefins," in *Polyolefin Fibres: Structure, Properties and Industrial Applications: Second Edition*, Elsevier Inc., 2017, pp. 449–496. doi: 10.1016/B978-0-08-101132-4.00015-1.
- [37] H. Nurcahyanto, "Evaluasi Sifat Mekanik High Density Polyethylene yang diisi Serat Batang Pisang dan Partikel Zeolit Alam," 2018. doi: <https://doi.org/10.26714/traksi.18.2.2018.78-95>.
- [38] Y. A. Kusumaningrum and A. N. Aisha, "PRARANCANGAN PABRIK HDPE DARI ETHYLENE KAPASITAS 50.000 TON/TAHUN," 2022.
- [39] George. Wypych, *Handbook of polymers*. ChemTec Publishing, 2016.
- [40] F. I. Aryanti and F. Hasfi, "Pengaruh Penambahan Serbuk Alumina (Al_2O_3) Terhadap Kuat Tarik dan Sifat Termal Komposit HDPE/Serbuk Kayu Mahoni," *Journal of Polymer Chemical Engineering and Technology*, vol. 1, no. 1, pp. 9–16, Feb. 2024, doi: 10.52330/jpcet.v1i1.236.
- [41] I. Mawardi and H. Lubis, *Proses Manufaktur Plastik dan Komposit*. Yogyakarta: ANDI, 2018.
- [42] E. Baffour-Awuah, S. A. Akinlabi, T. C. Jen, S. Hassan, I. P. Okokpujie, and F. Ishola, "Characteristics of Palm Kernel Shell and Palm Kernel Shell-Polymer Composites: A Review," *IOP Conf Ser Mater Sci Eng*, vol. 1107, no. 1, p. 012090, Apr. 2021, doi: 10.1088/1757-899x/1107/1/012090.
- [43] Harmiansyah, P. wulan Dari, S. Wahyuni, S. D. Rahmawati, N. M. T. Wati, and A. K. Putri, "Karakteristik Arang dari Cangkang Kelapa Sawit sebagai Bahan Dasar Utama Pembuatan Biobriket," *Sultra Journal of Mechanical Engineering (SJME)*, vol. 1, no. 2, pp. 29–36, 2023.
- [44] A. Saadi, N. Azreen Bt Fuadi, A. Saadi Ibrahim, and K. Nor Ismail, "Review study for activated carbon from palm shell used for treatment of waste water Review study for activated carbon from palm shell used for treatment of waste water Article Info," *Journal of Purity, Utility Reaction and Environment*, vol. 1, no. 5, pp. 222–236, 2012, [Online]. Available: <https://www.researchgate.net/publication/318077203>
- [45] S. Gunawan, H. Hasan, and R. D. W. Lubis, "Pemanfaatan Adsorben dari Tongkol Jagung sebagai Karbon Aktif untuk Mengurangi Emisi Gas Buang Kendaraan Bermotor," *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 3, no. 1, pp. 38–47, Mar. 2020, doi: 10.30596/rmme.v3i1.4527.
- [46] Y. Meisrilestari, R. Khomaini, and H. Wijayanti, "PEMBUATAN ARANG AKTIF DARI CANGKANG KELAPA SAWIT DENGAN AKTIVASI

- SECARA FISIKA, KIMIA DAN FISIKA-KIMIA,” *Konversi*, vol. 2, no. 1, p. 45, Apr. 2013, doi: 10.20527/k.v2i1.136.
- [47] N. S. A. Wafti, H. L. N. Lau, S. K. Loh, A. A. Aziz, Z. A. Rahman, and C. Y. May, “Activated carbon from oil palm biomass as potential adsorbent for palm oil mill effluent treatment,” *J Oil Palm Res*, vol. 29, no. 2, pp. 278–290, Jun. 2017, doi: 10.21894/jopr.2017.2902.12.
- [48] J. F. Toczko, “9.9 Catalyst Recovery and Recycle: Metal Removal Techniques,” *Comprehensive Chirality*, vol. 9, pp. 209–227, Jan. 2012, doi: 10.1016/B978-0-08-095167-6.00909-5.
- [49] N. H. Mostafa, M. B. Hunain, and A. Jassim, “Mechanical properties of the Jute fibers-activated carbon filled reinforced polyester composites,” *Mater Res Express*, vol. 6, no. 12, Nov. 2019, doi: 10.1088/2053-1591/ab5566.
- [50] E. Kurniati, “Pemanfaatan Cangkang Kelapa Sawit Sebagai Arang Aktif,” *Jurnal Penelitian Ilmu Teknik*, vol. 8, pp. 96–103, 2008.
- [51] H. Arina and N. Faizah, “Pengaruh Penambahan Serat Kulit Jagung Terhadap Sifat Mekanik Komposit Polipropilena (PP) dengan Penambahan Aluminium Oksida (Al₂O₃) dan Maleat Anhidrida (MAH) sebagai Coupling Agent,” *Journal of Polymer Chemical Engineering and Technology*, vol. 1, no. 1, pp. 41–48, Jan. 2024, doi: 10.52330/jpcet.v1i1.257.
- [52] A. Arendra and S. Akhmad, “Rancang Bangun Mesin Hot Press untuk Recycle Plastik Hdpe dan Karakterisasi Pengaruh Temperatur Pemanasan Waktu Pemanasan dan Temperatur Pembukaan terhadap Cacat Flashing Cacat Warpage dan Konsumsi Energi Pencetakan,” vol. 10, no. 2, pp. 108–115, 2017.
- [53] H. N. Beliu, Y. M. Pell, J. U. Jasron,) Jurusan, and T. Mesin, “Analisa Kekuatan Tarik dan Bending pada Komposit Widuri-Polyester,” 2016, [Online]. Available: <http://ejournal-fst-unc.com/index.php/LJTMU>
- [54] M. Sharma, V. Sharma, and P. Kala, “Optimization of process variables to improve the mechanical properties of FDM structures,” in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Aug. 2019. doi: 10.1088/1742-6596/1240/1/012061.
- [55] E. Melyna and A. P. Afridana, “The Effect of Coffee Husk Waste Addition with Alkalisation Treatment on the Mechanical Properties of Polypropylene Composites,” *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, p. 14, Mar. 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [56] Y. Nuhgraha, M. Khairul, A. Rosa, and I. Agustian, “Perancangan Alat Uji Impak Digital dengan Metode Charpy Untuk Mengukur Kekuatan Material Polimer,” 2020.

- [57] A. Jalil, Zulkifli, and T. Rahayu, “Analisa Kekuatan Impak Pada Penyambungan Pengelasan Smaw Material ASSAB 705 dengan Variasi Arus Pengelasan,” *Jurnal POLIMESIN*, 2017, doi: DOI: 10.30811/jpl.v15i2.376.
- [58] A. I. Tauvana, Syafrizal, and M. Subekti, “Pengaruh Matrik Resin-Epoxy terhadap Kekuatan Impak dan Sifat Fisis Komposit Serat Nanas,” 2020.
- [59] M. Choudhury, H. Singh Bindra, J. Mittal, and R. Nayak, “Evaluation of mechanical properties of carbon HDPE composites,” in *Materials Today: Proceedings*, Elsevier Ltd, 2020, pp. 6712–6718. doi: 10.1016/j.matpr.2021.05.119.
- [60] M. I. Nuryanta *et al.*, “The Interconnection of Carbon Active Addition on Mechanical Properties of Hybrid Agel/Glass Fiber-Reinforced Green Composite,” *Polymers (Basel)*, vol. 15, no. 11, Jun. 2023, doi: 10.3390/polym15112411.
- [61] R. I. Rubel, M. H. Ali, M. A. Jafor, and M. M. Alam, “Carbon nanotubes agglomeration in reinforced composites: A review,” 2019, *AIMS Press*. doi: 10.3934/materci.2019.5.756.