

DAFTAR PUSTAKA

- [1] Raliannoor and A. Sabitah, "Pengaruh kekuatan impak," *Pengaruh Kekuatan Impak Poliester Berpenguat Serat Bambu Haur Dan Fiberglass Pada Apl. Bump. Mob.*, vol. 7, no. 1, pp. 28–37, 2020.
- [2] A. Rahman, M. Farid, and H. Ardhyanta, "Analisa Sifat Akustik Komposit Serat Ampas Tebu Dan Bambu Betung Dengan Matriks Polypropilen," *J. Tek. ITS*, vol. 5, no. 2, pp. 2–4, 2016, doi: 10.12962/j23373539.v5i2.18566.
- [3] T. Rihayat and Suryani, "Pembuatan Polimer Komposit Ramah Lingkungan untuk Aplikasi Industri Otomotif Dan Elektronik," *SNaPP Sains dan Teknol.*, vol. 1, no. 1, pp. 1–7, 2012.
- [4] S. Kore *et al.*, "Performance of hybridized bamboo-carbon fiber reinforced polypropylene composites processed using wet laid technique," *Compos. Part C Open Access*, vol. 6, no. June, p. 100185, 2021, doi: 10.1016/j.jcomc.2021.100185.
- [5] N. H. Sari, A. Taufan, and I. Yudhyadi, "Ketahanan Bending Komposit Hybrid Serat Batang Kelapa/Serat Gelas Dengan Matrik Urea Formaldehide," *J. Energi Dan Manufaktur*, vol. 5, no. 1, pp. 91–97, 2012.
- [6] N. I. N. Haris *et al.*, "Dynamic mechanical properties of natural fiber reinforced hybrid polymer composites: a review," *J. Mater. Res. Technol.*, vol. 19, pp. 167–182, 2022, doi: 10.1016/j.jmrt.2022.04.155.
- [7] H. H. Alsharief *et al.*, "Immobilization of strontium aluminate nanoparticles onto plasma-pretreated nonwoven polypropylene fibers by screen-printing toward photochromic textiles," *J. Mater. Res. Technol.*, vol. 20, pp. 3146–3157, 2022, doi: 10.1016/j.jmrt.2022.08.104.
- [8] C. Tjandra, D. E. Prasetya, G. S. Budi, and H. Koentjoro, "Pengaruh Polypropylene Fibres Pada Kekuatan Dan Modulus Elastisitas Silinder Beton Berlubang," pp. 1–7, 2017.
- [9] Z. Sun and Q. Xu, "Microscopic, physical and mechanical analysis of polypropylene fiber reinforced concrete," *Mater. Sci. Eng. A*, vol. 527, no. 1–2, pp. 198–204, 2009, doi: 10.1016/j.msea.2009.07.056.
- [10] A. M. A. El-Baky and M. A. Attia, "Flexural fatigue performance of hybrid composite laminates based on E-glass and polypropylene fibers," *J. Thermoplast. Compos. Mater.*, vol. 32, no. 2, pp. 228–247, 2019, doi: 10.1177/0892705717751020.
- [11] Z. Yang, H. Peng, W. Wang, and T. Liu, "Crystallization behavior of poly(ϵ -caprolactone)/layered double hydroxide nanocomposites," *J. Appl. Polym. Sci.*, vol. 116, no. 5, pp. 2658–2667, 2010, doi: 10.1002/app.
- [12] X. Gao, D. Zhu, S. Fan, M. Z. Rahman, S. Guo, and F. Chen, "Structural and mechanical properties of bamboo fiber bundle and fiber/bundle reinforced composites: a review," *J. Mater. Res. Technol.*, vol. 19, pp. 1162–1190, 2022, doi: 10.1016/j.jmrt.2022.05.077.
- [13] M. Ertekin, *Aramid fibers*. Elsevier Ltd., 2017. doi: 10.1016/B978-0-08-101871-2.00007-2.
- [14] S. K. Samal, S. Mohanty, and S. K. Nayak, "Polypropylene bamboo/glass fiber hybrid composites: Fabrication and analysis of mechanical,

- morphological, thermal, and dynamic mechanical behavior,” *J. Reinf. Plast. Compos.*, vol. 28, no. 22, pp. 2729–2747, 2009, doi: 10.1177/0731684408093451.
- [15] Rochmadi and A. Permono, *Mengenai polimer*. Gadjah Mada University, 2018.
 - [16] B. . Harsojuwono and I. W. Arnata, *Teknologi Polimer Industri Pertanian*. Denpasar, 2015.
 - [17] R. Sundarakannan *et al.*, “Importance of fiber-/nanofiller-based polymer composites in mechanical and erosion performance: A Review,” *J. Nanomater.*, vol. 2023, 2023, doi: 10.1155/2023/3528977.
 - [18] E. Diniardi, K. H. Mahmud, H. Basri, and A. I. Ramadhan, “Analysis of the tensile strength of composite material from fiber bags,” *J. Appl. Sci. Adv. Technol. J. Homepage*, 2019.
 - [19] A. Kudva, M. Gt, and K. Dayananda Pai, “Physical, thermal, mechanical, sound absorption and vibration damping characteristics of natural fiber reinforced composites and hybrid fiber reinforced composites: A review,” *Cogent Eng.*, vol. 9, no. 1, 2022, doi: 10.1080/23311916.2022.2107770.
 - [20] Q. T. H. Shubhra, A. K. M. M. Alam, and M. A. Quaiyyum, “Mechanical properties of polypropylene composites: A review,” *J. Thermoplast. Compos. Mater.*, vol. 26, no. 3, pp. 362–391, 2013, doi: 10.1177/0892705711428659.
 - [21] H. Hasanr, B. Tatong, and J. Tole, “Pengaruh Penambahan Polypropylene Fiber Mesh Terhadap Sifat Mekanis Beton,” *Maj. Ilm. Mektek*, no. 1, pp. 12–19, 2013.
 - [22] A. Menyhárd, J. D. Menczel, and T. Abraham, “Polypropylene fibers,” *Therm. Anal. Text. Fibers*, pp. 205–222, 2020, doi: 10.1016/B978-0-08-100572-9.00012-4.
 - [23] F. W. Billmeyer and J. Wiley, *Text book of polymer science*, 3rd ed. New York: Jhon Wiley and sons, 1984.
 - [24] C. Prakash, “Bamboo fibre,” *Handb. Nat. Fibres Second Ed.*, vol. 1, pp. 219–229, 2020, doi: 10.1016/B978-0-12-818398-4.00009-8.
 - [25] S. Jain, R. Kumar, and U. C. Jindal, “Mechanical behaviour of bamboo and bamboo composite,” *J. Mater. Sci.*, vol. 27, no. 17, pp. 4598–4604, 1992, doi: 10.1007/BF01165993.
 - [26] H. Suryanto, “Review serat alam : komposisi, struktur, dan sifat mekanis,” *Tek. Mesin*, no. October, pp. 1–23, 2016.
 - [27] C. Agarwal and L. Csóka, *Surface-modified cellulose in biomedical engineering*. 2019. doi: 10.1016/B978-0-12-818431-8.00007-6.
 - [28] A. D. Andriawan, “Pengaruh perlakuan alkalisasi serat batang kenaf terhadap kekuatan mekanik dan bentuk geometri serat pada komposit epoxy dengan uji tarik uji impak dan uji mikro,” *Tek. Mesin Univ. Jember*, pp. 1–45, 2020.
 - [29] Kosjoko, “Pengaruh perlakuan alkali terhadap kekuatan tarik dan bending bahan komposit serat bambu tali bermatriks polyester,” pp. 171–178, 2017.
 - [30] B. Maryanti, A. Sonief, and S. Wahyudi, “Pengaruh Alkalisasi Komposit Serat Kelapa-Poliester Terhadap Kekuatan Tarik,” *Rekayasa Mesin*, vol. 2, no. 2, pp. 123–129, 2011.
 - [31] M. A. Pradana, H. Ardhyanta, and M. Farid, “Pemisahan selulosa dari

- lignin serat tandan kosong kelapa sawit dengan proses alkalisasi untuk penguat bahan komposit penyerap suara,” *J. Tek. ITS*, vol. 6, no. 2, pp. 413–416, 2017, doi: 10.12962/j23373539.v6i2.24559.
- [32] N. Chand, “Natural fibers and their composites,” *Tribol. Nat. Fiber Polym. Compos.*, pp. 1–58, 2008, doi: 10.1533/9781845695057.1.
 - [33] H. Ghossein, A. A. Hassen, V. Paquit, L. J. Love, and U. K. Vaidya, “Innovative Method for Enhancing Carbon Fibers Dispersion in Wet-Laid Nonwovens,” *Mater. Today Commun.*, vol. 17, pp. 100–108, 2018, doi: 10.1016/j.mtcomm.2018.08.001.
 - [34] R. D. Salindeho, J. Soukota, and R. Poeng, “Pemodelan Pengujian Tarik Untuk Menganalisis Sifat Mekanik Material,” *J. J-Ensitem*, vol. 3, no. 1, pp. 1–11, 2018.
 - [35] A. Shrivastava, *Plastic Properties and Testing*. 2018. doi: 10.1016/b978-0-323-39500-7.00003-4.
 - [36] B. H. Stuart, *Infrared spectroscopy: fundamentals and applications*, vol. 8. 2004. doi: 10.1002/0470011149.
 - [37] A. Watanabe, M. Miwa, A. Takeno, and T. Yokoi, “Fatigue Behavior of Aramid Nonwoven Fabrics Under Hot-Press Conditions: Part I: Mechanical Properties,” *Text. Res. J.*, vol. 65, no. 4, pp. 213–218, 1995, doi: 10.1177/004051759506500404.