

DAFTAR PUSTAKA

- [1] A. Hariyanto and S. Kuncoro, "ANALISIS SEM (SCANNING ELECTRON MICROSCOPE) DAN FOTO MIKRO PADA MATERIAL KOMPOSIT SERAT TANGKAI JAGUNG DENGAN MATRIKS PLASTIK POLIPROPILEN," 2023.
- [2] dan Rahmaniah, J. Fisika, F. Sains dan Teknologi, and U. Alauddin Makassar, "ANALISIS PAPAN KOMPOSIT DARI LIMBAH PLASTIK POLYPROPYLENE (PP) DAN SEKAM PADI," 2015.
- [3] M. R. Ridho *et al.*, "Lignin as Green Filler in Polymer Composites: Development Methods, Characteristics, and Potential Applications," 2022, *Hindawi Limited*. doi: 10.1155/2022/1363481.
- [4] S. Maulina, "PIROLISIS PELEPAH KELAPA SAWIT UNTUK MENGHASILKAN FENOL PADA ASAP CAIR PALM MIDRIB PYROLYSIS TO PRODUCE PHENOL IN LIQUID SMOKE," 2018.
- [5] N. E. Patitis, S. Wahyuni, and A. Dhora, "ANALISIS KARAKTERISTIK PAPAN KOMPOSIT DARI SERAT PELEPAH KELAPA SAWIT ANALYSIS OF COMPOSITE BOARD CHARACTERISTICS FROM PALM OIL FRONDS," vol. 15, no. 2, pp. 113–118, 2024, doi: 10.34001/jdpt.
- [6] F. H. A. Malik Shaiful, "Analisa Struktur Mikro, Kandungan Lignin dan Hemiselulosa Serat Pelepah Sawit Akibat Perlakuan Alkali," 2020.
- [7] O. : Abubakar and M. Si, "98 PREPARASI DAN KARAKTERISASI BAHAN KOMPOSIT POLIPROPILENA DENGAN PENGISI SERAT LIMBAH PADAT (FIBRE RECOVERY) DARI PABRIK PULP DAN KERTAS," 2013.
- [8] A. Mengual, D. Juárez, R. Balart, and S. Ferrándiz, "PE-g-MA, PP-g-MA and SEBS-g-MA compatibilizers used in material blends," in *Procedia Manufacturing*, Elsevier B.V., 2017, pp. 321–326. doi: 10.1016/j.promfg.2017.09.083.
- [9] X. Y. Lv, Y. H. Zhang, and M. W. Di, "Effect of PP-G-MAH on the compatibility of lignin/LDPE composites," in *Advanced Materials Research*, 2011, pp. 1476–1479. doi: 10.4028/www.scientific.net/AMR.194-196.1476.
- [10] A. Novia, "Pendahuluan Polimer," 2013.
- [11] L. Rosmainar, D. Niholan Tukan, and M. Deviyanti, "Perbandingan Plastik Dari Material-Material Bioplastik," *Jurnal Jejaring Matematika dan Sains*, vol. 3, no. 1, pp. 19–28, Jun. 2021, doi: 10.36873/jjms.2021.v3.i1.505.
- [12] S. T. Burhanuddin, M. T. Penerbit, P. Teknik, A. Uin, and A. Makassar, *TEKNOLOGI DAN REKAYASA MATERIAL POLIMER KOMPOSIT*. 2015.
- [13] I. Bambang and A. Harsojuwono, "TEKNOLOGI POLIMER Industri Pertanian," 2015.

- [14] Haryanto, "Polimer Termoplastik dan Termosetting," 2010. [Online]. Available: http://www.chem-is-try.org/materi_kimia/kimia-polimer/klasifikasi-polimer/polimer-
- [15] N. Nayiroh, "TEKNOLOGI MATERIAL KOMPOSIT," 2013.
- [16] sriyanto, "STUDY SIFAT FISIS DAN MEKANIS BAHAN POLIPROPILENA PADA PRODUK PENUTUP SPION SEPEDA MOTOR MERK A DAN MERK B," 2016.
- [17] A. Irawan Noviaji, S. Dyah Sawitri, and M. Lizda Johar Mawarani, "IMPROVEMENT OF MECHANICAL AND THERMAL PROPERTIES OF RECYCLED POLYMER USING COMPOSITE CLAY," 2016.
- [18] R. Andriansyah, J. Teknik Kimia, P. Negeri Lhokseumawe, and K. Lhokseumawe, "Pembuatan Karbon Aktif Dari Limbah Pelepah Kelapa Sawit ((Elaies Guineesis Jacq.) Sebagai Media Peyerapan Ion Logam Fe Air Sumur Menggunakan Aktivator Asam Fosfat (H 3 PO 4)," vol. 1, no. 2, 2023.
- [19] S. Maulina, "PIROLISIS PELEPAH KELAPA SAWIT UNTUK MENGHASILKAN FENOL PADA ASAP CAIR PALM MIDRIB PYROLYSIS TO PRODUCE PHENOL IN LIQUID SMOKE," 2018.
- [20] E. Rosova *et al.*, "Biocomposite materials based on chitosan and lignin: Preparation and characterization," *Cosmetics*, vol. 8, no. 1, Mar. 2021, doi: 10.3390/cosmetics8010024.
- [21] S. Astuti, R. Yahya, and D. A. Sundaryono, "ANALISIS KADAR KOMPONEN KIMIA PELEPAH SAWIT VARIETAS DURA SEBAGAI BAHAN BAKU PULP YANG DITERAPKAN PADA PEMBELAJARAN KIMIA," *PENDIPA Journal of Science Education*, vol. 2018, no. 2, pp. 69–75, 2018.
- [22] A. Pramana, M. N. Cahyanto, H. Adhianata, and Y. Zalfiatri, "Karakteristik Fisik Lignin pada Serat Tandan Kosong Kelapa Sawit PT. Tunggal Perkasa Plantataions Provinsi Riau Menggunakan Metode Organosolv," *Jurnal Pengendalian Pencemaran Lingkungan (JPPL)*, vol. 2, no. 1, pp. 43–49, Apr. 2020, doi: 10.35970/jppl.v2i1.153.
- [23] H. Simatupang, A. Nata, and N. Herlina, "STUDI ISOLASI DAN RENDEMEN LIGNIN DARI TANDAN KOSONG KELAPA SAWIT (TKKS)," 2012.
- [24] Z. Mahmood, M. Yameen, M. Jahangeer, M. Riaz, A. Ghaffar, and I. Javid, "Lignin as Natural Antioxidant Capacity," in *Lignin - Trends and Applications*, InTech, 2018. doi: 10.5772/intechopen.73284.
- [25] Sari Nurita, "DEPOLIMERISASI LIGNIN TANDAN KOSONG SAWIT MENJADI SENYAWA AROMATIK MENGGUNAKAN KATALIS Ru/TiO2 SKRIPSI NURITA SARI PROGRAM STUDI KIMIA," 2018.
- [26] M. M. W. Murti, D. A. Samparia, S. R. Juliastuti, and O. Rachmaniah, "Fraksinasi Lignoselulosa dari Tandan Kosong Kelapa Sawit (TKKS) menjadi Lignin secara Steam explosion dengan Kapasitas 400 ton/tahun," *Journal of Fundamentals and*

Applications of Chemical Engineering (JFACHE), vol. 3, no. 2, p. 58, Dec. 2022, doi: 10.12962/j2964710x.v3i2.19157.

- [27] R. P. Siti Surhati, *Analisis Sifat Fisika dan Kimia Lignin Tandan Kosong Kelapa Sawit Asal Desa Sape, Kabupaten Sanggau, Kalimantan Barat*. Hale, 2016.
- [28] H. Dayu Kusuma, I. Kurnia, and A. Saputra, "PENGARUH SUHU TERHADAP EKSTRAKSI LIGNIN DARI BATANG POHON KELAPA SAWIT MENGGUNAKAN METODE ORGANOSOLV," 2024. [Online]. Available: <http://iontech.ista.ac.id/index.php/iontech>
- [29] Firda Khairunisa, "SINTESIS DAN KARAKTERISASI HIDROGEL BERBASIS LIGNIN HASIL ISOLASI LIMBAH TANDAN KOSONG KELAPA SAWIT (TKKS) SKRIPSI FIRDA KHAIRUNNISA PROGRAM STUDI KIMIA," 2022.
- [30] X. Wang *et al.*, "Distribution survey, phytochemical and transcriptome analysis to identify candidate genes involved in biosynthesis of functional components in *Zanthoxylum nitidum*," *Ind Crops Prod*, vol. 150, Aug. 2020, doi: 10.1016/j.indcrop.2020.112345.
- [31] A. Yuan, Y. Wang, Y. Zhao, Q. Liu, and J. Lei, "Reliable phase-change polyurethane crosslinked by dynamic ionic-bond crosslinking for thermal energy storage," *J Appl Polym Sci*, vol. 136, no. 46, Dec. 2019, doi: 10.1002/app.48213.
- [32] I. Risnasari *et al.*, *Alat Universal Testing Machine (UTM) dan Pengoperasiannya*. 2021.
- [33] "Test Method for Tensile Properties of Plastics," Dec. 15, 2014, *ASTM International, West Conshohocken, PA*. doi: 10.1520/D0638-14.
- [34] "Test Method for Compositional Analysis by Thermogravimetry," Sep. 01, 2008, *ASTM International, West Conshohocken, PA*. doi: 10.1520/E1131-08.
- [35] A. Tariq *et al.*, "Reactive extrusion of maleic-anhydride-grafted polypropylene by torque rheometer and its application as compatibilizer," *Polymers (Basel)*, vol. 13, no. 4, pp. 1–17, Feb. 2021, doi: 10.3390/polym13040495.
- [36] M. Sclavons, M. Laurent, J. Devaux, and V. Carlier, "Maleic anhydride-grafted polypropylene: FTIR study of a model polymer grafted by ene-reaction," *Polymer (Guildf)*, vol. 46, no. 19, pp. 8062–8067, Sep. 2005, doi: 10.1016/J.POLYMER.2005.06.115.
- [37] O. A., E.-D. H., and M. S., "Chemical Modification of Polypropylene by Maleic Anhydride: Melt Grafting, Characterization and Mechanism," *International Journal of Chemical Engineering and Applications*, vol. 5, no. 2, pp. 117–122, Apr. 2014, doi: 10.7763/ijcea.2014.v5.363.
- [38] S. H. P. Bettini and J. A. M. Agnelli, "Evaluation of methods used for analyzing maleic anhydride grafted onto polypropylene by reactive processing," *Polym Test*, vol. 19, no. 1, pp. 3–15, 2000, doi: 10.1016/S0142-9418(98)00066-X.

- [39] R. Dewi, "PENGARUH PENAMBAHAN POLIPROPILENA PADA KARAKTERISTIK PLASTIK DEGRADABLE BERBASIS PATI AMPAS KOPI," *Jurnal Teknologi Kimia Unimal*, vol. 12, no. 2, p. 274, Nov. 2023, doi: 10.29103/jtku.v12i2.13580.
- [40] M. Ghozali and E. N. Rohmah, "Synthesis of PP-g-MA as compatibilizer for PP/PLA biocomposites: Thermal, mechanical and biodegradability properties," in *AIP Conference Proceedings*, American Institute of Physics Inc., Jan. 2017. doi: 10.1063/1.4973171.
- [41] M. S. Mat-Shayuti, M. Z. Abdullah, and P. S. M. Megat-Yusoff, "THERMAL properties and morphology of Polypropylene/Polycarbonate/Polypropylene-Graft-Maleic anhydride blends," 2016, doi: 10.1051/03001.
- [42] N. D. M. Halimatuddahliaana, "Pengaruh Kandungan Pengisi Selulosa Termodifikasi Dan Suhu Pemrosesan Dalam Penyediaan Komposit Polietilena Densitas Rendah," 2011.
- [43] R. Wang, X. You, S. Qi, R. Tian, and H. Zhang, "Enhancing Mechanical Performance of High-Lignin-Filled Polypropylene via Reactive Extrusion," *Polymers (Basel)*, vol. 16, no. 4, Feb. 2024, doi: 10.3390/polym16040520.
- [44] U. C. Paul, G. Bayer, S. Grasselli, A. Malchiodi, and I. S. Bayer, "Biodegradable, Stretchable and Transparent Plastic Films from Modified Waterborne Polyurethane Dispersions," *Polymers (Basel)*, vol. 14, no. 6, Mar. 2022, doi: 10.3390/polym14061199.
- [45] D. N. Bikiaris, A. Vassiliou, E. Pavlidou, and G. P. Karayannidis, "Compatibilisation effect of PP-g-MA copolymer on iPP/SiO₂ nanocomposites prepared by melt mixing," *Eur Polym J*, vol. 41, no. 9, pp. 1965–1978, Sep. 2005, doi: 10.1016/j.eurpolymj.2005.03.008.
- [46] Z. H. Tengku Faisal, F. * Amri, and I. Tahir, "56 EFFECT OF MALEIC ANHYDRIDE POLYPROPYLENE ON THE PROPERTIES OF COCONUT SHELL FILLED THERMOPLASTIC ELASTOMERIC OLEFIN COMPOSITES," 2010.
- [47] M. Butar-butur and A. Chaerunisaa, "Thermal Behavior of Polymers in Solid-State," *Sciences of Pharmacy*, vol. 1, no. 1, pp. 9–23, Jun. 2022, doi: 10.58920/sciphar01010008.
- [48] M. P. da S. Bisneto, J. R. Gouveia, L. D. Antonino, L. B. Tavares, N. M. Ito, and D. J. Dos Santos, "Effects of Functionalized Kraft Lignin Incorporation on Polypropylene Surface Energy and Practical Adhesion," *Polymers (Basel)*, vol. 14, no. 5, Mar. 2022, doi: 10.3390/polym14050999.
- [49] M. Ghozali, Y. Irawan, and W. Waskitoaji, "PENGARUH PENAMBAHAN LIGNIN TERHADAP STABILITAS TERMAL BIOKOMPOSIT POLIASAM LAKTAT / LIGNIN," 2020.
- [50] M. P. da S. Bisneto, J. R. Gouveia, L. D. Antonino, L. B. Tavares, N. M. Ito, and D. J. Dos Santos, "Effects of Functionalized Kraft Lignin Incorporation on

Polypropylene Surface Energy and Practical Adhesion," *Polymers (Basel)*, vol. 14, no. 5, Mar. 2022, doi: 10.3390/polym14050999.