

DAFTAR PUSTAKA

- [1] H. Sosiati, A. Nahyudin, I. Fauzi, D. A. Wijayanti, dan K. Triyana, "Bio-composites fabricated by sandwiching sisal fibers with polypropylene (PP)," *AIP Conf Proc*, vol. 1725, hlm. 1–6, 2016, doi: 10.1063/1.4945535.
- [2] A. Tariq *dkk.*, "Reactive extrusion of maleic-anhydride-grafted polypropylene by torque rheometer and its application as compatibilizer," *Polymers (Basel)*, vol. 13, no. 4, hlm. 1–17, 2021, doi: 10.3390/polym13040495.
- [3] Asiva Noor Rachmayani, *Buku Mekanika Komposit dan Bio-Komposit*. 2015.
- [4] P. V. Joseph, M. S. Rabello, L. H. C. Mattoso, K. Joseph, dan S. Thomas, "Environmental effects on the degradation behaviour of sisal fibre reinforced polypropylene composites," *Compos Sci Technol*, vol. 62, no. 10–11, hlm. 1357–1372, 2002, doi: 10.1016/S0266-3538(02)00080-5.
- [5] H. Sosiati, A. Nahyudin, D. A. Wijayanti, K. Triyana, dan Sudarisman, "Effect of alkali treatment and MAPP addition on tensile strength of sisal/polypropylene composites," *Journal of Advanced Manufacturing Technology*, vol. 12, no. 2, hlm. 65–77, 2018.
- [6] Y. Yao, "The effects of fiber's surface roughness on the mechanical properties of fiber-reinforced polymer composites," *J Compos Mater*, vol. 47, no. 23, hlm. 2909–2923, Okt 2013, doi: 10.1177/0021998312459871.
- [7] A. K. Mohanty, "Surface modifications of natural fibres and performance of the resulting biocomposite," *Compos Interfaces*, vol. 8, no. 5, hlm. 313–343, 2012.
- [8] A. Arya, J. E. Tomlal, G. Gejo, dan J. Kuruvilla, "Commingle composites of polypropylene/coir-sisal yarn: Effect of chemical treatments on thermal and tensile properties," *E-Polymers*, vol. 15, no. 3, hlm. 169–177, 2015, doi: 10.1515/epoly-2014-0186.
- [9] Syafril. M. Dinata, B. H. Iskandar, F. A. Syamani, Fuad, dan Y. Novita, "Komposit Plastik Sebagai Bahan Alternatif Kapal Penangkap Ikan," *ALBACORE Jurnal Penelitian Perikanan Laut*, vol. 7, no. 2, hlm. 277–290, 2023, doi: 10.29244/core.7.2.277-290.
- [10] H. Sosiati, A. Nahyudin, D. A. Wijayanti, K. Triyana, dan Sudarisman, "Effect of alkali treatment and MAPP addition on tensile strength of sisal/polypropylene composites," *Journal of Advanced Manufacturing Technology*, vol. 12, no. 2, hlm. 65–77, 2018.
- [11] U. K. Dwivedi, "Influence of MA-g-PP on abrasive wear behaviour of chopped sisal fibre reinforced polypropylene composites," *J Mater Process Technol*, vol. 209, no. 12–13, hlm. 5371–5375, 2009, doi: 10.1016/j.jmatprotec.2009.04.008.
- [12] M. K. Singh, R. Tewari, S. Zafar, S. M. Rangappa, dan S. Siengchin, "A comprehensive review of various factors for application feasibility of natural fiber-reinforced polymer

- composites,” *Results in Materials*, vol. 17, Mar 2023, doi: 10.1016/j.rinma.2022.100355.
- [13] S. Simoes, “High-Performance Advanced Composites in Multifunctional Material Design: State of the Art, Challenges, and Future Directions,” 1 Desember 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/ma17235997.
- [14] H. A. Maddah, “Polypropylene as a Promising Plastic: A Review,” *American Journal of Polymer Science*, vol. 6, no. 1, hlm. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [15] R. O. Ebewele, *Polymer science and technology*. 2000. doi: 10.1016/0261-3069(95)90127-2.
- [16] P. V. Joseph, M. S. Rabello, L. H. C. Mattoso, K. Joseph, dan S. Thomas, “Environmental effects on the degradation behaviour of sisal fibre reinforced polypropylene composites,” *Compos Sci Technol*, vol. 62, no. 10–11, hlm. 1357–1372, 2002, doi: 10.1016/S0266-3538(02)00080-5.
- [17] A. Yamaguchi, H. Uematsu, T. Sakaguchi, dan T. Hashimoto, “Effects of different types of functionalized polypropylenes on the tensile strength of short carbon fiber-reinforced polypropylene composites,” *Polym J*, vol. 56, no. 3, hlm. 205–214, Mar 2024, doi: 10.1038/s41428-023-00856-8.
- [18] E. Hidayah, H. Wildana Sofia, U. Fitriyah, dan F. Amanah, “Kajian Literatur: Analisis Metode Alkalisasi Menggunakan NaOH untuk Meningkatkan Gaya Adhesi Antarmuka Serat-Matriks dalam Sintesis Biokomposit,” *Jurnal Matematika dan Ilmu Pengelutuan Alam*, vol. 1, no. 4, hlm. 348–360, 2023, [Daring]. Tersedia pada: <https://doi.org/10.59581/konstanta-widyakarya.v1i4.2742>
- [19] P. V. Joseph, M. S. Rabello, L. H. C. Mattoso, K. Joseph, dan S. Thomas, “Environmental effects on the degradation behaviour of sisal fibre reinforced polypropylene composites,” *Compos Sci Technol*, vol. 62, no. 10–11, hlm. 1357–1372, 2002, doi: 10.1016/S0266-3538(02)00080-5.
- [20] W. Edi, *Buku Mekanika Komposit dan Bio-Komposit*. 2015.
- [21] M. Matasina, K. Boimau, J. U. T. Jasron, dan J. T. Mesin, “Pengaruh Perendaman Terhadap Sifat Mekanik Komposit Polyester,” 2014.
- [22] Akhyar, A. Gani, M. Ibrahim, F. Ulmi, dan A. Farhan, “The influence of different fiber sizes on the flexural strength of natural fiber-reinforced polymer composites,” *Results in Materials*, vol. 21, Mar 2024, doi: 10.1016/j.rinma.2024.100534.
- [23] M. Zampaloni *dkk.*, “Kenaf natural fiber reinforced polypropylene composites: A discussion on manufacturing problems and solutions,” *Compos Part A Appl Sci Manuf*, vol. 38, no. 6, hlm. 1569–1580, 2007, doi: 10.1016/j.compositesa.2007.01.001.
- [24] A. Arya, J. E. Tomlal, G. Gejo, dan J. Kuruvilla, “Commingleed composites of polypropylene/coir-sisal yarn: Effect of chemical treatments on thermal and tensile properties,” *E-Polymers*, vol. 15, no. 3, hlm. 169–177, 2015, doi: 10.1515/epoly-2014-0186.
- [25] Syafril Mayu Dinata, B. H. Iskandar, F. A. Syamani, Fuad, dan Y. Novita, “Komposit Plastik Sebagai Bahan Alternatif Kapal Penangkap Ikan,” *ALBACORE Jurnal Penelitian Perikanan Laut*, vol. 7, no. 2, hlm. 277–290, 2023, doi: 10.29244/core.7.2.277-290.
- [26] A. D. Tanjung, N. JAMARUN, dan R. LUBIS, “Optimization of

- malic anhydride concentration in manufacturing PP-g-MA compatibilizer on test percent of grafting degree,” *Jurnal Natural*, vol. 24, no. 2, hlm. 94–98, 2024, doi: 10.24815/jn.v24i2.35317.
- [27] S. Kaewkuk, W. Sutapun, dan K. Jarukumjorn, “Effects of interfacial modification and fiber content on physical properties of sisal fiber/polypropylene composites,” *Compos B Eng*, vol. 45, no. 1, hlm. 544–549, 2013, doi: 10.1016/j.compositesb.2012.07.036.
- [28] S. Kaewkuk, W. Sutapun, dan K. Jarukumjorn, “Effects of interfacial modification and fiber content on physical properties of sisal fiber/polypropylene composites,” *Compos B Eng*, vol. 45, no. 1, hlm. 544–549, Feb 2013, doi: 10.1016/j.compositesb.2012.07.036.
- [29] P. P. Polimer, “Praktik pemrosesan polimer,” 2021.
- [30] F. I. Aryanti, “Modul Praktik Pemrosesan Polimer 2023,” 2023.
- [31] A. A. Shamsuri, “Compression Moulding Technique for Manufacturing Biocomposite Products,” *Int J Appl Sci Technol*, vol. 5, no. 3, hlm. 23–26, 2015, [Daring]. Tersedia pada: https://www.researchgate.net/publication/362593262%0Ahttp://www.ijastnet.com/journals/Vol_5_No_3_June_2015/3.pdf
- [32] P. K. Bajpai dan I. Singh, “Drilling behavior of sisal fiber-reinforced polypropylene composite laminates,” *Journal of Reinforced Plastics and Composites*, vol. 32, no. 20, hlm. 1569–1576, 2013, doi: 10.1177/0731684413492866.
- [33] H. Sosiati, A. Nahyudin, I. Fauzi, D. A. Wijayanti, dan K. Triyana, “Bio-composites fabricated by sandwiching sisal fibers with polypropylene (PP),” *AIP Conf Proc*, vol. 1725, hlm. 1–6, 2016, doi: 10.1063/1.4945535.
- [34] American Society for Testing and Materials D638, “ASTM D638-14, Standard practice for preparation of metallographic specimens,” *ASTM International*, vol. 82, no. C, hlm. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [35] American Society for Testing and Materials D638, “ASTM D638-14, Standard practice for preparation of metallographic specimens,” *ASTM International*, vol. 82, no. C, hlm. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [36] T. J. U. Thompson, M. Gauthier, dan M. Islam, “The application of a new method of Fourier Transform Infrared Spectroscopy to the analysis of burned bone,” *J Archaeol Sci*, vol. 36, no. 3, hlm. 910–914, 2009, doi: 10.1016/j.jas.2008.11.013.
- [37] Sevgi Kaya, “A review of mid-infrared and near-infrared imaging: Principles, concepts and applications in plant tissue analysis,” *Molecules*, vol. 22, no. 1, 2017, doi: 10.3390/molecules22010168.
- [38] A. Bayu, D. Nandiyanto, R. Oktiani, dan R. Ragadhita, “15806-33512-2-Pb,” no. 1, hlm. 97–118, 2019.
- [39] Dachriyanus, *Na L I S I S T R U K T U R E N Y a W a R G a N I K E C a R a P E K T R O S K O P I*. 2004.
- [40] dkk Pavia, “Pavia-Introduction-to-Spectroscopy[1].pdf,” 2009.
- [41] Dachriyanus, *Na L I S I S T R U K T U R E N Y a W a R G a N I K E C a R a P E K T R O S K O P I*. 2004.
- [42] P. Analysis, “Standard Practice for iTeh Standards iTeh Standards,” vol. 13, no. Reapproved, hlm. 5–6, 2021, doi: 10.1520/E1421-99R21.2.
- [43] J. H. Lin, C. L. Huang, C. F. Liu, C. K. Chen, Z. I. Lin, dan C. W.

- Lou, "Polypropylene/short glass fibers composites: Effects of coupling agents on mechanical properties, thermal behaviors and morphology," *Materials*, vol. 8, no. 12, hlm. 8279–8291, 2015, doi: 10.3390/ma8125451.
- [44] W. Wang, X. Guo, D. Zhao, L. Liu, R. Zhang, dan J. Yu, "Water absorption and hygrothermal aging behavior of wood-polypropylene composites," *Polymers (Basel)*, vol. 12, no. 4, 2020, doi: 10.3390/POLYM12040782.
- [45] H. Essabir, M. O. Bensalah, D. Rodrigue, R. Bouhfid, dan A. el kacem Qaiss, "A comparison between bio- and mineral calcium carbonate on the properties of polypropylene composites," *Constr Build Mater*, vol. 134, hlm. 549–555, 2017, doi: 10.1016/j.conbuildmat.2016.12.199.
- [46] K. Feleke, G. Thothadri, H. Beri Tufa, A. A. Rajhi, dan G. M. S. Ahmed, "Extraction and Characterization of Fiber and Cellulose from Ethiopian Linseed Straw: Determination of Retting Period and Optimization of Multi-Step Alkaline Peroxide Process," *Polymers (Basel)*, vol. 15, no. 2, 2023, doi: 10.3390/polym15020469.
- [47] R. Yang, *Analytical methods for polymer characterization*. 2015.
- [48] K. V. Balaji, K. Shirvanimoghaddam, R. Yadav, M. R. G. Ferdowsi, dan M. Naebe, "Effect of matrix modification and fiber surface treatment on the properties of basalt fiber reinforced polypropylene composites," *Hybrid Advances*, vol. 6, Agu 2024, doi: 10.1016/j.hybadv.2024.100253.
- [49] H. Essabir, M. O. Bensalah, D. Rodrigue, R. Bouhfid, dan A. el kacem Qaiss, "A comparison between bio- and mineral calcium carbonate on the properties of polypropylene composites," *Constr Build Mater*, vol. 134, hlm. 549–555, 2017, doi: 10.1016/j.conbuildmat.2016.12.199.
- [50] H. I. Umaru, U. S. Ishiaku, M. K. Yakubu, dan A. A. Kogo, "Effect of particle size on tensile properties and density of Delonix regia seed particles filled unsaturated polyester resin composites," *Science World Journal*, vol. 17, no. 4, hlm. 507–511, 2022, [Daring]. Tersedia pada: <https://www.ajol.info/index.php/swj/article/view/239351>
- [51] S. G. Prasad, A. De, dan U. De, "Structural and Optical Investigations of Radiation Damage in Transparent PET Polymer Films," *Int J Spectrosc*, vol. 2011, no. 1, 2011, doi: 10.1155/2011/810936.
- [52] P. C. Tsaousis dkk., "Quantification of plant biomass composition via a single FTIR absorption spectrum supported by reference component extraction/isolation protocols," *Biomass Convers Biorefin*, 2025, doi: 10.1007/s13399-025-06858-1.
- [53] L. F. C. Nascimento dkk., "Charpy impact test of epoxy composites reinforced with untreated and mercerized mallow fibers," *Journal of Materials Research and Technology*, vol. 7, no. 4, hlm. 520–527, 2018, doi: 10.1016/j.jmrt.2018.03.008.
- [54] A. R. Dayan, M. Habib, M. A. Kaysar, dan M. Uddin, "Study on the Physico-Mechanical Properties of Okra Fibre at Different Harvesting Time," *Saudi Journal of Engineering and Technology*, vol. 5, no. 8, hlm. 304–309, Agu 2020, doi: 10.36348/sjet.2020.v05i08.002.