

DAFTAR PUSTAKA

- [1] D. Kang, J.-M. Lee, C. Moon, dan H.-I. Kim, "Improvement in mechanical properties of recycled polypropylene composite by controlling the length distribution of glass fibers," *Polym Compos*, vol. 42, no. 5, hlm. 2171–2179, Mei 2021, doi: <https://doi.org/10.1002/pc.25966>.
- [2] A. Ladhari, E. Kucukpinar, H. Stoll, dan S. Sangerlaub, "Comparison of Properties with Relevance for the Automotive Sector in Mechanically Recycled and Virgin Polypropylene," *Recycling*, vol. 6, no. 4, 2021, doi: 10.3390/recycling6040076.
- [3] M. Ajorloo, M. Ghodrat, dan W.-H. Kang, "Incorporation of Recycled Polypropylene and Fly Ash in Polypropylene-Based Composites for Automotive Applications," *J Polym Environ*, vol. 29, no. 4, hlm. 1298–1309, 2021, doi: 10.1007/s10924-020-01961-y.
- [4] Md. T. Hossain *dkk.*, "Research and application of polypropylene: a review," *Discover Nano*, vol. 19, no. 1, hlm. 2, 2024, doi: 10.1186/s11671-023-03952-z.
- [5] T. Jamnongkan *dkk.*, "Towards a Circular Economy: Study of the Mechanical, Thermal, and Electrical Properties of Recycled Polypropylene and Their Composite Materials," *Polymers (Basel)*, vol. 14, no. 24, 2022, doi: 10.3390/polym14245482.
- [6] Z. Djafar, I. Renreng, dan M. Jannah, "Tensile and Bending Strength Analysis of Ramie Fiber and Woven Ramie Reinforced Epoxy Composite," *Journal of Natural Fibers*, vol. 18, no. 12, hlm. 2315–2326, Des 2021, doi: 10.1080/15440478.2020.1726242.
- [7] U. Jamilah dan S. Sujito, "THE IMPROVEMENT OF RAMIE FIBER PROPERTIES AS COMPOSITE MATERIALS USING ALKALIZATION TREATMENT: NaOH CONCENTRATION," *Jurnal Sains Materi Indonesia*, vol. 22, hlm. 62, Agu 2021, doi: 10.17146/jsmi.2021.22.3.6182.
- [8] P. Banerjee, S. Debnath, P. Satya, D. Prasad Ray, dan D. Mondal, "Evaluation of Ramie Fibre Quality: A Review," 2015, [Daring]. Tersedia pada: <http://www.renupublishers.com>
- [9] M. Mardiyati, N. Srahputri, S. Steven, dan R. Suratman, "Sifat Tarik Dan Sifat Impak Komposit Polipropilena High Impact Berpenguat Serat Rami Acak Yang Dibuat Dengan Metode Injection Molding," *Mesin*, vol. 26, no. 1, hlm. 8–16, Apr 2017, doi: 10.5614/MESIN.2017.26.1.2.
- [10] L. F. Ng *dkk.*, "Mechanical Characterization, Water Absorption, and Thickness Swelling of Lightweight Pineapple Leaf/Ramie Fabric-Reinforced Polypropylene Hybrid Composites," *Polymers (Basel)*, vol. 16, no. 13, hlm. 1847, Jun 2024, doi: 10.3390/polym16131847.
- [11] M. Saleh, Z. Al-Hajri, A. Popelka, dan S. Javaid Zaidi, "Preparation and Characterization of Alumina HDPE Composites," *Materials*, vol. 13, no. 1, 2020, doi: 10.3390/ma13010250.
- [12] L. C. Abdullah, F. Mirjalili, dan H. Mohamad, "Production of Nano α -Alumina Through the Sol-Gel Method and Its Application on Reinforcement Polypropylene Composites," dalam *Handbook of Nanofillers*, Singapore: Springer Nature Singapore, 2025, hlm. 1–31. doi: 10.1007/978-981-99-3516-1_92-1.
- [13] N. Kaya, O. Akyüz, H. Bilgili, M. Can, dan Ş. Demiç, "Thermal and Electrical Properties of Alumina/Graphene Mixtures in Polypropylene (PP) Matrix Based Composites," *Acta Phys Pol A*, vol. 135, no. 5, hlm. 984–986, Mei 2019, doi: 10.12693/APhysPolA.135.984.
- [14] M. R. Buche dan M. N. Silberstein, "Statistical mechanical constitutive theory of

- polymer networks: The inextricable links between distribution, behavior, and ensemble,” *Phys Rev E*, vol. 102, no. 1, hlm. 012501, Jul 2020, doi: 10.1103/PhysRevE.102.012501.
- [15] R. Shofiyah dan I. Irawati, “Pengolahan Sampah Polimer Termoplastik dan Termoset di Lingkungan Bank Sampah Induk Kabupaten Jember,” *Jurnal Komunitas : Jurnal Pengabdian kepada Masyarakat*, vol. 6, no. 2, hlm. 180–190, Jan 2024, doi: 10.31334/jks.v6i2.3548.
- [16] M. S. Bahra, L. Aggarwal, dan V. K. Gupta, “Natural Fiber Reinforced Polypropylene Composites : A review,” 2015. [Daring]. Tersedia pada: <https://api.semanticscholar.org/CorpusID:148564326>
- [17] H. Maddah, “Polypropylene as a Promising Plastic: A Review,” *2163-1352*, vol. 2016, hlm. 1–11, Jan 2016, doi: 10.5923/j.ajps.20160601.01.
- [18] H. Doan Tran dkk., “Machine-learning predictions of polymer properties with Polymer Genome,” *J Appl Phys*, vol. 128, no. 17, Nov 2020, doi: 10.1063/5.0023759.
- [19] F. Ullman, *Ullmanns Polymers and Plastics*. 2016.
- [20] W. D. Callister dan D. G. Rethwisch, *Materials Science and Engineering: An Introduction*, 10 ed. Wiley, 2018.
- [21] J. de P. Cipriano, N. C. Zanini, I. R. Dantas, dan D. R. Mulinari, “Mechanical Properties of Polypropylene Composites Reinforced with Macadamia Nutshell Fibers,” *J Renew Mater*, vol. 7, no. 10, hlm. 1047–1053, 2019, doi: 10.32604/jrm.2019.00001.
- [22] P. Harmi, *Teori dan Aplikasi Material Komposit dan Polimer*, 1 ed. Sidoarjo: UMSIDA Press, 2018.
- [23] D. Ratna dan B. Chandra Chakraborty, “Chapter 1. Introduction to composite materials,” dalam *Polymer Matrix Composite Materials*, De Gruyter, 2023, hlm. 1–72. doi: 10.1515/9783110781571-001.
- [24] Z. Djafar, I. Renreng, dan M. Jannah, “Impact Strength Analysis Of Ramie Fiber And Woven Ramie Composite,” *Int J Sci Eng Res*, vol. 9, no. 7, 2018, [Daring]. Tersedia pada: <http://www.ijser.org>
- [25] S. Habibie dkk., “Prospect of Ramie Fiber Development in Indonesia and Manufacturing of Ramie Fiber Textile-based Composites for Industrial Needs, an Overview,” *International Journal of Composite Materials*, vol. 11, hlm. 43–53, Mar 2022, doi: 10.5923/j.cmaterials.20211103.01.
- [26] H. Cho, G. Li, dan J. Zhu, “Ramie fibers, their composites and applications,” dalam *Plant Fibers, their Composites, and Applications*, Elsevier, 2022, hlm. 363–378. doi: 10.1016/B978-0-12-824528-6.00010-2.
- [27] G. R. Chate, N. Rangaswamy, M. Shettar, V. R. Chate, dan R. M. Kulkarni, “Ceramic materials for coatings: an introduction and future aspects,” dalam *Advanced Flexible Ceramics*, Elsevier, 2023, hlm. 527–540. doi: 10.1016/B978-0-323-98824-7.00026-9.
- [28] S. Ghalme, P. Koinkar, dan Y. Bhalerao, “Effect of aluminium oxide (Al₂O₃) nanoparticles addition into lubricating oil on tribological performance,” *Tribology in Industry*, vol. 42, no. 3, hlm. 494–502, 2020, doi: 10.24874/ti.871.04.20.07.
- [29] A. Riani dan M. Mora, “Pengaruh Variasi Waktu Milling dan Suhu Sintering Terhadap Sifat Fisis dan Kuat Tekan Keramik Clay,” *Jurnal Fisika Unand*, vol. 12, no. 3, hlm. 500–506, Jul 2023, doi: 10.25077/jfu.12.3.499-505.2023.
- [30] R. A. Farade dkk., “The Effect of Interfacial Zone Due to Nanoparticle–Surfactant Interaction on Dielectric Properties of Vegetable Oil Based Nanofluids,” *IEEE Access*, vol. 9, hlm. 107033–107045, 2021, doi: 10.1109/ACCESS.2021.3098758.
- [31] E. Melyna, I. Wulansari, dan Z. F. E. Sari, “Pengaruh Penambahan Zinc Oxide (ZnO) terhadap Kuat Tarik, Kuat Impak, dan Kristalinitas Komposit PP Daur Ulang/Serat Rami,” *Journal of Polymer Chemical Engineering and Technology*,

- vol. 2, no. 1, hlm. 19–28, 2024, doi: 10.52330/jpcet.v2i1.346.
- [32] A. A. Shamsuri, “Compression Moulding Technique for Manufacturing Biocomposite Products,” *Int J Appl Sci Technol*, vol. 5, hlm. 23–26, Mar 2015.
 - [33] T. Mustika, B. Soegiyono, dan D. I. N. Jujur, “PEMBUATAN KOMPOSIT AC8A/SICP DENGAN METODE HOT PRESS METALURGI SERBUK,” *Majalah Metalurgi*, 2011.
 - [34] E. Melyna dan A. P. Afridana, “The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites,” *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, hlm. 14, Mar 2023, doi: 10.20961/equilibrium.v7i1.68556.
 - [35] Y. Nuhgraha, M. Rosa, dan I. Agustian, “Perancangan Alat Uji Impak Digital dengan Metode Charpy Untuk Mengukur Kekuatan Material Polimer,” *Jurnal Amplifier : Jurnal Ilmiah Bidang Teknik Elektro Dan Komputer*, vol. 10, hlm. 15–19, Des 2020, doi: 10.33369/jamplifier.v10i2.15316.
 - [36] A. E. Purkuncoro, “ANALISIS PENGARUH PENGGUNAAN NaOH 5% PADA SERAT PELEPAH PISANG DENGAN FRAKSI VOLUME 40%, 50% DAN 60% TERHADAP KEKUATAN MEKANIS,” *AL-JAZARI JURNAL ILMIAH TEKNIK MESIN*, vol. 3, no. 2, Des 2018, doi: 10.31602/al-jazari.v3i2.1616.
 - [37] N. Graupner, N. Kühn, dan J. Müssig, “Influence of sample thickness, curvature and notches on the Charpy impact strength - An approach to standardise the impact strength of curved test specimens and biological structures,” *Polym Test*, vol. 93, hlm. 106864, Jan 2021, doi: 10.1016/j.polymertesting.2020.106864.
 - [38] N. Vaidakis, M. Petousis, A. Vairis, K. Savvakis, dan A. Maniadi, “A parametric determination of bending and Charpy’s impact strength of ABS and ABS-plus fused deposition modeling specimens,” *Progress in Additive Manufacturing*, vol. 4, no. 3, hlm. 323–330, Sep 2019, doi: 10.1007/s40964-019-00092-8.
 - [39] R. A. Sani, *Karakterisasi Material*. Bumi Aksara, 2021.
 - [40] International Organization for Standardization., “Plastics — Determination of Charpy impact properties,” 2023. [Daring]. Tersedia pada: <https://www.iso.org/standard/84393.html>
 - [41] G. W. H. Höhne, W. F. Hemminger, dan H.-J. Flammersheim, *Differential Scanning Calorimetry*. Berlin, Heidelberg: Springer Berlin Heidelberg, 2003. doi: 10.1007/978-3-662-06710-9.
 - [42] K. Kv, A. Sr, Y. Pr, P. Ry, dan B. Vu, “Research and Reviews: Journal of Pharmaceutical Analysis Differential Scanning Calorimetry: A Review,” vol. 3, Sep 2014.
 - [43] Netzsch, “NETZSCH Analyzing & Testing.”
 - [44] W. Ondiek, A. Ridzuan, M. Iwamoto, A. Macadre, dan K. Goda, “Comparative Analysis of Mechanical and Morphological Properties of Cordenka and Ramie Fiber-Reinforced Polypropylene Composites,” *Materials*, vol. 17, no. 22, 2024, doi: 10.3390/ma17225519.
 - [45] O. J. Shesan, A. C. Stephen, A. G. Chioma, R. Neerish, dan S. E. Rotimi, “Fiber-Matrix Relationship for Composites Preparation,” dalam *Renewable and Sustainable Composites*, IntechOpen, 2019. doi: 10.5772/intechopen.84753.
 - [46] D. O. Sulistiono, Moh. S. Al Farizi, D. D. Suranto, dan A. Wahyudiono, “Pengaruh Serat Goni Terhadap Kekuatan Impact dan Kekuatan Bending Komposit Bermatriks Polyester,” *Jurnal Teknik Terapan*, vol. 3, no. 1, hlm. 21–27, Apr 2024, doi: 10.25047/jteta.v3i1.36.
 - [47] D. Romanzini, H. L. Ornaghi Junior, S. C. Amico, dan A. J. Zattera, “Preparation and characterization of ramie-glass fiber reinforced polymer matrix hybrid composites,” *Materials Research*, vol. 15, no. 3, hlm. 415–420, Mei 2012, doi: 10.1590/S1516-14392012005000050.
 - [48] C.-Y. Dang dkk., “Effect of ramie fibers on the mechanical and shrinkage

- properties of spray-free polypropylene composite,” *Mater Res Express*, vol. 6, no. 12, hlm. 125373, Feb 2020, doi: 10.1088/2053-1591/ab5e4d.
- [49] S. Yu *dkk.*, “Effects of fiber content on crystallization behavior and mechanical properties for fiber-reinforced microcellular injection molding combined with in-mold decoration process,” *Mater Des*, vol. 254, hlm. 114054, Jun 2025, doi: 10.1016/j.matdes.2025.114054.
- [50] V. Yoesepa Pamela, R. Syarief, E. Savitri Iriani, dan N. Edhi Suyatma, “Karakteristik Mekanik, Termal dan Morfologi Film Polivinil Alkohol dengan Penambahan Nanopartikel ZnO dan Asam Stearat untuk Kemasan Multilayer,” vol. 13, no. urnal Penelitian Pascapanen Pertanian, hlm. 63–73, 2016.
- [51] G. Li, M. Hao, Y. Chen, H. Li, dan J. Lin, “Nonisothermal crystallization behavior and mechanical properties of poly(lactic acid)/ramie fiber biocomposites,” *Polym Compos*, vol. 43, no. 5, hlm. 2759–2770, Mei 2022, doi: 10.1002/pc.26572.
- [52] D. Mileva, D. Tranchida, E. Carmeli, D. Gloger, dan M. Gahleitner, “Crystallization Behavior of Polypropylene and Its Blends and Composites,” dalam *Polymer Crystallization*, Wiley, 2023, hlm. 33–85. doi: 10.1002/9783527839247.ch3.