

DAFTAR PUSTAKA

- [1] A. Asngad, E. J. Marudin, and D. S. Cahyo, “Kualitas Bioplastik dari Umbi Singkong Karet dengan Penambahan Kombinasi Plasticizer Gliserol dengan Sorbitol dan Kitosan,” *Jurnal Bioeksperimen*, vol. 6, no. 1, pp. 36–44, 2020, doi: 10.23917/bioeksperimen.v5i1.2795.
- [2] I. Maladi, “Pembuatan Bioplastik Berbahan Dasar Pati Kulit Singkong (Manihot utilissima) dengan Penguat Selulosa Jerami Padi, Polivinil Alkohol dan Bio-compatible Zink Oksida,” Universitas Islam Negeri Syarif Hidayatullah Jakarta, 2019.
- [3] S. R. Dewi, A. Widyasanti, and S. H. Putri, “Pengaruh Konsentrasi Pati Singkong Terhadap Karakteristik Edible Film Berbahan Pati Singkong dengan Penambahan Ekstrak Daun Belimbing Wuluh,” *Jurnal Keteknikan Pertanian Tropis dan Biosistem*, vol. 11, no. 2, pp. 158–167, Aug. 2023, doi: 10.21776/ub.jkptb.2023.011.02.05.
- [4] A. H. D. Abdullah, S. Chalimah, I. Primadona, and M. H. G. Hanantyo, “Physical and chemical properties of corn, cassava, and potato starches,” *IOP Conf Ser Earth Environ Sci*, vol. 160, no. 1, pp. 1–6, 2018, doi: 10.1088/1755-1315/160/1/012003.
- [5] Y. A. Harahap, A. C. K. Fitri, and Y. E. Fajarwati, “Analisis Kelarutan Bioplastik dari Pati Kulit Singkong dengan Penambahan Variasi Gliserol, Selulosa Jerami Padi, dan Kitosan,” vol. 6, pp. 1–10, 2023.
- [6] X. Chen *et al.*, “Physicochemical properties comparative analysis of corn starch and cassava starch, and comparative analysis as adhesive,” *J Renew Mater*, vol. 9, no. 5, pp. 789–992, 2021, doi: 10.32604/jrm.2021.014751.
- [7] V. Arizal, Y. Darni, E. Azwar, L. Lismeri, and H. Utami, “Aplikasi Rumput Laut *Eucheuma Cottonii* Pada Sintesis Bioplastik Berbasis Sorgum Dengan Plasticizer Gliserol,” pp. 32–39, 2017.

- [8] W. Gao *et al.*, “Development and characterization of starch films prepared by extrusion blowing: The synergistic plasticizing effect of water and glycerol,” *Source: Revista de Letras*, vol. 148, no. 1, pp. 13–22, 2021, doi: 10.2307/26459823.
- [9] F. Sakinah, “Peningkatan Kualitas Biopolimer (PLA) Nanokomposit Modifikasi Filler Bentonit dan Kitosan Anti-Bakteri,” *Journal of Science and Technology) Jurusan Teknik Kimia Politeknik NegeriLhokseumawe*, vol. 18, no. 1, 2020.
- [10] S. Salsabila, Ridwan, and Sariadi, “Pembuatan Komposit Poly Lactid Acid - Bentonit untuk Plastik Biodegradable,” *J Teknol*, vol. 24, no. 2, pp. 114–120, 2024.
- [11] E. C. Stephen and F. Temitope, “Trends on Bio-Synthesis of Plastics,” *Advances in Biotechnology & Microbiology*, vol. 10, no. 5, pp. 1–10, Sep. 2018, doi: 10.19080/aibm.2018.10.555797.
- [12] T. Muharam, D. Fitriani, D. F. M. Jannah, M. Zidan, M. Z. Al Ghifari, and R. P. Sihombing, “Karakteristik Daya Serap Air dan Biodegradabilitas pada Bioplastik Berbasis Pati Singkong dengan Penambahan PolyVinyl Alcohol,” *Prosiding Seminar Nasional Aplikasi Sains & Teknologi (SNAST)*, pp. D35–D49, 2022.
- [13] H. L. Nguyen *et al.*, “Biorenewable, transparent, and oxygen/moisture barrier nanocellulose/nanochitin-based coating on polypropylene for food packaging applications,” *Carbohydr Polym*, vol. 271, pp. 2–12, 2021, doi: 10.1016/j.carbpol.2021.118421.
- [14] Y. Abubakar *et al.*, “Peningkatan Produksi Bahan Pangan Singkong dengan Memanfaatkan Lahan Gambut di Gampong Kuala Baro, Kecamatan Kuala Pesisir Kabupaten Nagan Raya,” vol. 2, no. 3, pp. 829–834, 2021.
- [15] F. Syahbanu, F. I. Napitupulu, S. Septiana, and N. F. Aliyah, “Struktur pati beras (*Oryza sativa* L.) dan mekanisme perubahannya pada fenomena gelatinisasi dan retrogradasi,” *Agrointek: Jurnal Teknologi Industri*

- Pertanian*, vol. 17, no. 4, pp. 755–767, Dec. 2023, doi: 10.21107/agrointek.v17i4.15315.
- [16] Atikah, “Efektifitas Bentonit Sebagai Adsorben pada Proses Peningkatan Kadar Bioetanol,” vol. 1, no. 2, pp. 23–32, 2017.
 - [17] A. H. Maulana, I. T. A. Wicaksana, J. R. H. Panjaitan, and D. F. Nury, “Potensi Kulit Pisang Kepok sebagai Biodegradable Plastic: Pengaruh Konsentrasi Plasticizer terhadap Yield Ekstrak Kulit Pisang,” vol. 2, no. 2, pp. 1–7, 2024.
 - [18] N. Afifah, E. Sholichah, N. Indrianti, and D. A. Darmajana, “Pengaruh Kombinasi Plasticizer Terhadap Karakteristik Edible Film dari Karagenan dan Lilin Lebah,” vol. 9, no. 1, pp. 49–60, 2018.
 - [19] L. Tavares, H. L. B. Barros, J. C. P. Vaggetti, and C. P. Z. Noreña, “Microencapsulation of Garlic Extract by Complex Coacervation Using Whey Protein Isolate/Chitosan and Gum Arabic/Chitosan as Wall Materials: Influence of Anionic Biopolymers on the Physicochemical and Structural Properties of Microparticles,” *Food Bioproc Tech*, vol. 12, no. 12, pp. 2093–2106, Dec. 2019, doi: 10.1007/s11947-019-02375-y.
 - [20] M. Zurairah, “Uji Sifat Gliserin dengan Standarisasi,” no. 4, pp. 453–458, 2024.
 - [21] V. Tyagi and B. Bhattacharya, “Role of plasticizers in bioplastics,” *MOJ Food Processing & Technology*, vol. 7, no. 4, pp. 128–130, Dec. 2019, doi: 10.15406/mojfpt.2019.07.00231.
 - [22] N. Nurfadillah, R. N. F. R. Fernanda, A. Yamin, and S. Handayani, “Purancangan Pabrik Gliserol Monostearat dari Bahan Baku Gliserol dan Asam Stearat dengan Kapasitas 13.000 Ton/Tahun,” 2025.
 - [23] E. Maneking, H. F. Sangian, S. Herlina, and S. H. J. Tongkukut, “Pembuatan dan Karakterisasi Bioplastik Berbahan Dasar Biomassa dengan Plasticizer Gliserol,” *Jurnal Mipa*, no. 1, pp. 23–27, 2020.

- [24] S. A. P. Sari, R. O. Asriza, and Adisyahputra, "The Influence of Plasticizer Type on The Characteristics of Bioplastik Made From TaroTuber Starch (*Colocasia esculenta* (L.) Schott) With The Addition of Cane Drague Cellulose," pp. 285–295, 2023, doi: 10.20414/spin.v5i2.8211.
- [25] D. A. Tanjung and S. Munte, *Pembuatan Komposit Bioplastik dari Pati Sagu Kombinasi Polietilen*. 2023. [Online]. Available: <https://penerbit.lemkomindo.org/>
- [26] F. I. Aryanti and Silvia, *Modul Praktik Kimia Polimer*. 2021.
- [27] M. Alam, R. Amalia, and Nurmalasari, "Pengaruh Filler Bentonit Terhadap Sifat Hidrofobisitas pada Bioplastik Berbasis Pati Ampas Sagu," *Indonesian Journal of Chemical Technology P-ISSN*, vol. 1, no. 1, pp. 2715–8764, 2020.
- [28] M. Y. Prasetyo, M. Hendri, and S. Shiyan, "Analisis Thermogravimetri dan Sifat Mekanis Edible Film Rumpun Laut Gracillaria sp. Sebagai Bahan Alternatif Bioplastik," *Jurnal Penelitian Sains*, vol. 26, no. 2, pp. 147–155, Aug. 2024, doi: 10.56064/jps.v26i2.1016.
- [29] H. W. Sulityo and Ismiyati, "Pengaruh Formulasi Pati Singkong-Selulosa Terhadap Sifat Mekanik PENGARUH FORMULASI PATI SINGKONG-SELULOSA TERHADAP SIFAT MEKANIK DAN HIDROFOBISITAS PADA PEMBUATAN BIOPLASTIK," vol. 1, no. 2, pp. 23–30, 2012.
- [30] D. M. Tyasning and M. Masykuri, "Pengaruh Penambahan Kitosan Terhadap Biodegradasi Plastik Berbahan Dasar Polipropilen," vol. 9, no. 1, pp. 380–385, 2013.
- [31] E. Kusriani *et al.*, "Enrichment and extraction of lanthanum from Belitung silica sand using sulfuric acid heap leaching, precipitation and complexation with phytic acid," in *Materials Today: Proceedings*, Elsevier Ltd, Mar. 2020, pp. 421–425. doi: 10.1016/j.matpr.2020.02.815.
- [32] D. Rodrigues, J. Antunes, V. Otero, P. Sobral, and M. H. Costa, "Distribution Patterns of Microplastics in Seawater Surface at a Portuguese Estuary and

- Marine Park,” *Front Environ Sci*, vol. 8, Dec. 2020, doi: 10.3389/fenvs.2020.582217.
- [33] S. C. Pech-Cohuo *et al.*, “Effect of clays incorporation on properties of thermoplastic starch/clay composite bio-based polymer blends,” *Sci Rep*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-69092-1.
- [34] A. R. Amalia, R. F. Kumara, and N. P. Putri, “Pembuatan Bioplastik dari Selulosa Tandan Kosong Kelapa Sawit dengan Penambahan Gliserol sebagai Plasticizer,” *Konversi*, vol. 8, no. 2, Nov. 2019, doi: 10.20527/k.v8i2.6839.
- [35] Z. Zamrud, W. M. Ng, and H. M. Salleh, “Effect of bentonite nanoclay filler on the properties of bioplastic based on sago starch,” in *IOP Conference Series: Earth and Environmental Science*, IOP Publishing Ltd, May 2021. doi: 10.1088/1755-1315/765/1/012009.
- [36] D. Castro, A. Podshivalov, A. Ponomareva, and A. Zhilenkov, “Study of the Reinforcing Effect and Antibacterial Activity of Edible Films Based on a Mixture of Chitosan/Cassava Starch Filled with Bentonite Particles with Intercalated Ginger Essential Oil,” *Polymers (Basel)*, vol. 16, no. 17, pp. 2–21, Sep. 2024, doi: 10.3390/polym16172531.
- [37] M. D. Alim, A. Karangan, Suprihatin, and A. Nandini, “Pemanfaatan Limbah Nasi Aking pada Pembuatan Bioplastik dengan Kitosan dan Plasticizer Sorbitol,” *Jurnal Teknik Kimia*, vol. 17, no. 2, pp. 111–115, 2023.
- [38] A. D. K. Sari, M. H. Sa’id, M. A. Fitri, and Z. Azizah, “Studi Kuat Tarik dan Biodegradasi Bioplastik Pati Jagung dengan Sorbitol dan Selulosa Serabut Kelapa,” vol. 5, no. 1, pp. 45–51, 2025.
- [39] N. Timbuleng, O. Naharia, S. P. Gedoan, Y. S. Mokosuli, D. Rahardyan, and E. M. Moko, “Biodegradasi Bioplastik Berbahan Dasar Pati Daluga (*Cyrtosperma merkusii*) dengan Cellulose Nano Crystal sebagai Agen Reinforcement sebagai Dasar Pengembangan Food Packaging,” *JST (Jurnal Sains dan Teknologi)*, vol. 12, no. 3, pp. 634–645, Jan. 2024, doi: 10.23887/jstundiksha.v12i3.67917.