

DAFTAR PUSTAKA

- [1] K. Priyanto, A. H. Purwono, dan D. A. Cristanto, “Ketangguhan Impak Dan Kekuatan Tarik Komposit Fiberglass/Clay Filler Bermatriks Unsaturated Polyester BQTN-EX 157,” *Teknika*, hlm. 45–53, 2019.
- [2] A. Masyuroh, I. Rahmawati, B. Jaya, J. Syech, N. Albantani, dan S. Banten, “PEMBUATAN RECYCLE PLASTIK HDPE SEDERHANA MENJADI ASBAK,” vol. 3, no. 1, hlm. 53, 2021.
- [3] S. P. Adhikari, U. Pandey, dan R. Adhikari, “Effect of filler particle size on of pine dust-filled recycled HDPE composites,” *UNEC Journal of Engineering and Applied Sciences*, vol. 4, no. 2, hlm. 91–99, 2024, doi: 10.61640/ujeas.2024.1209.
- [4] M. Arif, H. Fitriyana, Z. F. Aisyah Rosa, dan L. Marbellia, “Kumpulan Karya Tulis Ilmiah Tingkat Nasional 2022 Institut Teknologi Telkom Surabaya 53.”
- [5] F. Wulandari, R. Akbar Bintoro, E. Budi, dan H. Nasbey, “PENGARUH TEMPERATUR PENGERINGAN PADA AKTIVASI ARANG TEMPURUNG KELAPA DENGAN ASAM KLOORIDA DAN ASAM FOSFAT UNTUK PENYARINGAN AIR KERUH,” 2014.
- [6] S. Huda, R. Dwi Ratnani dan Laeli Kurniasari Jurusan Teknik Kimia, F. Teknik, U. X. Wahid Hasyim Jl Menoreh Tengah, G. Mungkur Kota Semarang Jawa Tengah, dan A. Berkembangnya, “KARAKTERISASI KARBON AKTIF DARI BAMBU ORI (BAMBUSA ARUNDINACEA) YANG DI AKTIVASI MENGGUNAKAN ASAM KLOORIDA (HCl),” 2020.
- [7] C. A. Nunes dan M. C. Guerreiro, “ESTIMATION OF SURFACE AREA AND PORE VOLUME OF ACTIVATED CARBONS BY METHYLENE BLUE AND IODINE NUMBERS,” 2011.
- [8] M. Choudhury, J. Mittal, S. C. Roy, dan R. Nayak, “Sustainable Construction with Cost-effective High-performance Building Materials: Utilizing Natural Activated Carbon Nanofillers Reinforced HDPE Nanocomposite,” *ASEAN J. Sci. Tech. Report*, vol. 2025, no. 2, hlm. 256339, 2025, doi: 10.55164/ajstr.v28i2.256339.

- [9] K. Priyanto, A. Hidayat Purwono, dan D. A. Cristanto, "KETANGGUHAN IMPAK DAN KEKUATAN TARIK KOMPOSIT FIBERGLASS/CLAY FILLER BERMATRIKS UNSATURATED POLYESTER BQTN-EX 157".
- [10] R. M. Christensen, *Mechanics of Composite Materials*. 1984.
- [11] F. Y. Utama dan H. Zakiyya, "Pengaruh variasi arah serat komposit berpenguat hibrida fiberhybrid terhadap kekuatan tarik dan densitas material dalam aplikasi body part mobil," *Mekanika*, vol. 15, no. 2, hlm. 60–69, 2016.
- [12] M. Yani dan F. Lubis, "Pembuatan dan Penyelidikan Perilaku Material Komposit Diperkuat Serat Limbah Plastik," *Teknik Mesin ITM*, vol. 4, no. 2, hlm. 77–84, 2018.
- [13] P. H. Tjahjanti, "Teori Dan Aplikasi Material Komposit Dan Polimer," *Universitas Muhammadiyah Surakarta*, hlm. 17, 2018.
- [14] W. D. Callister dan J. G. David Rethwisch, "MATERIALS SCIENCE and ENGINEERING."
- [15] P. Mallick, "Fiber Reinforced Composites Materials, Manufacturing, and Design."
- [16] C. Das, S. Tamrakar, A. Kiziltas, dan X. Xie, "Incorporation of biochar to improve mechanical, thermal and electrical properties of polymer composites," 2 Agustus 2021, *MDPI AG*. doi: 10.3390/polym13162663.
- [17] C. A. . Harper, *Handbook of plastics, elastomers, and composites*. McGraw-Hill, 2002.
- [18] A. J. Peacock, *HANDBOOK OF POLYETHYLENE*. 2000.
- [19] A. Hassan Awad, R. El Gamasy, A. Abd El Wahab, dan M. Hazem Abdellatif, "Mechanical and Physical Properties of PP and HDPE," *Engineering Science*, vol. 4, no. 2, hlm. 34, 2019, doi: 10.11648/j.es.20190402.12.
- [20] S. Zhu, Y. Guo, Y. Chen, N. Su, K. Zhang, dan S. Liu, "Effects of the Incorporation of Nano-Bamboo Charcoal on the Mechanical Properties and Thermal Behavior of Bamboo-Plastic Composites," *Bioresources*, vol. 11, no. 1, hlm. 2684–2697, 2016.

- [21] Siti Azira Zilfida, Rina Husnawati, Muhammad Hamdani, dan I Wayan Sutresna, “Edukasi Pembuatan Arang Sekam Padi Ramah Lingkungan untuk Pembenah Tanah,” *Jurnal SIAR ILMUWAN TANI*, vol. 5, no. 2, hlm. 233–237, Des 2024, doi: 10.29303/jsit.v5i2.175.
- [22] O. Bin Nasir, I. Syaquirah, dan M. Zulkifli, “Mechanical Properties of Recycled High-Density Polyethylene, Rice Husk Ash, and Fly Ash Composite Mixture,” 2022. [Daring]. Tersedia pada: <http://ipublishing.intimal.edu.my/joint.html>
- [23] R. Dewi, A. Dan, dan I. Nofriadi, “Jurnal Teknologi Kimia Unimal Jurnal Teknologi Kimia Unimal AKTIVASI KARBON DARI KULIT PINANG DENGAN MENGGUNAKAN AKTIVATOR KIMIA KOH,” 2020. [Daring]. Tersedia pada: www.ft.unimal.ac.id/jurnal_teknik_kimia
- [24] “pambayun”.
- [25] Q. Zhang *dkk.*, “Properties evaluation of biochar/high-density polyethylene composites: Emphasizing the porous structure of biochar by activation,” *Science of the Total Environment*, vol. 737, Okt 2020, doi: 10.1016/j.scitotenv.2020.139770.
- [26] R. H. Khuluk, A. Rahmat, Buhani, dan Suharso, “Removal of Methylene blue by adsorption onto activated carbon from coconut shell (*Cocous Nucifera L.*),” *Indonesian Journal of Science and Technology*, vol. 4, no. 2, hlm. 229–240, 2019, doi: 10.17509/ijost.v4i2.18179.
- [27] G. Muteeb *dkk.*, “Removal of methylene blue (MB) dye from water and wastewater using acid-activated chicken bone in a batch adsorption process,” *Sci Rep*, vol. 15, no. 1, Des 2025, doi: 10.1038/s41598-025-08341-3.
- [28] Y. AbouelNour, N. Rakauskas, G. Naquila, dan N. Gupta, “Tensile testing data of additive manufactured ASTM D638 standard specimens with embedded internal geometrical features,” *Sci Data*, vol. 11, no. 1, Des 2024, doi: 10.1038/s41597-024-03369-y.
- [29] Jeganathan. S, Yuvaraj. K, dan Dr. B. Ayyanar. C, “Analysis and Characterization of Coconut Shell Particulates Filled HDPE Composites,” *Int J Res Appl Sci Eng Technol*, vol. 12, no. 8, hlm. 779–808, Agu 2024, doi: 10.22214/ijraset.2024.63977.

- [30] X. Yang, X. Song, Z. Hu, C. Li, dan T. Guo, "Improving comprehensive properties of high-density polyethylene matrix composite by boron nitride/coconut shell carbon reinforcement," *Polym Test*, vol. 115, Nov 2022, doi: 10.1016/j.polymertesting.2022.107728.
- [31] E. Alwina *dkk.*, "JURNAL KIMIA DAN REKAYASA Adsorpsi Metilen Biru Menggunakan Karbon Tempurung Kluwak Teraktivasi KOH Methylene Blue Adsorption With KOH Activated Carbon From Kluwak Shell", [Daring]. Tersedia pada: <http://kireka.setiabudi.ac.id>
- [32] I. O. Oladele *dkk.*, "Cyclic thermal treatment parameters of bagasse particle reinforced epoxy bio-composites for sustainable applications," *Discover Polymers*, vol. 2, no. 1, Mar 2025, doi: 10.1007/s44347-025-00016-6.
- [33] P. Bekhta dan J. Sedliačik, "Environmentally-friendly high-density polyethylene-bonded plywood panels," *Polymers (Basel)*, vol. 11, no. 7, Jul 2019, doi: 10.3390/polym11071166.
- [34] A. ur R. Shah, A. Imdad, A. Sadiq, R. A. Malik, H. Alrobei, dan I. A. Badruddin, "Mechanical, Thermal, and Fire Retardant Properties of Rice Husk Biochar Reinforced Recycled High-Density Polyethylene Composite Material," *Polymers (Basel)*, vol. 15, no. 8, Apr 2023, doi: 10.3390/polym15081827.
- [35] S. H. Javed, U. Aslam, M. Kazmi, M. Rustam, S. Riaz, dan Z. Munir, "Studies on Thermal Degradation Behavior of Siliceous Agriculture Waste (Rice Husk, Wheat Husk and Bagasse)," *Polish Journal of Chemical Technology*, vol. 17, no. 3, hlm. 47–51, Sep 2015, doi: 10.1515/pjct-2015-0049.