

DAFTAR PUSTAKA

- [1] Yani M, Muharnif, dan Suroso B, “Analisis Sifat Mekanik Komposit Diperkuat Serat Sawit Dengan Kayu Lapis Pada Skate Board,” 2019.
- [2] Salmina, “Studi Pemanfaatan Limbah Tandan Kosong Kelapa Sawit Oleh Masyarakat Di Jorong Koto Sawah Nagari Ujung Gading Kecamatan Lembah Melintang,” hlm. 1–8, 2015.
- [3] S. Yudha, R. Latief, dan I. Azis, “PENGARUH PENGGUNAAN SERAT TANDAN KOSONG KELAPA SAWIT SEBAGAI PENGUAT TERHADAP SIFAT MEKANIK KOMPOSIT,” 2023.
- [4] Nursanni B, Siregar B, Sutrisno, dan Wijaya K, “Perilaku Hambatan Panas pada Papan Partisi diperkuat Serat Tandan Kosong Kelapa Sawit,” *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 6, no. 1, hlm. 1–9, Mar 2023, doi: 10.30596/rmme.v6i1.14438.
- [5] Purwito & Firmanti, “Pemanfaatan Limbah Sawit Dan Asbuton Untuk Bahan Pencegah Serangan Rayap Tanah,,” Bandung, 2005.
- [6] Setiorini, “SIFAT KUAT TARIK DAN MORFOLOGI TERMOPLASTIK ELASTOMER DARI KOMPOSIT POLYPROPYLENE & NATURAL RUBBER,” 2017.
- [7] N. Manivannan, A. Sycheva, F. Kristály, G. Muránszky, dan P. Baumli, “Structural differences and adsorption behaviour of alkaline metals doped zinc oxide nanoparticles,” *Sci Rep*, vol. 12, no. 1, Des 2022, doi: 10.1038/s41598-022-06092-z.
- [8] R. Ginting dan Maulida, “PENGARUH KOMPOSISI PENGISI SERTA TEKANAN HOT PRESS TERHADAP KEKUATAN TARIK KOMPOSIT POLIESTER BERPENGISI NANO PARTIKEL ZINC OXIDE (ZnO) THE EFFECT OF FILLER LOADING AND PRESSURE OF HOT PRESS ON TENSILE STRENGTH OF NANO PARTICLES ZINC OXIDE FILLED POLYESTER COMPOSITES,” 2019.
- [9] E. Melyna, I. Wulansari, Z. Fauziyah, dan E. Sari, “Pengaruh Penambahan Zinc Oxide (ZnO) terhadap Kuat Tarik, Kuat Impak, dan Kristalinitas Komposit PP Daur Ulang/Serat Rami,” *Journal of Polymer Chemical Engineering and Technology*, vol. 2, no. 1, hlm. 19–28, 2024, doi: 10.52330/jpcet.v2i1.346.
- [10] C. Pramono, S. Widodo, dan M. Galih Ardiyanto, “KARAKTERISTIK KEKUATAN TARIK KOMPOSIT BERPENGUAT SERAT AMPAS TEBU DENGAN MATRIKS EPOXY,” 2019.
- [11] G. Wypych, *Handbook of Polymer. In Handbook of Thermoplastics: Second Edition*. 2016.
- [12] H. A. Maddah, “Polypropylene as a Promising Plastic: A Review,” *American Journal of Polymer Science*, vol. 6, no. 1, hlm. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [13] Aritonang FP, “Karakter Komposit Berpenguat Serat Tandan Kosong Kelapa Sawit Dengan Fraksi,” 2017.
- [14] R. F. Gibson, *Principles of Composite Material Mechanics*. CRC Press, 2016. doi: 10.1201/b19626.
- [15] R. M. Jones, *Mechanics of Composite Materials*. CRC Press, 1999. doi: 10.1201/9781498711067.
- [16] M. M. Schwartz, *Composite materials handbook*. New York, 1984.
- [17] F. Y. Utama dan H. Zakiyya, “PENGARUH VARIASI ARAH SERAT KOMPOSIT BERPENGUAT HIBRIDA FIBERHYBRID TERHADAP KEKUATAN TARIK DAN DENSITAS MATERIAL DALAM APLIKASI BODY PART MOBIL,” 2016.
- [18] O. H. Lin, H. M. Akil, dan S. Mahmud, “Effect of Particle Morphology on the Properties of Polypropylene/Nanometric Zinc Oxide (PP/Nanozno) Composites,” *Advanced Composites Letters*, vol. 18, no. 3, Mei 2009, doi: 10.1177/096369350901800302.
- [19] K. J. Saunders, *Organic Polymer Chemistry*. Dordrecht: Springer Netherlands, 1988. doi: 10.1007/978-94-017-2504-0.
- [20] M. A. Afif, M. Nicko, A. Setyabudi, M. Chalid, dan B. Priyono, “Utilization of Recycled PP-Talc Waste into Composite Products with the Hot Melt Mixing Method,” *Journal of Technical Engineering: Journal of Technical Engineering: Piston*, vol. 5, no. 2, hlm. 63–71,

- 2022.
- [21] M. Firdaus, “Pembuatan Papan Komposit Berbasis Serat Pelepah Pinang (FILLER) DAN Bahan Plastik Matriks Polypropylene (PP),” 2024.
 - [22] A. Dedi Kurniawan dan D. Yulianto, “UTILIZATION OF PALM OIL FIBER WASTE AND RECYCLED PLASTIC (POLYPROPYLENE) AS PARTICLE BOARD COMPOSITE MATERIALS,” *Journal of Renewable Energy & Mechanics (REM) E-ISSN*, vol. 03, no. 02, hlm. 2614–8315, 2020, doi: 10.25299/rem.2020.vol3(02).4884.
 - [23] J. E. Galve dkk., “Dimensional stability and process capability of an industrial component injected with recycled polypropylene,” *Polymers (Basel)*, vol. 11, no. 6, 2019, doi: 10.3390/polym11061063.
 - [24] S. Prabowo, M. Chalid, dan D. Rusmana, “Perbandingan Sifat Kekerasan dan Penyusutan Produk Berbahan Dasar Polipropilena Murni dan Campuran Hasil Pemanasan Berulang,” *Journal of Technical Engineering: Journal of Technical Engineering: Piston*, vol. 5, no. 2, hlm. 83–88, 2022.
 - [25] Moritomi, Watanabe, dan Kanzaki, “Polypropylene Compounds for Automotive Applications,” 2010.
 - [26] A. S. Utama, “Studi Pemanfaatan Limbah Material Polypropilene (PP) untuk Pembuatan Produk Cone Benang dengan Penambah Material Kalsium Karbonat,” *Jurnal Rekayasa Sistem Industri*, vol. 11, no. 1, hlm. 101–108, Apr 2022, doi: 10.26593/jrsi.v11i1.5288.101-108.
 - [27] D. K. Homan, J. Desain, K. Visual, F. Komunikasi, dan D. Multimedia, “SIMBOL UNTUK MENUNJANG SISTEM INFORMASI DESAIN KEMASAN MAKANAN DAN MINUMAN PLASTIK.”
 - [28] I. Komang dkk., “Pengaruh Variasi Panjang Serat Terhadap Kekuatan Tarik Komposit Polypropylene Daur Ulang Berpenguat Serat Sansevieria trifasciata,” 2018.
 - [29] E. S. Bhagavatheswaran dkk., “The Taste of Waste: The Edge of Eggshell Over Calcium Carbonate in Acrylonitrile Butadiene Rubber,” *J Polym Environ*, vol. 27, no. 11, hlm. 2478–2489, Nov 2019, doi: 10.1007/s10924-019-01530-y.
 - [30] D. Setyawati, Y. S. Hadi, dan N. Nugroho, “Karakteristik Papan Komposit Dari Serat Sabut Kelapa Dan Plastik Polipropilen Daur Ulang Berlapis Anyaman Bambu,” 2008. [Daring]. Tersedia pada: <https://www.researchgate.net/publication/279341365>
 - [31] Amalia, Fitriawan, Fajarwati, dan Yulianto, “Kuat Tarik Komposit Polipropilena (PP) dengan Penguji Silika (SiO₂),” Sep 2014, doi: 10.13140/RG.2.1.3253.2002.
 - [32] A. Ladhari, E. Kucukpinar, H. Stoll, dan S. Sangerlaub, “Comparison of Properties with Relevance for the Automotive Sector in Mechanically Recycled and Virgin Polypropylene,” *Recycling*, vol. 6, no. 4, hlm. 76, Nov 2021, doi: 10.3390/recycling6040076.
 - [33] H. Jones, J. McClements, D. Ray, C. S. Hindle, M. Kalloudis, dan V. Koutsos, “Thermomechanical Properties of Virgin and Recycled Polypropylene—High-Density Polyethylene Blends,” *Polymers (Basel)*, vol. 15, no. 21, hlm. 4200, Okt 2023, doi: 10.3390/polym15214200.
 - [34] M. Al-Ma’adeed, G. Ozerkan, R. Kahraman, S. Rajendran, dan A. Hodzic, “Life Cycle Assessment of Particulate Recycled Low Density Polyethylene and Recycled Polypropylene Reinforced with Talc and Fiberglass,” *Key Eng Mater*, vol. 471–472, hlm. 999–1004, Feb 2011, doi: 10.4028/www.scientific.net/KEM.471-472.999.
 - [35] Pahan I, *Panduan Lengkap Kelapa Sawit Manajemen Agribisnis Dari Hulu Hingga Hilir*, . Bogor, 2006.
 - [36] A. Haryanti, P. Suci Fanny Sholiha, dan N. Pralisa Putri, “Studi Pemanfaatan Limbah Padat Kelapa Sawit,” 2014.
 - [37] X. Hu, Y. Lai, Y. Hu, Y. Li, D. Zhao, dan F. Tong, “Research on the Application of Polymer Materials in Contemporary Ceramic Art Creation,” *Polymers (Basel)*, vol. 14, no. 3, hlm. 552, Jan 2022, doi: 10.3390/polym14030552.
 - [38] V. F. Majaron dkk., “Synergy between castor oil polyurethane/starch polymer coating and local acidification by *A. niger* for increasing the efficiency of nitrogen fertilization using urea granules,” *Ind Crops Prod*, vol. 154, hlm. 112717, Okt 2020, doi: 10.1016/j.indcrop.2020.112717.

- [39] S. Susi, M. Ainuri, W. Wagiman, dan M. A. F. Falah, "High-Yield Alpha-Cellulose from Oil Palm Empty Fruit Bunches by Optimizing Thermochemical Delignification Processes for Use as Microcrystalline Cellulose," *Int J Biomater*, vol. 2023, hlm. 1–15, Feb 2023, doi: 10.1155/2023/9169431.
- [40] O. Faruk, A. K. Bledzki, H.-P. Fink, dan M. Sain, "Biocomposites reinforced with natural fibers: 2000–2010," *Prog Polym Sci*, vol. 37, no. 11, hlm. 1552–1596, Nov 2012, doi: 10.1016/j.progpolymsci.2012.04.003.
- [41] M. S. Huda, L. T. Drzal, A. K. Mohanty, dan M. Misra, "Effect of chemical modifications of the pineapple leaf fiber surfaces on the interfacial and mechanical properties of laminated biocomposites," *Compos Interfaces*, vol. 15, no. 2–3, hlm. 169–191, Mar 2008, doi: 10.1163/156855408783810920.
- [42] T. L. P. S. Li X, *Chemical Treatments of Natural Fibers for Use in Natural Fiber Reinforced Composites: a review*, vol. 15. 2007.
- [43] M. Y. Khalid, A. Al Rashid, Z. U. Arif, W. Ahmed, H. Arshad, dan A. A. Zaidi, "Natural fiber reinforced composites: Sustainable materials for emerging applications," *Results in Engineering*, vol. 11, hlm. 100263, Sep 2021, doi: 10.1016/j.rineng.2021.100263.
- [44] P. F. Alao, R. Press, H. Kallakas, J. Ruponen, T. Poltimäe, dan J. Kers, "Investigation of Efficient Alkali Treatment and the Effect of Flame Retardant on the Mechanical and Fire Performance of Frost-Retted Hemp Fiber Reinforced PLA," *Polymers (Basel)*, vol. 14, no. 11, hlm. 2280, Jun 2022, doi: 10.3390/polym14112280.
- [45] H. Hermansyah dkk., "Delignification of Oil Palm Empty Fruit Bunch using Peracetic Acid and Alkaline Peroxide Combined with the Ultrasound," *International Journal of Technology*, vol. 10, no. 8, hlm. 1523, Des 2019, doi: 10.14716/ijtech.v10i8.3464.
- [46] M. K. Faizi dkk., "The Effect of Alkaline Treatments with Various Concentrations on Oil Palm Empty Fruit Bunch (OPEFB) Fibre Structure," *IOP Conf Ser Mater Sci Eng*, vol. 429, hlm. 012006, Nov 2018, doi: 10.1088/1757-899X/429/1/012006.
- [47] S. Rizal dkk., "Tailoring the Effective Properties of Typha Fiber Reinforced Polymer Composite via Alkali Treatment," *Bioresources*, vol. 14, no. 3, hlm. 5630–5645, Mei 2019, doi: 10.15376/biores.14.3.5630-5645.
- [48] F. I. Aryanti, "Pembuatan Komposit Polimer Polipropilena/Talk/Masterbatch Hitam Pada Cover Tail," *Jurnal Teknologi dan Manajemen*, vol. 19, no. 1, hlm. 1–6, Apr 2021, doi: 10.52330/jtm.v19i1.8.
- [49] A. , N. H. , & R. M. Ali, "Pengaruh Pencampuran Carbon Black Filler terhadap Komposit PP/NR Elastomer. Jurnal Teknologi Polimer dan Aplikasinya," vol. 10, no. 2, hlm. 48–55, 2014.
- [50] M. John dan S. Thomas, "Biofibres and biocomposites," *Carbohydr Polym*, vol. 71, no. 3, hlm. 343–364, Feb 2008, doi: 10.1016/j.carbpol.2007.05.040.
- [51] E. T. Thostenson, Z. Ren, dan T.-W. Chou, "Advances in the science and technology of carbon nanotubes and their composites: a review," *Compos Sci Technol*, vol. 61, no. 13, hlm. 1899–1912, Okt 2001, doi: 10.1016/S0266-3538(01)00094-X.
- [52] B. Mahltig, H. Haufe, dan H. Böttcher, "Functionalisation of textiles by inorganic sol–gel coatings," *J Mater Chem*, vol. 15, no. 41, hlm. 4385, 2005, doi: 10.1039/b505177k.
- [53] C. Vasile dkk., "New PLA/ZnO:Cu/Ag bionanocomposites for food packaging," *Express Polym Lett*, vol. 11, no. 7, hlm. 531–544, Jul 2017, doi: 10.3144/expresspolymlett.2017.51.
- [54] Ł. Klapiszewski, K. Bula, A. Dobrowolska, K. Czaczyk, dan T. Jesionowski, "A high-density polyethylene container based on ZnO/lignin dual fillers with potential antimicrobial activity," *Polym Test*, vol. 73, hlm. 51–59, Feb 2019, doi: 10.1016/j.polymertesting.2018.11.018.
- [55] M. Barahima, "ANALISIS PENGARUH KADAR ZnO DAN MgO DALAM PLA/HAp/ZnO/MgO TERHADAP SIFAT MEKANIK, MORFOLOGI, DAN BIODEGRADASI BONE SCREW," 2022.
- [56] N. Vidakis, M. Petousis, A. Maniadi, V. Papadakis, dan A. Moutsopoulou, "The Impact of Zinc Oxide Micro-Powder Filler on the Physical and Mechanical Response of High-Density Polyethylene Composites in Material Extrusion 3D Printing," *Journal of Composites Science*, vol. 6, no. 10, hlm. 315, Okt 2022, doi: 10.3390/jcs6100315.

- [57] J. Liu dan H. Liang, "Heterogeneous nucleation and self-nucleation of isotactic polypropylene with addition of nano-ZnO," *J Therm Anal Calorim*, vol. 146, no. 5, hlm. 2115–2126, Des 2021, doi: 10.1007/s10973-020-10446-y.
- [58] S. S. Alat Uji Products, "QC-601A Manual Thermos Press Forming Machine," 2025.
- [59] A. Arendra dan S. Akhmad, "Rancang Bangun Mesin Hot Press untuk Recycle Plastik Hdpe dan Karakterisasi Pengaruh Temperatur Pemanasan Waktu Pemanasan dan Temperatur Pembukaan terhadap Cacat Flashing Cacat Warpage dan Konsumsi Energi Pencetakan," vol. 10, no. 2, hlm. 108–115, 2017.
- [60] L. Diana, A. Ghani Safitra, dan M. Nabel Ariansyah, "Analisis Kekuatan Tarik pada Material Komposit dengan Serat Penguat Polimer," vol. 4, no. 2, hlm. 59–67, 2020.
- [61] V. Malau, "KARAKTERISASI SIFAT MEKANIS DAN FISIS KOMPOSIT E-GLASS DAN RESIN ETERNAL 2504 DENGAN VARIASI KANDUNGAN SERAT, TEMPERATUR DAN LAMA CURING," 2010.
- [62] S. Ahsan, "Spektrum Inframerah dan Sifat Termal Poliasam Laktat (PLA): Perbandingan Filler Seng Oksida dan Kalsium Karbonat," 2020. [Daring]. Tersedia pada: www.iitk.ac.in
- [63] J. D. Menczel dan W. S. Kohl, "Differential scanning calorimetry (DSC) in fiber research," dalam *Thermal Analysis of Textiles and Fibers*, Elsevier, 2020, hlm. 17–69. doi: 10.1016/B978-0-08-100572-9.00003-3.
- [64] K. Oksman, O. Faruk, J. A. M. Agnelli, A. L. Leao, J. Tjong, dan M. Sain, "Sisal-glass fiber hybrid biocomposite: Optimization of injection molding parameters using Taguchi method for reducing shrinkage," *Compos Part A Appl Sci Manuf*, vol. 83, hlm. 152–159, Apr 2016, doi: 10.1016/j.compositesa.2015.10.034.
- [65] M. R. Sanjay, P. Madhu, M. Jawaid, P. Senthamarikannan, S. Senthil, dan S. Pradeep, "Characterization and properties of natural fiber polymer composites: A comprehensive review," *J Clean Prod*, vol. 172, hlm. 566–581, Jan 2018, doi: 10.1016/j.jclepro.2017.10.101.
- [66] ASTM D3418-15, "Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry," 1 Mei 2015, *ASTM International, West Conshohocken, PA*. doi: 10.1520/D3418-15.
- [67] A. Anzlovar, M. Primožic, I. Svab, M. Leitgeb, zeljko Knez, dan E. Zagar, "Polyolefin/ZnO composites prepared by melt processing," *Molecules*, vol. 24, no. 13, Jul 2019, doi: 10.3390/molecules24132432.
- [68] Y. Zare, "Study of nanoparticles aggregation/agglomeration in polymer particulate nanocomposites by mechanical properties," *Compos Part A Appl Sci Manuf*, vol. 84, hlm. 158–164, Mei 2016, doi: 10.1016/j.compositesa.2016.01.020.
- [69] R. I. Rubel, M. H. Ali, M. A. Jafor, dan M. M. Alam, "Carbon nanotubes agglomeration in reinforced composites: A review," 2019, *AIMS Press*. doi: 10.3934/matricsci.2019.5.756.
- [70] D. Kesler, B. P. Ariyawansa, dan H. Rathnayake, "Mechanical Properties and Synergistic Interfacial Interactions of ZnO Nanorod-Reinforced Polyamide–Imide Composites," *Polymers (Basel)*, vol. 15, no. 6, Mar 2023, doi: 10.3390/polym15061522.
- [71] B. J. Kadhim, A. H. Mahdi, dan N. H. Al-Mutairi, "Mechanical and Thermal Properties of PP/HDPE Blends Reinforced with ZnO Nanoparticles for Industrial Applications," *International Journal of Nanoelectronics and Materials*, vol. 17, no. 3, hlm. 479–486, Jul 2024, doi: 10.58915/ijneam.v17i3.1173.
- [72] A. Díez-Pascual dan A. Díez-Vicente, "Poly(3-hydroxybutyrate)/ZnO Bionanocomposites with Improved Mechanical, Barrier and Antibacterial Properties," *Int J Mol Sci*, vol. 15, no. 6, hlm. 10950–10973, Jun 2014, doi: 10.3390/ijms150610950.
- [73] J. Fang, M. Lang, X. Ye, W. Zhang, dan K. Zhu, "Non-isothermal crystallization behavior of polypropylene/zinc oxide composites," *Science and Engineering of Composite Materials*, vol. 23, no. 5, hlm. 505–510, Sep 2016, doi: 10.1515/secm-2014-0078.
- [74] G. Zhang, Y. Xiao, J. Yan, N. Xie, R. Liu, dan Y. Zhang, "Ultraviolet light-degradation behavior and antibacterial activity of polypropylene/ZnO nanoparticles fibers," *Polymers (Basel)*, vol. 11, no. 11, Nov 2019, doi: 10.3390/polym11111841.
- [75] Honhe.G.W.H, Hemminger.W.F, dan Flammersheim.H.-J, "Differential Scanning Calorimetry," 2003.

- [76] H. U. Zaman, P. D. Hun, R. A. Khan, dan K.-B. Yoon, "Morphology, mechanical, and crystallization behaviors of micro- and nano-ZnO filled polypropylene composites," *Journal of Reinforced Plastics and Composites*, vol. 31, no. 5, hlm. 323–329, Mar 2012, doi: 10.1177/0731684411436126.
- [77] G. Giridhar, P. R. Prem, dan D. Jiao, "Effect of varying shear rates at different resting times on the rheology of 3D printable concrete," *Mater Today Proc*, Mar 2023, doi: 10.1016/j.matpr.2023.03.027.