

DAFTAR PUSTAKA

- [1] Menteri Lingkungan Hidup, “Data Sampah Plastik di Indonesia,” 2024, Accessed: Apr. 29, 2025. [Online]. Available: <https://jdih.baliprov.go.id/uploads/produk-hukum/peraturan/2024/se-kementerian/2024pdf0051002.pdf>
- [2] Nurazizah, S. J. Amraini, and Bahrudin, “Pengaruh Sorbitol Terhadap Karakteristik Bioplastik Berbasis Pati Sagu-Polivinil Alkohol (PVA) dengan Menambahkan Kitosan sebagai Filler dan Sorbitol Sebagai Plasticizer,” Jan. 2019.
- [3] M. L. Sanyang, S. M. Sapuan, M. Jawaid, M. R. Ishak, and J. Sahari, “Effect of plasticizer type and concentration on physical properties of biodegradable films based on sugar palm (arenga pinnata) starch for food packaging,” *J Food Sci Technol*, vol. 53, no. 1, pp. 326–336, Jan. 2016, doi: 10.1007/s13197-015-2009-7.
- [4] M. Rinaudo, “Chitin and chitosan: Properties and applications,” Jul. 2006. doi: 10.1016/j.progpolymsci.2006.06.001.
- [5] Agusman *et al.*, “Physical properties of bioplastic agar/chitosan blend,” in *IOP Conference Series: Earth and Environmental Science*, IOP Publishing Ltd, Feb. 2022. doi: 10.1088/1755-1315/978/1/012046.
- [6] Yustinah, Sri Noviyanti, Ummul Habibah Hasyim, and Syamsudin AB, “Pengaruh Penambahan Kitosan Dalam Pembuatan Plastik Biodegradabel dari Rumput Laut Gracilaria sp dengan pemlastik sorbitol,” Oct. 2019, Accessed: May 07, 2025. [Online]. Available: jurnal.umj.ac.id/index.php/semnastek
- [7] S.-L. Hii, J.-Y. Lim, W.-T. Ong, and C.-L. Wong, “Agar From Malaysian Red Seaweed as Potential Material For Synthesis of Bioplastic Film,” Malaysia, Jul. 2016.
- [8] S. D. Hardiningtyas, D. Winarsih, and B. Ibahim, “Efek Penambahan Sorbitol terhadap Karakteristik Film Bioplastik Berbasis Kitosan dan Agar,” *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, vol. 19, no. 1, p. 17, Jun. 2024, doi: 10.15578/jpbkp.v19i1.949.
- [9] Aminah Asngad, Ervian Jan Marudin, and Devi Setyaning Cahyo, “Kualitas Bioplastik dari Umbi Singkong Karet dengan Penambahan kombinasi

- Plasticizer Gliserol dengan Sorbitol dan Kitosan,” *Jurnal Bioeksperimen*, vol. 6, no. 1, pp. 36–44, Mar. 2020, doi: 10.23917/bioeksperimen.v6i1.2795.
- [10] I. Yanti and I. Nairfana, “Pengaruh Konsentrasi Pati Biji Kluwih (*Artocarpus camansi*) Terhadap Kadar Air, Ketebalan, dan Daya Serap Air Edible Film,” Aug. 2023.
- [11] N. Nurhidayanti, I. Yulian, K. Wardani, and I. Ilyas, “Studi Optimalisasi Komposisi Gliserol dan Kitosan Terhadap Karakteristik Sifat Fisik Plastik Biodegradable dari Limbah Nasi Aking dan Tepung Tapioka,” vol. 15, pp. 27–35, 2021.
- [12] S. R. Utami, “Pengaruh Konsentrasi Kitosan dan Waktu Pengadukan Terhadap Karakteristik Bioplastik dari Pati Onggok Aren (*Arenga Pinnata*) dengan Plasticizer Gliserol dan Sorbitol,” pp. 1–10, 2019.
- [13] H. A. Ainin, Mukhlis Sanuddin, Parman H, and Murfi Adi Cahya, “Bahaya Penggunaan Plastik Bagi Kesehatan di Sekolah Madrasah Aliyah Negeri 1 Olah Kemang Kota Jambi,” vol. 6, pp. 1–3, Jan. 2023, Accessed: Apr. 30, 2025. [Online]. Available: <https://ojs.umb-bungo.ac.id/index.php/PKITA/index>
- [14] M. Dani Alim, A. Karangan, and A. Nandini, “Pemanfaatan Limbah Nasi Aking Pada Pembuatan Bioplastik Dengan Kitosan dan Plasticizer Sorbitol,” 2023.
- [15] S. P. Ayu and A. S. Ningsih, “Review Artikel Pemanfaatan Sisa Bahan Pangan Dalam Pembuatan Bioplastik,” *Jurnal Kinetika*, vol. 11, no. 01, pp. 61–64, 2020, [Online]. Available: <https://jurnal.polsri.ac.id/index.php/kimia/index61>
- [16] T. Rihayat and A. Safitri, “Pembuatan Bioplastik Ramah Lingkungan Berbasis PLA-PCL dengan Composite Catechin dan Kitosan Sebagai Bahan Baku Baru Pengganti Plastik Berbasis Petroleum,” Dec. 2022.
- [17] Cengristitama and R. Silmiyanti, “Pengaruh Penambahan Plasticizer Gliserol dan Kitosan terhadap karakteristik Plastik Biodegradable berbahan Dasar Pati Sukun,” vol. 16, pp. 102–108, May 2022.
- [18] J. Handayani and Haryanto, “Pengaruh Penambahan Kitosan Dan Sorbitol Pada Pembuatan Film Bioplastik dari Biji Alpukat Terhadap Karakteristik Bioplastik,” pp. 41–47, 2020.
- [19] J. N. Naat *et al.*, “Studi pH dan Waktu Kontak Optimum Adsorpsi Ion Mn(II) menggunakan Adsorben Silika Kitosan dengan Pemanfaatan Silika yang Bersumber Pasir Alam,” 2020.

- [20] F. Haikal and Y. Maulana, “Pembentukan Nanokitosan Berbahan Dasar Jamur Tiram dengan Metode Ramah Lingkungan,” 2023.
- [21] A. Gamage *et al.*, “Polysaccharide-Based Bioplastics: Eco-Friendly and Sustainable Solutions for Packaging,” Oct. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/jcs8100413.
- [22] M. Nasrollahzadeh, M. Sajjadi, S. Iravani, and R. S. Varma, “Starch, cellulose, pectin, gum, alginate, chitin and chitosan derived (nano)materials for sustainable water treatment: A review,” Jan. 01, 2021, *Elsevier Ltd.* doi: 10.1016/j.carbpol.2020.116986.
- [23] L. A. Joris, F. Rieuwpassa, and D. A. O. W. Kaya, “Karakteristik Fisiko-Kimia dan Aktivitas Antioksidan Kitosan yang Diproduksi dari Sisik Ikan Kakatua (*Scarus sp.*),” Jul. 2021.
- [24] A. Mardhatillah, “Karakteristik Sifat Fisik dan Kimia Kitosan Cangkang Udang Hasil Iradiasi Sinar Gamma,” Jakarta, 2017.
- [25] S. * Mardiyati, A. Dyota, and B. Widyanto, “Pembuatan dan Karakterisasi Bioplastik Pati-Kitosan dengan Menggunakan Metode Dialisis-Solution Casting,” 2018.
- [26] P. K. Dutta, “Chitin, Chitosan, and Silk Fibroin Electrospun Nanofibrous Scaffolds: A Prospective Approach for Regenerative Medicine,” in *Chitin and Chitosan for Regenerative Medicine*, Springer India, 2016, pp. 151–189. doi: 10.1007/978-81-322-2511-9_7.
- [27] A. Kocira, K. Kozłowicz, K. Panasiewicz, M. Staniak, E. Szpunar-Krok, and P. Horthyńska, “Polysaccharides as Edible Films and Coatings: Characteristics and Influence on Fruit and Vegetable Quality—A Review,” 2021, *MDPI AG*. doi: 10.3390/agronomy11050813.
- [28] Z. Abidin and M. Rudyanto, “Isolasi dan Karakterisasi Agarosa dari Rumput Laut *Gracilaria verrucosa* (Isolation and Characterization of Agarose from *Gracilaria verrucosa* Seaweeds),” *Jurnal Ilmu Kefarmasian Indonesia*, vol. 13, no. 1, pp. 69–75, Apr. 2014.
- [29] E. A. El-Hefian, M. M. Nasef, and A. H. Yahaya, “Preparation and characterization of chitosan/agar blended films: Part 2. Thermal, Mechanical, and surface properties,” *E-Journal of Chemistry*, vol. 9, no. 2, pp. 510–516, 2012, doi: 10.1155/2012/285318.
- [30] P. S. De Alwis and I. Wijesekara, “Gel Properties of Agar From Two *Gracilaria* Species in Sri Lanka and Development of Food Jellies,” *Ruhuna Journal of Science*, vol. 13, no. 1, p. 1, Aug. 2022, doi: 10.4038/rjs.v13i1.111.

- [31] C. Caicedo, C. A. Díaz-Cruz, E. J. Jiménez-Regalado, and R. Y. Aguirre-Loredo, "Effect of Plasticizer Content on Mechanical and Water Vapor Permeability of Maize Starch/PVOH/Chitosan Composite Films," *Materials*, vol. 15, no. 4, Feb. 2022, doi: 10.3390/ma15041274.
- [32] C. R. Contessa, G. S. da Rosa, C. C. Moraes, and J. F. de M. Burkert, "Agar-Agar and Chitosan as Precursors in the Synthesis of Functional Film for Foods: A Review," Jun. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/macromol3020017.
- [33] V. Arizal, Y. Darni, E. Azwar, L. Lismeri, and H. Utami, "Aplikasi Rumput Laut Eucheuma Cottonii Pada Sintesis Bioplastik Berbasis Sorgum Dengan Plasticizer Gliserol (Application Eucheuma Cottonii in Bioplastics Synthesis Based On Sorghum with Plasticizers Glycerol)," Bandar Lampung, Sep. 2017.
- [34] J. G. . Speight, *Chemical and process design handbook*. McGraw-Hill, 2002.
- [35] C. A. G. Quispe, C. J. R. Coronado, and J. A. Carvalho, "Glycerol: Production, consumption, prices, characterization and new trends in combustion," 2013, *Elsevier Ltd*. doi: 10.1016/j.rser.2013.06.017.
- [36] Abqoriyah Nur, "Hidrogenolisis Gliserol menjadi 1,3-Propanadiol dengan Katalis Molibdenum/Silika (Mo/SiO₂) dan Pereaksi Asam Format," 2019.
- [37] Hüsamettin D and X.-F. W. Ozeren ", "Role of hydrogen bonding in wheat gluten protein systems plasticized with glycerol and water," 2021.
- [38] D. Huri and F. Choirun Nisa, "Pengaruh Konsentrasi Gliserol dan Ekstrak Ampas Kulit Apel terhadap Karakteristik Fisik dan Kimia Edible Film," 2014.
- [39] L. Marlina, N. Tsania, and F. Achmad, "Pengaruh Variasi Penambahan Kitosan dan Gliserol Terhadap Karakteristik Plastik Biodegradable dari Pati Ubi Jalar," 2021.
- [40] A. P. Sari and R. O. Asriza, "The Influence of Plasticizer Type on The Characteristics of Bioplastics Made From Taro Tuber Starch (*Colocasia esculenta* (L.) Schott) with The Addition of Cane Drague Cellulose," *Jurnal Kimia & Pendidikan Kimia*, vol. 5, pp. 285–295, Dec. 2023, doi: 10.20414/spin.v5i2.8211.
- [41] A. E. DeJong and R. W. Hartel, "Factors Impacting Sorbitol Polymorphism and Polymorphic Transitions During Aging," *J Food Eng*, vol. 253, pp. 72–78, Jul. 2019, doi: 10.1016/j.jfoodeng.2019.02.020.

- [42] C. Godswill Awuchi, "Sugar Alcohols: Chemistry, Production, Health Concerns and Nutritional Importance of Mannitol, Sorbitol, Xylitol, and Erythritol Article," 2017. [Online]. Available: www.ijaar.org
- [43] A. Shrotri, H. Kobayashi, and A. Fukuoka, "Cellulose Depolymerization over Heterogeneous Catalysts," *Acc Chem Res*, vol. 51, no. 3, pp. 761–768, Mar. 2018, doi: 10.1021/acs.accounts.7b00614.
- [44] N. T. Berghuis, "Valorisasi Bonggol Pisang dengan Polyol dan Kitosan Sebagai Bahan Baku Bioplastik," *Jurnal Kartika Kimia*, vol. 5, no. 2, Jan. 2023, doi: 10.26874/jkk.v5i2.171.
- [45] F. V. Borbolla-Jiménez *et al.*, "Films for Wound Healing Fabricated Using a Solvent Casting Technique," Jul. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/pharmaceutics15071914.
- [46] H. B. N. Sajidah, "REVIEW : Differential Thermal Analysis (DTA), Differential Scanning Calorimetry (DSC), Thermal Gravimetric Analysis (TGA), Scanning Electron Microscopy (SEM) dan Transmission Electron Microscopy (TEM) untuk Karakteristik Serbuk Ba1-xSrxTiO3," Jun. 2017, Accessed: Oct. 07, 2025. [Online]. Available: <https://www.researchgate.net/publication/317304114>
- [47] I. Agus Jamaludin, F. Al Afghani, A. Jamaludin, H. Dwiyantri, dan Ariyanti Saputri, and P. Teknologi Bahan Bakar Nuklir Badan Tenaga Nuklir Nasional, "Identifikasi Kerusakan Thermo Gravimetry Analysis di Hotcell 108 IRM," pp. 19–28, Oct. 2020.
- [48] Rui Yang, "Analytical Methods for Polymer Characterization," 2018. [Online]. Available: <http://taylorandfrancis.com>
- [49] K. B. Schnabl, L. D. B. Mandemaker, Y. Ganjkanlou, I. Vollmer, and B. M. Weckhuysen, "Green Additives in Chitosan-based Bioplastic Films: Long-term Stability Assessment and Aging Effects," *ChemSusChem*, vol. 17, no. 13, Jul. 2024, doi: 10.1002/cssc.202301426.
- [50] N. N. A. Qolbi, Zidni Azizati, and Ika Nur Fitriani, "Comparison of The Use of Glycerol and Sorbitol as Plasticizers on The Quality of Bioplastics Based on Cellulose-Chitosan," *Walisono Journal of Chemistry*, vol. 7, no. 2, pp. 231–238, Dec. 2024, doi: 10.21580/wjc.v7i2.24175.
- [51] ASTM D570-98, "Test Method for Water Absorption of Plastics," Apr. 01, 2010, *ASTM International, West Conshohocken, PA*. doi: 10.1520/D0570-98R10E01.

- [52] ASTM D5988, “Test Method for Determining Aerobic Biodegradation of Plastic Materials in Soil,” May 01, 2012, *ASTM International, West Conshohocken, PA*. doi: 10.1520/D5988-12.
- [53] A. Hilmi, A. Radtra, D. Sigit Udjiana, and M. Si, “Pembuatan Plastik Biodegradable dari Pati Limbah Tongkol Jagung (*Zea Mays*) dengan Penambahan Filler Kalsium Silikat dan Kalsium Karbonat,” *Jurnal Teknologi Separasi*, vol. 7, no. 2, pp. 427–435, Aug. 2021, [Online]. Available: <http://distilat.polinema.ac.id>
- [54] Jamasri, F. Yudhanto, V. Yudha, and E. Syafri, “Mechanical, Physical and Thermal Characterization of PVA (Polyvinyl Alcohol)/Chitosan Bioplastic Film,” *International Journal of Heat and Technology*, vol. 41, no. 3, pp. 687–693, Jun. 2023, doi: 10.18280/ijht.410322.
- [55] A. Vyas, S. P. Ng, T. Fu, and I. Anum, “ZnO-Embedded Carboxymethyl Cellulose Bioplastic Film Synthesized from Sugarcane Bagasse for Packaging Applications,” *Polymers (Basel)*, vol. 17, no. 5, Mar. 2025, doi: 10.3390/polym17050579.
- [56] Kusmono, M. W. Wildan, and F. I. Lubis, “Fabrication and characterization of chitosan/cellulose nanocrystal/glycerol bio-composite films,” *Polymers (Basel)*, vol. 13, no. 7, Apr. 2021, doi: 10.3390/polym13071096.
- [57] O. V. López *et al.*, “Thermoplastic starch plasticized with alginate-glycerol mixtures: Melt-processing evaluation and film properties,” *Carbohydr Polym*, vol. 126, pp. 83–90, Aug. 2015, doi: 10.1016/j.carbpol.2015.03.030.
- [58] S. W. Mars, B. L. Davidson, K. H. Moore, B. M. Boardman, and G. M. Peters, “Importance of Primary and Secondary Hydrogen Bonding Interactions of Polyols on the Plasticization of Chitosan,” *ACS Omega*, vol. 9, no. 40, pp. 41687–41695, Oct. 2024, doi: 10.1021/acsomega.4c05696.
- [59] E. Basiak, A. Lenart, and F. Debeaufort, “How glycerol and water contents affect the structural and functional properties of starch-based edible films,” *Polymers (Basel)*, vol. 10, no. 4, Apr. 2018, doi: 10.3390/polym10040412.
- [60] O. B. Shavira and A. Fuadi, “The Effect of Glycerol and Chitosan Variation Composition on the Quality of Biodegradable Plastics from Sugar Palm Starch (*Arenga pinnata*),” *CHEMICA: Jurnal Teknik Kimia*, vol. 8, no. 1, p. 1, Jun. 2021, doi: 10.26555/chemica.v8i1.15521.
- [61] Cengristitama, Herdiansyah, and Sari Myra Wardati, “Pengaruh Penambahan Kitosan dan Plasticizer Sorbitol pada Proses Pembuatan Plastik Biodegradable Berbahan Dasar Pati Kulit Pisang Tanduk,” vol. 17, pp. 1–7, May 2023.

- [62] S. N. Fauziyah, A. S. Mubarak, and D. Y. Pujiastuti, “Application of glycerol on bioplastic based carrageenan waste cellulose on biodegradability and mechanical properties bioplastic,” in *IOP Conference Series: Earth and Environmental Science*, IOP Publishing Ltd, Feb. 2021. doi: 10.1088/1755-1315/679/1/012005.