

## DAFTAR PUSTAKA

- Anggaravidya, M., Amry, A., Arti, D. K., Kalembang, E., Susanto, H., Hidayat, A. S., & Limansubroto, C. D. (2020a). Properties of Natural Rubber/Chloroprene Rubber Blend for Rubber Fender Application: Effects of Blend Ratio. *Macromolecular Symposia*, 391(1), 1–5. <https://doi.org/10.1002/masy.201900150>
- Anggaravidya, M., Habibie, S., Hidayat, A. S., Yuliani, H., & Amry, A. (2020b). Optimization of The Vulcanization Formula Of Pneumatic Rubber Fender (PRF) to Increase Resistance to The Aging Process Optimasi Formula Vulkanisasi Pneumatic Fender Karet (PRF) untuk Meningkatkan Ketahanan Terhadap Proses Penuaan. *Jurnal Inovasi Dan Teknologi Material*, 2(1), 1–10.
- ASTM D412. (2016). ASTM D412-15 Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers. *Annual Book of ASTM Standards, Reapproved 2002*, 1–14.
- ASTM D5289-12. (2012). Standard Test Method for Rubber Property — Vulcanization Using Rotorless Cure Meters. *Annual Book of ASTM Standards*, 95(C), 1–11. <https://doi.org/10.1520/D5289-12.2>
- Azura, A. R., & Leow, S. L. (2019). Effect of carbon black loading on mechanical, conductivity and ageing properties of Natural Rubber composites. *Materials Today: Proceedings*, 17, 1056–1063. <https://doi.org/10.1016/j.matpr.2019.06.512>
- Cheremisinoff, N. P. (1993). Elastomer Technology Handbook. In *SciTech Technical Services* (Vol. 59).
- Cifriadi, A., Puspitasari, S., & Andriani, W. (2019). Pengaruh Jenis Arang Hitam Terhadap Sifat Mekanik Komposit Karet Alam Pada Vulkanisat Elastomer Bantalan Jembatan. *Jurnal Penelitian Karet*, October, 65–74. <https://doi.org/10.22302/ppk.jpk.v37i1.606>
- Cifriadi, A., Puspitasari, S., Falaah, A. F., & Wijaya, U. (2021). Formulasi paduan karet alam/kloroprena dalam rancangan material komposit karet untuk bantalan isolator tahan gempa. *Majalah Kulit, Karet, Dan Plastik*, 37(2), 87. <https://doi.org/10.20543/mkpk.v37i2.6944>
- Das, A., Costa, F. R., Wagenknecht, U., & Heinrich, G. (2008). Nanocomposites based on chloroprene rubber: Effect of chemical nature and organic modification of nanoclay on the vulcanizate properties. *European Polymer Journal*, 44(11), 3456–3465. <https://doi.org/10.1016/j.eurpolymj.2008.08.025>
- Direktoral Jendral Perkebunan. (2021). Produksi Karet Menurut Provinsi di Indonesia tahun 2017-2021. *Direktoral Jendral Perkebunan, 2021*, 2021.
- Falaah, A. F., Cifriadi, A., & Chalid, M. (2016). Pengaruh Jenis Karet Alam Terhadap Sifat Fisika Vulkanisat Karet Untuk Produk Bantalan Jembatan. *Jurnal Sains Materi Indonesia*, 17(2), 69–76.
- Farida, E., Bukit, N., Ginting, E. M., & Bukit, B. F. (2019). The effect of carbon black composition in natural rubber compound. *Case Studies in Thermal Engineering*, 16(November), 100566.

<https://doi.org/10.1016/j.csite.2019.100566>

- Hayeemasae, N., Salleh, S. Z., & Ismail, H. (2019). Sustainable Use of Chloroprene Rubber Waste as Blend Component with Natural Rubber, Epoxidized Natural Rubber and Styrene Butadiene Rubber. *Journal of Polymers and the Environment*, 27(10), 2119–2130. <https://doi.org/10.1007/s10924-019-01503-1>
- Ika Aryanti, F., Ahsan, S., Sali, R., Lathifah, L., Program Studi Teknik Kimia Polimer Politeknik STMI Jakarta, D., & Studi Teknik Kimia Polimer STMI Jakarta, M. (2018). *Karakterisasi Karet Remah Sir 20 Pada Pembuatan Ban*. 16(2), 56–63. [http://p2m.stmi.ac.id/assets/uploads/detail\\_jurnal/85fdc-8-KARAKTERISASI-KARET-REMAH-SIR-20-PADA-PEMBUATAN-BAN.pdf](http://p2m.stmi.ac.id/assets/uploads/detail_jurnal/85fdc-8-KARAKTERISASI-KARET-REMAH-SIR-20-PADA-PEMBUATAN-BAN.pdf)
- Jovanović, S., Jovanović, V., Marković, G., Samaržija-Jovanović, S., Milićević, Z., Marinović-Cincović, M., & Budinski-Simendić, J. (2019). Elastomers based on NR/BR/SBR ternary rubber blend: Morphological, mechanical and thermal properties. *Chemical Industry and Chemical Engineering Quarterly*, 25(1), 31–38. <https://doi.org/10.2298/CICEQ171106016J>
- Kementerian Perindustrian. (2020). *Dorong Hilirisasi, Kemenperin Dongkrak Produksi Industri Olahan Karet Alam*. Siaran Pers Kemenperin. <https://kemenperin.go.id/artikel/21771/Dorong-Hilirisasi,-Kemenperin-Dongkrak-Produksi-Industri-Olahan-Karet-Alam>
- Li, X., Tan, S., Liu, G., Hoch, M., & Zhao, S. (2016). The effect of paraffinic oil and aromatic oil on the crosslinks and physical properties of Butyl rubber. *Journal of Macromolecular Science, Part B: Physics*, 55(5), 494–502. <https://doi.org/10.1080/00222348.2016.1169576>
- Manurung, H. E. F., Alvonso, B., Saptini, Y., Juandika, J., & Sedayu, A. (2020). Pendekatan Mutu Karet Alam SIR 3L, SIR 5, SIR 10, SIR 20 dan RSS terhadap Mutu Karet Sintetis Polychloroprene (CR) – Neoprene dalam Penggunaan Karet Compound Elastomeric Bearing pada Jembatan. *Pertemuan Dan Presentasi Ilmiah Standardisasi, 2019*, 117–126. <https://doi.org/10.31153/ppis.2019.13>
- Mark, J. E., Erman, B., & Roland, C. M. (2013). *The Science and Technology of Rubber*.
- Mayasari, H. E., & Wirapraja, A. (2019). Pengaruh Jenis Bahan Pengisi Terhadap Karakteristik Pematangan Kompon Kloroprena/ Karet Alam. *Jurnal Teknologi Proses Dan Inovasi Industri*, 4(1), 19. <https://doi.org/10.36048/jtpii.v4i1.5154>
- Nurjannah, Widiyanti, N., Kinasih, N. A., Puspitasari, S., & Cifriadi, A. (2020). Komparasi Perpaduan Sir20/Sbr Dan Sir 3Cv/Br Sebagai Base Elastomer Terhadap Karakteristik Komposit Karet Untuk Telapak Ban Pejal Vulkanisir. *Jurnal Penelitian Karet*, 38(2), 197–208. <https://doi.org/10.22302/ppk.jpk.v2i38.711>
- Rodgers, B. (2016). Rubber compounding. In *Rubber compounding*. <https://doi.org/10.1201/9780203740385>
- Salleh, S. Z., Ahmad, M. Z., & Ismail, H. (2016). Properties of Natural Rubber/Recycled Chloroprene Rubber Blend: Effects of Blend Ratio and Matrix. *Procedia Chemistry*, 19, 346–350. <https://doi.org/10.1016/j.proche.2016.03.022>

- Sisanth, K. S., Thomas, M. G., Abraham, J., & Thomas, S. (2017). General introduction to rubber compounding. In *Progress in Rubber Nanocomposites*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100409-8.00001-2>
- Smejda-Krzewicka, A., Olejnik, A., & Strzelec, K. (2019). The role of iron(III) oxide in chloroprene and butadiene rubber blends' cross-linking, structure, thermal and mechanical characteristics. *Iranian Polymer Journal (English Edition)*, 28(4), 313–323. <https://doi.org/10.1007/s13726-019-00701-x>
- SNI 1903-2017. (n.d.). Retrieved August 15, 2022, from <https://pesta.bsn.go.id/produk/detail/11743-sni19032017>
- Treger, Y. A., Morozov, K. A., Dasaeva, G. S., & K, F. A. (2018). CHLOROPRENE RUBBER: APPLICATION AND PRODUCTION. *Fine Chemical Technologies*, 13(4), 26–38. <https://doi.org/10.32362/2410-6593-2018-13-4-26-38>
- Trelleborg. (2019). *Lifting bags Trelleborg Ridderkerk BV*.
- Vetter. (2019). *Operating Instructions VETTER Mini-Lifting Bags 8.0*. <https://vetter-rescue.com/lifting-bags.php>