

## DAFTAR PUSTAKA

- Abidin, N. M. Z., Sultan, M. T. H., Shah, A. U. M., & Safri, S. N. A. (2019). Charpy and Izod impact properties of natural fibre composites. *IOP Conference Series: Materials Science and Engineering*, 670(1). <https://doi.org/10.1088/1757-899X/670/1/012031>
- Al-Malaika, S., & Suharty, N. (1995). Reactive processing of polymers: mechanisms of grafting reactions of functional antioxidants on polyolefins in the presence of a coagent. *Polymer Degradation and Stability*, 49(1), 77–89. [https://doi.org/10.1016/0141-3910\(95\)00114-2](https://doi.org/10.1016/0141-3910(95)00114-2)
- Andretta, R. F.; M. A. I. (2021). MATERIAL PENYUSUN KAKI PALSU Ramadhan Fido Andretta Abstrak. *Jtm*, 09(01), 123–128.
- BADAN PUSAT STATISTIK. (2020). Statistik Kopi Indonesia 2020. *BPS-Statistics Indonesia*, 1999(December), 1–86. <https://www.bps.go.id/publication.html?Publikasi%5BtahunJudul%5D=2020&Publikasi%5BkataKunci%5D=tatistik+Kopi+Indonesia+2020&Publikasi%5BcekJudul%5D=0&yt0=Tampilkan>
- Barleany Dhena Ria, Rudi Hartono, & Santoso. (2011). Pengaruh Komposisi Montmorillonite pada Pembuatan Polipropilen- Nanokomposit terhadap Kekuatan Tarik dan Kekerasannya. *Teknologi Kimia*, 1–6.
- Bouakkaz, A. O., Albedah, A., Bouiadra, B. B., Khan, S. M. A., Benyahia, F., & Elmeguenni, M. (2018). Effect of temperature on the mechanical properties of polypropylene-talc composites. *Journal of Thermoplastic Composite Materials*, 31(7), 896–912. <https://doi.org/10.1177/0892705717729016>
- Bras, J., Hassan, M. L., Bruzesse, C., Hassan, E. A., El-Wakil, N. A., & Dufresne, A. (2010). Mechanical, barrier, and biodegradability properties of bagasse cellulose whiskers reinforced natural rubber nanocomposites. *Industrial Crops and Products*, 32(3), 627–633. <https://doi.org/10.1016/j.indcrop.2010.07.018>
- Calhoun, A. (2016). Polypropylene. *Multilayer Flexible Packaging: Second Edition*, 35–45. <https://doi.org/10.1016/B978-0-323-37100-1.00003-X>
- Callister Jr, W. D., & Rethwisch, D. G. (2018). *Materials Science and Engineering - An Introduction 10th Edition*.
- Campbell, F. C. (2010). Introduction to composite materials. In *Structural Composite Materials* (Vol. 1, pp. 1–29). ASM International. [https://doi.org/10.1016/s0021-9258\(18\)48186-0](https://doi.org/10.1016/s0021-9258(18)48186-0)
- D618, A. (2013). ASTM D618-13, Standard Practice for Conditioning Plastics for Testing, ASTM International, West Conshohocken, PA, (2017).([www.astm.org](http://www.astm.org)). *ASTM Standards*, i, 1–4. <https://doi.org/10.1520/D0618-13.2>
- Dewi, R. K., Zuhroh, S. T., & Zulaikha, S. (2018). Delignification of chandlenut shell waste with alkali pretreatment method as an alternative fuel feedstock. *International Journal of Mechanical Engineering and Technology*, 9(10), 271–278.
- Dhia, H., & Mahyudin, A. (2020). Pengaruh Komposisi Polipropilena dengan Pati Talas terhadap Sifat Mekanik Polymer Blend Berpenguat Serat Pinang. *Jurnal Fisika Unand*, 9(1), 38–44. <https://doi.org/10.25077/jfu.9.1.38-44.2020>
- Efendi, Z. (2013). ( *STUDI KASUS DESA AIR MELES BAWAH KECAMATAN*

- CURUP TIMUR ) HASIL DAN PEMBAHASAN Pengetahuan Peternak Terhadap Kulit Kopi. 2005.*
- Faruk, O., Bledzki, A. K., Fink, H. P., & Sain, M. (2012). Biocomposites reinforced with natural fibers: 2000-2010. *Progress in Polymer Science*, 37(11), 1552–1596. <https://doi.org/10.1016/j.progpolymsci.2012.04.003>
- Gonçalves, B. M. M., Camillo, M. de O., Oliveira, M. P., Carreira, L. G., Moulin, J. C., Neto, H. F., de Oliveira, B. F., Pereira, A. C., & Monteiro, S. N. (2021). Surface treatments of coffee husk fiber waste for effective incorporation into polymer biocomposites. *Polymers*, 13(19). <https://doi.org/10.3390/polym13193428>
- Gunawan, I., Handayani, A., Hertinyana, E., Dan, S., Komposit, K., Serbuk, P., Gergaji, K., & Kerja, C. (2002). SINTESIS DAN KARAKTERISASI KOMPOSIT POLIPROPILENA / SERBUK KAYU GERGAJI Analisis Sifat Mekanik ( Tensile Strength ). *Jurnal Sains Materi Indonesia*, 4(1), 20–25.
- Hafiz, A., & Dwi, P. (2021). *PERBANDINGAN TEKNIK COMPRESSION MOLDING DAN VACUUM INFUSION TERHADAP SIFAT BENDING KOMPOSIT HIBRID FIBERGLASS -SERAT BAMBU / POLYSTER TAK JENUH.*
- Hasyim, U. H., Yansah, N. A., & Nuris, M. F. (2018). Modifikasi sifat kimia Serbuk Tempurung Kelapa (STK) sebagai matriks komposit serat alam dengan perbandingan alkalisasi NaOH dan KOH. *Seminar Nasional Sains Dan Teknologi 2018*, 15, 1–7.
- Hisham A. Maddah. (2016). Polypropylene as a Promising Plastic: A Review. *American Journal of Polymer Science*, January. <https://doi.org/10.5923/j.ajps.20160601.01>
- Hsissou, R., Seghiri, R., Benzekri, Z., Hilali, M., Rafik, M., & Elharfi, A. (2021). Polymer composite materials: A comprehensive review. *Composite Structures*, 262(November 2020), 0–3. <https://doi.org/10.1016/j.compstruct.2021.113640>
- Huang, L., Mu, B., Yi, X., Li, S., & Wang, Q. (2018). Sustainable Use of Coffee Husks For Reinforcing Polyethylene Composites. *Journal of Polymers and the Environment*, 26(1), 48–58. <https://doi.org/10.1007/s10924-016-0917-x>
- Joseph, S., Sreekala, M. S., Oommen, Z., Koshy, P., & Thomas, S. (2002). A comparison of the mechanical properties of phenol formaldehyde composites reinforced with banana fibres and glass fibres. *Composites Science and Technology*, 62(14), 1857–1868. [https://doi.org/10.1016/S0266-3538\(02\)00098-2](https://doi.org/10.1016/S0266-3538(02)00098-2)
- Julkapli, N. M., & Bagheri, S. (2017). Progress on nanocrystalline cellulose biocomposites. *Reactive and Functional Polymers*, 112, 9–21. <https://doi.org/10.1016/j.reactfunctpolym.2016.12.013>
- Laksono, A. D., -, B., & Adlina, N. (2019). Pengaruh Perlakuan Alkalinisasi Serat Alam Kayu Bangkirai (*Shorea Laevifolia* Endert) pada Sifat Mekanik Komposit dengan Matriks Poliester. *JST (Jurnal Sains Terapan)*, 5(2), 1–7. <https://doi.org/10.32487/jst.v5i2.672>
- Leal, H. D. A., Babetto, A. S., & Bonse, B. C. (2020). Properties of lignocellulosic composites of coffee husk filled polypropylene. *AIP Conference Proceedings*, 2205(January). <https://doi.org/10.1063/1.5142987>
- Mussatto, S. I., Machado, E. M. S., Martins, S., & Teixeira, J. A. (2011).

- Production, Composition, and Application of Coffee and Its Industrial Residues. *Food and Bioprocess Technology*, 4(5), 661–672. <https://doi.org/10.1007/s11947-011-0565-z>
- Negawo, T. A., Polat, Y., Buyuknalcaci, F. N., Kilic, A., Saba, N., & Jawaid, M. (2019). Mechanical, morphological, structural and dynamic mechanical properties of alkali treated Ensete stem fibers reinforced unsaturated polyester composites. *Composite Structures*, 207, 589–597. <https://doi.org/10.1016/j.compstruct.2018.09.043>
- Neng Sri Suharty, Basuki Wirjosentono, Maulidan Firdaus, Desi S. Handayani, Jamilatus Sholikhah, & Yuniarini A. Maharani. (2008). Synthesis of degradable bio-composites based on recycle polypropylene filled with bamboo powder using a reactive process . *Journal of Physical Science*, 19(2), 105–115. <http://www.usm.my/jps/19-2-08/Article 19-2-11.pdf>
- Ningsih, E. S., Mulyadi, S., & Yetri, Y. (2012). *Sorbitol Sebagai Platisizer*. 1(1), 53–59.
- Oliveira, L. S., & Franca, A. S. (2015). An Overview of the Potential Uses for Coffee Husks. In *Coffee in Health and Disease Prevention*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-409517-5.00031-0>
- Ramadevi, P., Sampathkumar, D., Srinivasa, C. V., & Bennehalli, B. (2012). Effect of alkali treatment on water absorption of single cellulosic abaca fiber. *BioResources*, 7(3), 3515–3524.
- Rambe, N. (2018). pembuatan karakterisasi papan komposit dari campuran polipropilena, serat sabut kelapa, dan kulit tanduk kopi. *Jurnal Pembangunan Wilayah & Kota*, 1(3), 82–91.
- Shamsuri, A. A. (2015). Compression Moulding Technique for Manufacturing Biocomposite Products. *International Journal of Applied Science and Technology*, 5(3), 23–26. [http://www.ijastnet.com/journals/Vol\\_5\\_No\\_3\\_June\\_2015/3.pdf](http://www.ijastnet.com/journals/Vol_5_No_3_June_2015/3.pdf)
- Sood, M., & Dwivedi, G. (2018). Effect of fiber treatment on flexural properties of natural fiber reinforced composites: A review. *Egyptian Journal of Petroleum*, 27(4), 775–783. <https://doi.org/10.1016/j.ejpe.2017.11.005>
- Srahputri, N., & Suratman, R. (2017). *Sifat Tarik Dan Sifat Impak Komposit Polipropilena High Impact Berpenguat Serat Rami Acak Yang Dibuat Dengan Metode Injection Molding Metodologi Penelitian Bahan*. 26(1), 8–16.
- Sreekala, M. S., & Thomas, S. (2003). Effect of fibre surface modification on water-sorption characteristics of oil palm fibres. *Composites Science and Technology*, 63(6), 861–869. [https://doi.org/10.1016/S0266-3538\(02\)00270-1](https://doi.org/10.1016/S0266-3538(02)00270-1)
- Surdia, T., & Saito, S. (1985). *Pengetahuan Bahan Teknik*.
- Suryawan, I. G. P. A., Suardana, N., Suarsana, I. K., Lokantara, I. P., & Lagawa, I. K. (2019). Kekuatan Tarik dan Lentur pada Material Komposit Berpenguat Serat Jelatang. *Jurnal Energi Dan Manufaktur*, 12(1), 7. <https://doi.org/10.24843/jem.2019.v12.i01.p02>
- Syafri, E., Kasim, A., Abral, H., & Asben, A. (2015). Pengaruh Chemical Treatment Terhadap Sifat Fisik , Kandungan Selulosa Dan Kekuatan Tarik Serat Alam Rami. *Jurnal Teknologi Pertanian Andalas*, 19(2), 18–24.
- Throne, J. (2011). Thermoforming. *Applied Plastics Engineering Handbook*, 333–358. <https://doi.org/10.1016/B978-1-4377-3514-7.10019-4>
- Vinet, L., & Zhedanov, A. (2011). A “missing” family of classical orthogonal

- polynomials. *Journal of Physics A: Mathematical and Theoretical*, 44(8), 37–72. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Yiga, V. A., Pagel, S., Lubwama, M., Epple, S., Olupot, P. W., & Bonten, C. (2020). Development of fiber-reinforced polypropylene with NaOH pretreated rice and coffee husks as fillers: Mechanical and thermal properties. *Journal of Thermoplastic Composite Materials*, 33(9), 1269–1291. <https://doi.org/10.1177/0892705718823255>
- Zainul, R. (2021). Teknik Karakterisasi Kimia Fisika. In *Teknik Karakterisasi Kimia Fisika*.