

DAFTAR PUSTAKA

- [1] A. Alsabri, F. Tahir, and S. G. Al-Ghamdi, “Environmental impacts of polypropylene (PP) production and prospects of its recycling in the GCC region,” *Mater. Today Proc.*, vol. 56, pp. 2245–2251, 2022, doi: 10.1016/j.matpr.2021.11.574.
- [2] M. T. Hossain *et al.*, “Research and application of polypropylene: a review,” *Discov. Nano*, vol. 19, no. 1, p. 2, Jan. 2024, doi: 10.1186/s11671-023-03952-z.
- [3] K. E. AlEidan, E.-R. Kenawy, H. S. A. Mandour, M. M. Azaam, and B. S. AlOtaibi, “Improving of impact copolymer PP (ICP) blends properties via compounding,” *Polym. Bull.*, vol. 82, no. 3, pp. 861–884, Feb. 2025, doi: 10.1007/s00289-024-05454-z.
- [4] J. Jancar and J. Tochacek, “Effect of thermal history on the mechanical properties of three polypropylene impact-copolymers,” *Polym. Degrad. Stab.*, vol. 96, no. 9, pp. 1546–1556, Sep. 2011, doi: 10.1016/j.polymdegradstab.2011.05.013.
- [5] A. Lamtai, S. Elkoun, M. Robert, F. Mighri, and C. Diez, “Mechanical Recycling of Thermoplastics: A Review of Key Issues,” *Waste*, vol. 1, no. 4, pp. 860–883, Oct. 2023, doi: 10.3390/waste1040050.
- [6] M. Mihelčič, A. Oseli, M. Huskić, and L. Slemenik Perše, “Influence of Stabilization Additive on Rheological, Thermal and Mechanical Properties of Recycled Polypropylene,” *Polymers (Basel)*, vol. 14, no. 24, p. 5438, Dec. 2022, doi: 10.3390/polym14245438.
- [7] B. von Vacano, O. Reich, G. Huber, and G. Türkoglu, “Elucidating pathways of polypropylene chain cleavage and stabilization for multiple loop mechanical recycling,” *J. Polym. Sci.*, vol. 61, no. 16, pp. 1849–1858, Aug. 2023, doi: 10.1002/pol.20230121.

- [8] Y. Shangguan, C. Zhang, Y. Xie, R. Chen, L. Jin, and Q. Zheng, "Study on degradation and crosslinking of impact polypropylene copolymer by dynamic rheological measurement," *Polymer (Guildf)*., vol. 51, no. 2, pp. 500–506, Jan. 2010, doi: 10.1016/j.polymer.2009.11.066.
- [9] S. Banerjee, P. Singh, V. P. Singh, and S. Samanta, "INFLUENCE OF THE REPROCESSING CYCLES ON THE PROPERTIES OF POLYPROPYLENE," 2023.
- [10] N. Knoben, M. Vanhouttem, A. Wypkema, and N. Subramanian, "Monitoring Antioxidant Consumption and Build-Up in Polypropylene During Open-Loop and Closed-Loop Mechanical Recycling," *Materials (Basel)*., vol. 18, no. 7, p. 1640, Apr. 2025, doi: 10.3390/ma18071640.
- [11] A. Mouren, E. Pollet, and L. Avérous, "Synthesis and Assessment of Novel Sustainable Antioxidants with Different Polymer Systems," *Polymers (Basel)*., vol. 16, no. 3, p. 413, Feb. 2024, doi: 10.3390/polym16030413.
- [12] D. Kouranou, C. Galanopoulou, D. M. Korres, A. Tzani, A. Detsi, and S. Vouyiouka, "Restabilization of Post-Consumer Recycled Polypropylene With Natural Antioxidants From Spent Coffee Residue," *J. Appl. Polym. Sci.*, vol. 142, no. 7, Feb. 2025, doi: 10.1002/app.56494.
- [13] N. S. Allen and M. Edge, "Perspectives on additives for polymers. 1. Aspects of stabilization," *J. Vinyl Addit. Technol.*, vol. 27, no. 1, pp. 5–27, Feb. 2021, doi: 10.1002/vnl.21807.
- [14] R. Pfaendner, "A Brief History of Plastic Additives. Part 1: Antioxidants," *Macromol. Mater. Eng.*, vol. 310, no. 8, Aug. 2025, doi: 10.1002/mame.202500039.
- [15] F. N. Dianti, "Perbaikan Kualitas Polipropilena Daur Ulang Dengan Antioksidan: Gugus Fungsi, Kuat Tarik, dan Melt Flow Rate," POLITEKNIK STMI JAKARTA, 2024.
- [16] K. Yang *et al.*, "Enhancing electrical properties of impact polypropylene copolymer for eco-friendly power cable insulation by manipulating the

- multiphase structure through molten-state annealing,” *Compos. Sci. Technol.*, vol. 223, p. 109422, May 2022, doi: 10.1016/j.compscitech.2022.109422.
- [17] M. T. Pastor-García, I. Suárez, M. T. Expósito, B. Coto, and R. A. García-Muñoz, “Engineered PP impact copolymers in a single reactor as efficient method for determining their structure and properties,” *Eur. Polym. J.*, vol. 157, p. 110642, Aug. 2021, doi: 10.1016/j.eurpolymj.2021.110642.
- [18] C. Jiang *et al.*, “Enhanced multiphase interfacial interaction of impact polypropylene copolymer by in-situ introducing polyethylene,” *Polymer (Guildf)*, vol. 214, p. 123373, Feb. 2021, doi: 10.1016/j.polymer.2020.123373.
- [19] Z. Zhang, K. Yang, J. Li, and J.-Y. Dong, “Simultaneous Promotion of the Mechanical Flexibility and Dielectric Strength of Impact Polypropylene Copolymers Containing Multifold H-Shape Long-Chain-Branching Structures for Recyclable Power Cable Insulation Application,” *ACS Appl. Polym. Mater.*, vol. 6, no. 4, pp. 2210–2222, Feb. 2024, doi: 10.1021/acsapm.3c02755.
- [20] J. Karger-Kocsis and T. Bárány, Eds., *Polypropylene Handbook*. Cham: Springer International Publishing, 2019. doi: 10.1007/978-3-030-12903-3.
- [21] J. Tocháček, J. Jančář, J. Kalfus, P. Zbořilová, and Z. Burán, “Degradation of polypropylene impact-copolymer during processing,” *Polym. Degrad. Stab.*, vol. 93, no. 4, pp. 770–775, Apr. 2008, doi: 10.1016/j.polymdegradstab.2008.01.027.
- [22] C. Rauwendaal, “Introduction,” in *Polymer Extrusion*, München: Carl Hanser Verlag GmbH & Co. KG, 2014, pp. 1–10. doi: 10.3139/9781569905395.001.
- [23] M. Alotaibi, T. Aldhafeeri, and C. Barry, “The Impact of Reprocessing with a Quad Screw Extruder on the Degradation of Polypropylene,” *Polymers (Basel)*, vol. 14, no. 13, p. 2661, Jun. 2022, doi: 10.3390/polym14132661.

- [24] X. Guo, Z. Lin, Y. Wang, Z. He, M. Wang, and G. Jin, “In-Line Monitoring the Degradation of Polypropylene under Multiple Extrusions Based on Raman Spectroscopy,” *Polymers (Basel)*., vol. 11, no. 10, p. 1698, Oct. 2019, doi: 10.3390/polym11101698.
- [25] E. Esmizadeh, C. Tzoganakis, and T. H. Mekonnen, “Degradation Behavior of Polypropylene during Reprocessing and Its Biocomposites: Thermal and Oxidative Degradation Kinetics,” *Polymers (Basel)*., vol. 12, no. 8, p. 1627, Jul. 2020, doi: 10.3390/polym12081627.
- [26] H. Nakatani *et al.*, “Studies of thermal oxidative degradation of polypropylene impact copolymer using the temperature rising elution fractionation method,” *Polym. Int.*, vol. 56, no. 9, pp. 1152–1158, Sep. 2007, doi: 10.1002/pi.2254.
- [27] V. Ambroggi, C. Carfagna, P. Cerruti, and V. Marturano, “Additives in Polymers,” in *Modification of Polymer Properties*, Elsevier, 2017, pp. 87–108. doi: 10.1016/B978-0-323-44353-1.00004-X.
- [28] D. Dobrotă, A.-M. Bărbușiu, G.-A. Sava, and V. Ștefan Oleksik, “Functional Additives in Automotive Polymer Matrices: Compatibility, Mechanisms, and Industry Challenges,” *Polymers (Basel)*., vol. 17, no. 17, p. 2328, Aug. 2025, doi: 10.3390/polym17172328.
- [29] E. Blázquez-Blázquez, T. M. Díez-Rodríguez, E. Pérez, and M. L. Cerrada, “Recycling of metallocene isotactic polypropylene: importance of antioxidants,” *J. Therm. Anal. Calorim.*, vol. 147, no. 23, pp. 13363–13374, Dec. 2022, doi: 10.1007/s10973-022-11505-2.
- [30] J. Langwieser, A. Schweighuber, A. Felgel-Farnholz, C. Marschik, W. Buchberger, and J. Fischer, “Determination of the Influence of Multiple Closed Recycling Loops on the Property Profile of Different Polyolefins,” *Polymers (Basel)*., vol. 14, no. 12, p. 2429, Jun. 2022, doi: 10.3390/polym14122429.
- [31] C. N. Hoang and N. T. H. X. Le, “Application of Antioxidant in BOPP book cover recycling,” *Sci. Technol. Dev. J.*, 2022, doi: 10.32508/stdj.v25i3.3955.

- [32] A. F. Alrashoudi, H. I. Akmaluddin, M. M. Alrashed, and O. Y. Alothman, "Impact of Natural and Synthetic Antioxidants on the Stability of High-Density Polyethylene," *Polymers (Basel)*., vol. 17, no. 17, p. 2364, Aug. 2025, doi: 10.3390/polym17172364.
- [33] M. Abd El-Wahab and M. G. El-Desouky, "Study the effect of antioxidants on biological activity and on homopolypropylene; mechanical and physical properties," *J. Indian Chem. Soc.*, vol. 99, no. 12, p. 100764, Dec. 2022, doi: 10.1016/j.jics.2022.100764.
- [34] Y. Zhu *et al.*, "Recent Advances in the Synthesis of Commercially Available Phosphite Antioxidants," *ChemistryOpen*, vol. 14, no. 3, Mar. 2025, doi: 10.1002/open.202400135.
- [35] G. Zhang *et al.*, "A systematic investigation on the minimum tensile strengths and size effects of 3D printing polymers," *Polym. Test.*, vol. 117, p. 107845, Jan. 2023, doi: 10.1016/j.polymertesting.2022.107845.
- [36] N. Y. Kim, N. H. Kim, M. K. Razali, H. M. Lee, and M. S. Joun, "Analytical and numerical evaluation of the relationship between elongation calibration function and cyber standard tensile tests for ductile materials," *Mater. Des.*, vol. 253, p. 113851, May 2025, doi: 10.1016/j.matdes.2025.113851.
- [37] R. Sandström, "Stress Strain Curves," 2024, pp. 39–58. doi: 10.1007/978-3-031-49507-6_3.
- [38] M. I. Mihrozi, N. A. Mufarida, and K. Kosjoko, "PENGARUH DIAMETER ELEKTRODA TERHADAP UJI TARIK LAS SMAW," *J-Proteksion*, vol. 2, no. 2, p. 23, Feb. 2018, doi: 10.32528/jp.v2i2.2226.
- [39] T. Takayama, R. Takahashi, N. Konno, and N. Sato, "Evaluation of Polypropylene Reusability Using a Simple Mechanical Model Derived from Injection-Molded Products," *Polymers (Basel)*., vol. 17, no. 15, p. 2107, Jul. 2025, doi: 10.3390/polym17152107.
- [40] M. H. Ab Ghani *et al.*, "The Effects of Antioxidants Content on Mechanical Properties and Water Absorption Behaviour of Biocomposites Prepared by

- Single Screw Extrusion Process,” *J. Polym.*, vol. 2014, pp. 1–6, Jun. 2014, doi: 10.1155/2014/243078.
- [41] R. Dewi, N. Sylvia, Zulnazri, and M. Riza, “Melt flow Index (MFI) analysis of sago based thermoplastic starch blend with polypropylene and polyethylene,” *Mater. Today Proc.*, vol. 87, pp. 396–400, 2023, doi: 10.1016/j.matpr.2023.04.173.
- [42] Z. Jia, L. Gao, L. Qin, S. Hou, and G. Hu, “Screw extrusion technology in waste plastic recycling,” Sep. 2025. doi: 10.20517/scierxiv202509.0543.v1.
- [43] I. Ibrahim, A. G. Ashour, W. Zeiada, N. Salem, and M. Abdallah, “A Systematic Review on the Technical Performance and Sustainability of 3D Printing Filaments Using Recycled Plastic,” *Sustainability*, vol. 16, no. 18, p. 8247, Sep. 2024, doi: 10.3390/su16188247.
- [44] A. Rácz, D. Tátraaljai, and S. Klébert, “Determination of melt flow index and polymer additives in polyethylene based on IR spectra and multivariate modeling,” *Mater. Today Chem.*, vol. 33, p. 101671, Oct. 2023, doi: 10.1016/j.mtchem.2023.101671.
- [45] E. A. F. Araújo, L. L. Y. Visconte, A. L. N. da Silva, L. Sirelli, and É. B. A. V. Pacheco, “Effect of clay amount and reprocessing cycles on thermal, morphological, and mechanical properties of polypropylene/organovermiculite nanocomposites,” *Polym. Eng. Sci.*, vol. 59, no. 10, pp. 2110–2120, Oct. 2019, doi: 10.1002/pen.25213.
- [46] N. Bahlouli *et al.*, “Recycling effects on the rheological and thermomechanical properties of polypropylene-based composites,” *Mater. Des.*, vol. 33, pp. 451–458, Jan. 2012, doi: 10.1016/j.matdes.2011.04.049.
- [47] R. Pfaendner, “Restabilization – 30 years of research for quality improvement of recycled plastics review,” *Polym. Degrad. Stab.*, vol. 203, p. 110082, Sep. 2022, doi: 10.1016/j.polymdegradstab.2022.110082.
- [48] W. Zhang *et al.*, “Comprehensive Investigation into the Impact of

Degradation of Recycled Polyethylene and Recycled Polypropylene on the Thermo-Mechanical Characteristics and Thermal Stability of Blends,” *Molecules*, vol. 29, no. 18, p. 4499, Sep. 2024, doi: 10.3390/molecules29184499.

- [49] M. H. Martins and M.-A. De Paoli, “Polypropylene compounding with post-consumer material,” *Polym. Degrad. Stab.*, vol. 78, no. 3, pp. 491–495, Jan. 2002, doi: 10.1016/S0141-3910(02)00195-7.
- [50] Q. Hu, Q. Chen, P. Song, X. Gong, J. Chen, and Y. Zhao, “Performance of Thermal-Oxidative Aging on the Structure and Properties of Ethylene Propylene Diene Monomer (EPDM) Vulcanizates,” *Polymers (Basel)*, vol. 15, no. 10, p. 2329, May 2023, doi: 10.3390/polym15102329.
- [51] C. Tsiptsias, G. Gkouzouma, K. Leontiadis, and I. Tsivintzelis, “Effect of an Antioxidant and a Compatibilizer on the Mechanical Properties of Virgin and Thermally Aged Polypropylene Drawn Fibers,” *Textiles*, vol. 2, no. 3, pp. 499–510, Sep. 2022, doi: 10.3390/textiles2030028.
- [52] C. B. B. Luna, W. A. da Silva, E. M. Araújo, L. J. M. D. da Silva, J. B. da C. A. de Melo, and R. M. R. Wellen, “From Waste to Potential Reuse: Mixtures of Polypropylene/Recycled Copolymer Polypropylene from Industrial Containers: Seeking Sustainable Materials,” *Sustainability*, vol. 14, no. 11, p. 6509, May 2022, doi: 10.3390/su14116509.