

DAFTAR PUSTAKA

- [1] E. Esmizadeh, C. Tzoganakis, dan T. H. Mekonnen, “Degradation behavior of polypropylene during reprocessing and its biocomposites: Thermal and oxidative degradation kinetics,” *Polymers (Basel)*., vol. 12, no. 8, 2020, doi: 10.3390/POLYM12081627.
- [2] P. Gijsman dan R. Fiorio, “Long term thermo-oxidative degradation and stabilization of polypropylene (PP) and the implications for its recyclability,” 1 Februari 2023, *Elsevier Ltd.* doi: 10.1016/j.polymdegradstab.2023.110260.
- [3] E. Oktariani, A. A. Ahnaf, R. Christine, dan H. Arina, “Development and Characterization of Recycled Polypropylene/Teak Wood Dust Composites for Sustainable Applications in the Automotive Components Industry: Thermal and Mechanical Properties,” *Jurnal Riset Kimia*, vol. 16, no. 2, hlm. 97–107, Sep 2025, doi: 10.25077/jrk.v16i2.826.
- [4] N. Knoben, M. Vanhouttem, A. Wypkema, dan N. Subramanian, “Monitoring Antioxidant Consumption and Build-Up in Polypropylene During Open-Loop and Closed-Loop Mechanical Recycling,” *Materials*, vol. 18, no. 7, Apr 2025, doi: 10.3390/ma18071640.
- [5] M. Gahleitner, C. Tranninger, dan P. Doshev, “Heterophasic copolymers of polypropylene: Development, design principles, and future challenges,” 5 Desember 2013. doi: 10.1002/app.39626.
- [6] M. Mihelčič, A. Oseli, M. Huskić, dan L. Slemenik Perše, “Influence of Stabilization Additive on Rheological, Thermal and Mechanical Properties of Recycled Polypropylene,” *Polymers (Basel)*., vol. 14, no. 24, Des 2022, doi: 10.3390/polym14245438.
- [7] BASF SE, “Irganox+1010,” 2022.
- [8] BASF SE, “Irgafos ® 168 Product description,” 2019.
- [9] E. Rajczak *dkk.*, “Preparation and characterization of UV-curable acrylic membranes embedding natural antioxidants,” *Polymers (Basel)*., vol. 12, no. 2, Feb 2020, doi: 10.3390/polym12020358.

- [10] A. Evans, L. J. Morris, Z. R. Turner, dan D. O'Hare, "Phosphonate-Functionalized Polypropylenes: Single-Component Flame Retardants," *ACS Appl. Polym. Mater.*, vol. 7, no. 4, hlm. 2508–2516, Feb 2025, doi: 10.1021/acsapm.4c03706.
- [11] C. Leyva-Porras *dkk.*, "Application of differential scanning calorimetry (DSC) and modulated differential scanning calorimetry (MDSC) in food and drug industries," 1 Januari 2020, *MDPI AG*. doi: 10.3390/polym12010005.
- [12] H. Jones, J. McClements, D. Ray, C. S. Hindle, M. Kalloudis, dan V. Koutsos, "Thermomechanical Properties of Virgin and Recycled Polypropylene—High-Density Polyethylene Blends," *Polymers (Basel)*., vol. 15, no. 21, Nov 2023, doi: 10.3390/polym15214200.
- [13] N. Meshkat *dkk.*, "Recycling Disassembled Automotive Plastic Components for New Vehicle Components: Enabling the Automotive Circular Economy," *Recycling*, vol. 10, no. 5, Okt 2025, doi: 10.3390/recycling10050180.
- [14] E. Blázquez-Blázquez, T. M. Díez-Rodríguez, E. Pérez, dan M. L. Cerrada, "Recycling of metallocene isotactic polypropylene: importance of antioxidants," *J. Therm. Anal. Calorim.*, vol. 147, no. 23, hlm. 13363–13374, Des 2022, doi: 10.1007/s10973-022-11505-2.
- [15] B. von Vacano, O. Reich, G. Huber, dan G. Türkoglu, "Elucidating pathways of polypropylene chain cleavage and stabilization for multiple loop mechanical recycling," *Journal of Polymer Science*, vol. 61, no. 16, hlm. 1849–1858, Agu 2023, doi: 10.1002/pol.20230121.
- [16] E. Blázquez-Blázquez, T. M. Díez-Rodríguez, E. Pérez, dan M. L. Cerrada, "Recycling of metallocene isotactic polypropylene: importance of antioxidants," *J. Therm. Anal. Calorim.*, vol. 147, no. 23, hlm. 13363–13374, Des 2022, doi: 10.1007/s10973-022-11505-2.