

DAFTAR PUSTAKA

- [1] Z. A. Soomro *et al.*, “Sustainable Engineering of Organic Compound Polypropylene : Enhancing Mechanical and Thermal Properties with Antioxidants for Cost Efficiency Sustainable Engineering of Organic Compound Polypropylene : Enhancing Mechanical and Thermal Properties with Anti,” pp. 0–10, 2025, doi: 10.20944/preprints202506.1422.v1.
- [2] H. D. G. H. D. Martinez-hernandez, M. T. E. Mondragon-flores, M. E. R. B. M. Millan-malo, and J. A. V. M. E. Rodriguez-garcia, “Impact of thermomechanical reprocessing conditions on polypropylene composites made from automotive waste parts : A path to a circular economy,” no. January, pp. 2031–2042, 2023, doi: 10.1002/pen.26343.
- [3] M. Alotaibi, T. Aldhafeeri, and C. Barry, “The Impact of Reprocessing with a Quad Screw Extruder on the Degradation of Polypropylene,” *Polymers (Basel)*, vol. 14, no. 13, p. 2661, Jun. 2022, doi: 10.3390/polym14132661.
- [4] N. Knoben, M. Vanhouttem, A. Wypkema, and N. Subramanian, “Monitoring Antioxidant Consumption and Build-Up in Polypropylene During Open-Loop and Closed-Loop Mechanical Recycling,” *Materials (Basel)*, vol. 18, no. 7, p. 1640, Apr. 2025, doi: 10.3390/ma18071640.
- [5] M. J. Azizli, M. Barghamadi, K. Rezaeeparto, and S. Parham, “Improvement of mechanical, morphological and thermal properties on PP-enriched graphene oxide/PP-g-MA/EPDM blend compatibilized: PP-g-MA compatibilizer and graphene oxide nanofiller role,” *J. Polym. Res.*, vol. 29, no. 8, 2022, doi: 10.1007/s10965-022-03182-4.
- [6] K. Yang *et al.*, “Enhanced Morphology-Dependent Tensile Property and Breakdown Strength of Impact Polypropylene,” 2020.
- [7] D. Trisyanti, K. Ranggi, R. L. Rachmawati, and R. Akib, “Advancing the Potential of Pet and Pp-Based Beverage Packaging To Support Circular Economy,” *J. Environ. Sci. Sustain. Dev.*, vol. 5, no. 2, pp. 378–403, 2022, doi: 10.7454/jessd.v5i2.1154.
- [8] R. K. Srivastava *et al.*, “Innovative recycling strategies for non-recycled plastics: advancing the circular economy for a sustainable future,” *RSC Sustain.*, vol. 3, no. 12, pp. 5433–5458, 2025, doi: 10.1039/d5su00421g.
- [9] M. Arese, B. Cavallo, G. Ciaccio, and V. Brunella, “Characterization of Morphological, Thermal, and Mechanical Performances and UV Ageing Degradation of Post-Consumer Recycled Polypropylene for Automotive Industries,” *Materials (Basel)*, vol. 18, no. 5, 2025, doi: 10.3390/ma18051090.
- [10] L. Douiri, H. Jdidi, S. Kordoghli, G. El, H. Sleiman, and B. Yves,

- “Degradation indicators in multiple recycling processing loops of impact polypropylene and high density polyethylene,” vol. 219, no. November 2023, 2024.
- [11] T. Ohkawa, Y. Furushima, B. Keitel, M. Dinc, and Boris Mizaikoff, “Tomohiro ohkawa ,2025.pdf,” 2025.
 - [12] B. von Vacano, O. Reich, G. Huber, and G. Türkoglu, “Elucidating pathways of polypropylene chain cleavage and stabilization for multiple loop mechanical recycling,” *J. Polym. Sci.*, vol. 61, no. 16, pp. 1849–1858, Aug. 2023, doi: 10.1002/pol.20230121.
 - [13] T. Petrulionienė, “Investigation of Overall and Specific Migration from Food Contact Plastic Materials Made of Polyethylene , Polypropylene and their Composites,” no. N 003, 2025.
 - [14] E. O. Achukwu *et al.*, “Advanced Manufacturing : Polymer & Composites Science Effect of reprocessing on the service life properties of glass fiber-reinforced in-house polypropylene waste composites,” *Adv. Manuf. Polym. Compos. Sci.*, vol. 9, no. 1, p., 2023, doi: 10.1080/20550340.2023.2195317.
 - [15] E. Blázquez, B. Tamara, M. D. Rodríguez, E. Pérez, and M. L. Cerrada, “Recycling of metallocene isotactic polypropylene : importance of antioxidants,” *J. Therm. Anal. Calorim.*, vol. 147, no. 23, pp. 13363–13374, 2022, doi: 10.1007/s10973-022-11505-2.
 - [16] A. Ogungbesan, O. J. Bandele, L. C. Markley, M. Gonz, B. Bailey, and G. W. Patton, “Safety assessment for Tris (2 , 4-di-tert-butylphenyl) phosphite (Irgafos 168) used as an antioxidant and stabilizer in food contact applications ☆,” vol. 178, no. April, 2023.
 - [17] B. Cornelius, P. Andr, S. Helena, and P. Bettini, “Kinetics in high-temperature free-radical reactive processing : Grafting maleic anhydride onto polypropylene in the presence of nanoclay-supported peroxide,” vol. 298, no. November 2023, 2024, doi: 10.1016/j.ces.2024.120319.
 - [18] E. Oktariani, A. A. Ahnaf, R. Christine, and H. Arina, “Development and Characterization of Recycled Polypropylene / Teak Wood Dust Composites for Sustainable Applications in the Automotive Components Industry : Thermal and Mechanical Properties,” pp. 97–107, 2025.
 - [19] Z. Li, P. Yu, L. Chen, L. Zhang, and H. Hu, “Organically Modified Montmorillonite as Nanoreactor to Improve the Grafting Degree of Maleic Anhydride onto Polypropylene,” vol. 2020, 2020, doi: 10.1155/2020/8151290.
 - [20] P. Andrés, R. Muñoz, S. Vicente, S. Helena, and P. Bettini, “Free radical mechanism for reactive processing of polymers in the presence of organoclay / peroxide nanoreactors : Grafting maleic anhydride onto polypropylene,” vol. 230, 2021, doi: 10.1016/j.ces.2020.116229.

- [21] H. N. Redfearn and J. M. Goddard, "Antioxidant and dissociation behavior of polypropylene- graft -maleic anhydride," no. May, 2022, doi: 10.1002/app.52764.
- [22] M. R. Rozanna Dewia, Novi Sylviaa, Zulnazria, "mfi def.pdf," 2023.
- [23] J. E. Estela-garcía, "Correlating processing variables to material properties in recycled polypropylene : A data-driven approach," no. March, pp. 1–19, 2025, doi: 10.1002/pls2.70012.
- [24] N. N. Aisa, R. Setiawan, and D. Wicaksono, "The Effect of Recycling Frequency on the Melt Flow Rate of Polypropylene Materials," pp. 1–6, 2024.
- [25] T. Gholami, M. Pirsahab, H. Seifi, F. H. Alsultany, and M. Salavati-Niasari, "Thermal analysis as a tool for the environmental assessment of agricultural chemical residues: a systematic review," *RSC Adv.*, vol. 15, no. 19, pp. 15408–15416, 2025, doi: 10.1039/d5ra01170a.
- [26] H. Wakudkar and P. Sahu, "Insight of biopolymeric degradation and kinetic triplets of corn cob and its biochar using thermogravimetric analysis," *Thermochim. Acta*, vol. 748, no. June, pp. 1–7, 2025, doi: 10.1016/j.tca.2025.179990.
- [27] E. Esmizadeh, C. Tzoganakis, and T. H. Mekonnen, "Degradation Behavior of Polypropylene during Reprocessing and Its Biocomposites: Thermal and Oxidative Degradation Kinetics," *Polymers (Basel)*, vol. 12, no. 8, p. 1627, Jul. 2020, doi: 10.3390/polym12081627.
- [28] H. Seyed *et al.*, "Rheological insights into the degradation behavior of PP / HDPE blends," *Polym. Degrad. Stab.*, vol. 225, no. December 2023, p. 110819, 2024, doi: 10.1016/j.polymdegradstab.2024.110819.
- [29] M. Mihel̃, "Influence of Stabilization Additive on Rheological , Thermal and Mechanical Properties of Recycled Polypropylene," 2022.
- [30] G. Bernagozzi, R. Arrigo, G. Ponzielli, and A. Frache, "Towards effective recycling routes for polypropylene : Influence of a repair additive on flow characteristics and processability," *Polym. Degrad. Stab.*, vol. 223, no. February, p. 110714, 2024, doi: 10.1016/j.polymdegradstab.2024.110714.
- [31] L. Seifert, L. Leuchtenberger-engel, and C. Hopmann, "Enhancing the Quality of Polypropylene Recyclates : Predictive Modelling of the Melt Flow Rate and Shear Viscosity," 2024.
- [32] S. Choi, S. Jang, G. Do, P. C. Lee, and D. Choi, "Optimizing maleic anhydride content to enhance mechanical performance and thermal stability of recycled polyolefin blends," pp. 1–10, 2026.
- [33] M. Z. Abdullah, "THERMAL properties and morphology of Polypropylene / Polycarbonate / Polypropylene-Graft-Maleic anhydride blends," vol. 03001,

2016.

- [34] P. Gijsman and R. Fiorio, “Long term thermo-oxidative degradation and stabilization of polypropylene (PP) and the implications for its recyclability,” *Polym. Degrad. Stab.*, vol. 208, no. January, p. 110260, 2023, doi: 10.1016/j.polymdegradstab.2023.110260.