

DAFTAR PUSTAKA

- [1] P. Gijsman and R. Fiorio, “Long term thermo-oxidative degradation and stabilization of polypropylene (PP) and the implications for its recyclability,” *Polym. Degrad. Stab.*, vol. 208, no. January, p. 110260, 2023, doi: 10.1016/j.polymdegradstab.2023.110260.
- [2] A. Saputra, T. M. Sitinjak, I. Hermiyati, W. Ratnaningsih, A. Hariyadi, and D. F. Nury, “Study of the Effect of Ultraviolet Exposure Duration on Polypropylene Properties,” vol. 27, no. 1, pp. 11–18, 2025.
- [3] W. Brostow, X. Lu, O. Gencel, and A. T. Osmanson, “Effects of UV Stabilizers on Polypropylene Outdoors 1,” p. 16, 2020, doi: <https://doi.org/10.3390/ma13071626>.
- [4] T. Costa, B. Sampaio-marques, N. M. Neves, H. Aguilar, and A. G. Fraga, “Antimicrobial properties of hindered amine light stabilizers in polymer coating materials and their mechanism of action,” no. June, pp. 1–16, 2024, doi: 10.3389/fbioe.2024.1390513.
- [5] D. Eiras *et al.*, “Mechanical Properties of Polypropylene / Calcium Carbonate Nanocomposites,” vol. 12, no. 4, pp. 517–522, 2009.
- [6] A. Chafidz, M. Kaavessina, S. Al-zahrani, and M. N. Al-otaibi, “Composite Materials,” *Rheol. Mech. Prop. polypropylene/calcium carbonate nanocomposites Prep. from masterbatch*, p. 30, 2014, doi: 10.1177/0892705714530747.
- [7] M. Al-samhan, F. Al-attar, J. Al-fadhli, and M. Al-shamali, “The Influence of Nano CaCO₃ on Nucleation and Interface of PP Nano Composite : Matrix Processability and Impact Resistance,” 2021.
- [8] N. S. Yousef, “Statistical Study on Additives Used to Improve Mechanical Properties of Polypropylene,” 2022.
- [9] M. Baafif, H. S. Abdo, and A. Albedah, “Enhanced UV resistance of polypropylene via copper nanoparticle incorporation for outdoor applications,” pp. 1–13, 2026, doi: 10.1038/s41598-025-34093-1 Abstract.

- [10] E. C. Muliawati, I. L. K. N. R. M. A. J. R. R. A. S. W. Z. A. Suhirman, and S. Ambarwati, *KIMIA FISIKA POLIMER*. 2025.
- [11] Y. Zhang, J. Wen, X. Yin, and X. Zhang, “Application of anticorrosive materials in cement slurry : Progress and prospect,” no. December, pp. 1–12, 2022, doi: 10.3389/fmats.2022.1110692.
- [12] P. Alves, P. Ferreira, and M. H. Gil, “B IOMEDICAL P OLYURETHANES - B ASED M ATERIALS,” pp. 1–25, 2012.
- [13] T. Hossain, A. Shahid, N. Mahmud, A. Habib, and M. Rana, “Discover Nano Research and application of polypropylene : a review,” *Discov. Nano*, 2024, doi: 10.1186/s11671-023-03952-z.
- [14] H. A. Maddah, “Polypropylene as a Promising Plastic : A Review,” vol. 6, no. 1, pp. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [15] C. Paulik, C. Tranninger, J. Wang, P. Shutov, and D. Mileva, “Catalyst Type Effects on Structure / Property Relations of Polypropylene Random Copolymers,” 2021, doi: 10.1002/macp.202100302.
- [16] M. Murariu, F. Laoutid, Y. Paint, O. Murariu, J. Raquez, and P. Dubois, “Balancing the Strength – Impact Relationship and Other Key Properties in Polypropylene Copolymer – Natural CaSO₄ (Anhydrite) -Filled Composites,” pp. 1–26, 2023.
- [17] J. R. D. Pereira, G. P. Bernardes, J. A. P. Silva, V. C. Bo, C. I. W. Calcagno, and R. M. C. Santana, “Structure-property correlation of an impact- modified random polypropylene copolymer,” 2020, doi: 10.1177/0095244320947765.
- [18] G. S. M. N.T.Kakhramanov, G.X.Nuraliyeva, “THERMAL DEFORMATION PROPERTIES OF COMPOSITES BASED ON POLYPROPYLENE RANDOM COPOLYMER AND BASALT FIBER,” vol. 1841, 2025, doi: doi.org/10.32737/0005-2531-2025-3-63-70 Introduction.
- [19] D. G. Papageorgiou, D. N. Bikiaris, and K. Chrissafis, “Thermochimica Acta Effect of crystalline structure of polypropylene random copolymers on mechanical properties and thermal degradation kinetics,” *Thermochim. Acta*, vol. 543, pp. 288–294, 2012, doi: 10.1016/j.tca.2012.06.007.

- [20] T. A. Nguyen, H. M. Lim, K. Kinashi, W. Sakai, N. Tsutsumi, and S. Okubayashi, “Spin Trapping Analysis of Radical Intermediates on the Thermo-Oxidative Degradation of Polypropylene,” pp. 1–21, 2023, doi: doi.org/10.3390/ polym15010200.
- [21] M. Chiapasco, M. Valsecchi, G. Hill, C. Wallis, and A. E. Porter, “Impacts of Photooxidation on Commercially Available Homo and Copolymers of Polypropylene on Their Microstructure and Mechanics : A Cross-Sectional Analysis,” pp. 1–12, 2025.
- [22] G. Nugroho and M. S. R. R. Wantogia, “Proses Fabrikasi dan Sifat Mekanik Komposit Polimer dengan Metode Bladder Compression Moulding,” *J. Mech. Des. Test.*, vol. 1, no. 2, p. 95, 2019, doi: 10.22146/jmdt.53047.
- [23] J. Teknologi and F. I. Aryanti, “Pembuatan Komposit Polimer Polipropilena / Talk / Masterbatch Hitam Pada Cover Tail,” vol. 01, pp. 1–6, 2021, doi: 10.52330/jtm.v19i1.8.
- [24] D. A. M. Aryanti, Fitria Ika &, “Pengaruh Penambahan Filler Talc Terhadap Sifat Termal dan Massa Jenis Komposit Polipropilena/ Masterbatch Black The Effect of Talc Filler Component on Thermal and Density Properties of Polypropylene/Masterbatch Black Composites,” vol. 6, no. 2, pp. 72–77, 2022, doi: 10.32493/jitk.v6i2.19471.
- [25] I. Charitos *et al.*, “The synergistic effect on the thermomechanical and electrical properties of carbonaceous hybrid polymer nanocomposites,” vol. 95, 2021.
- [26] N. S. Yousef, “Mechanical Degradation of Polyethylene Plastic Film by Oxo-Degradable Additives,” 2023.
- [27] M. Smith, V. A. Davis, B. S. Beckingham, and E. Davis, “Detection, identification, and quantification of polymer additives: a review of techniques, approaches, challenges, and a possible roadmap in analysis,” 2026, doi: 10.1039/d5lp00329f.
- [28] H. Kang, E. K. Rushton, J. Legler, and R. H. S. Westerink, “A Review of Toxicological and Exposure Data on Polymeric Antioxidant By - products,”

- Rev. Environ. Contam. Toxicol.*, vol. 263, no. 1, pp. 1–20, 2025, doi: 10.1007/s44169-025-00100-9.
- [29] S. Almeida *et al.*, “A Brief Evaluation of Antioxidants , Antistatics , and Plasticizers Additives from Natural Sources for Polymers Formulation,” 2023.
 - [30] G. Pfaff, “The world of inorganic pigments,” *ChemTexts*, vol. 8, no. 3, pp. 1–17, 2022, doi: 10.1007/s40828-022-00166-1.
 - [31] Y. Peng, M. Musah, B. Via, and X. Wang, “Calcium Carbonate Particles Filled Homopolymer Polypropylene at Different Loading Levels : Mechanical Properties Characterization and Materials Failure Analysis,” 2021.
 - [32] C. Webb, K. Qi, L. Anguilano, and X. Schmidt, “Results in Materials Mechanical and environmental evaluation of ground calcium carbonate (CaCO_3) filled polypropylene composites as a sustainable alternative to virgin polypropylene,” *Results Mater.*, vol. 22, no. February, p. 100562, 2024, doi: 10.1016/j.rinma.2024.100562.
 - [33] K. Habibi, P. Castejón, A. B. Martínez, and D. Arencón, “United Journal of Quality and CaCO_3 Polypropylene-Based Microporous Membranesobtained By Twin-Screw Extruder : Impact of Fillercontent and Annealing Temperatureon Mechanicalbehavior,” vol. 1, pp. 1–7, 2021.
 - [34] F. A. Ruiz, “Journal of Plastic Film and,” pp. 1–8, 2002, doi: 10.1106/875608702026263.
 - [35] Y. Ding and Y. Xin, “Molecular dynamics simulation of calcium carbonate nano filled PLA / PPC composites : interfacial properties and water vapor barrier,” *Discov. Nano*, 2025, doi: 10.1186/s11671-025-04223-9.
 - [36] K. Khuluq, A. Nataria, F. Ganda, and A. M. Sakti, “Rancang Bangun Mini Portable Ekstruder Untuk Produksi Bioplastik Dari Pati Singkong,” vol. 10, no. 02, pp. 525–532, 2025.
 - [37] R. S. Sri Ismarwanti, Jan Setiawan, Maman Kartaman Ajiriyanto, “Urania Jurnal Ilmiah Daur Bahan Bakar Nuklir,” vol. 27, no. 3, pp. 133–142, 2021.
 - [38] P. Materials, “Standard Test Method for Tensile Properties of Plastics 1,” no. July, 2022, doi: 10.1520/D0638-22.1.

- [39] D. Tarmizi *et al.*, “SIFAT-SIFAT MEKANIK KOMPOSIT POLIPROPILENA BERPENGISI,” vol. 3, no. 1, pp. 19–22, 2014.
- [40] C. Català, U. P. De Catalunya, and E. V. Universitari, “Fracture Toughness of Polypropylene-Based Particulate Composites,” pp. 2046–2094, 2009, doi: 10.3390/ma2042046.
- [41] H. Budiman, “ANALISIS PENGUJIAN TARIK (TENSILE TEST) PADA BAJA ST37,” vol. 03, no. 01, pp. 9–13, 2016.
- [42] A. Bayu, D. Nandiyanto, R. Ragadhita, and M. Fiandini, “Indonesian Journal of Science & Technology Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer / Plastic Thermal Decomposition,” vol. 8, pp. 113–126, 2023.
- [43] F. I. Aryanti and E. C. Pasya, “Purge material berbasis campuran recycled HDPE dan lempung kaolin untuk ekstrusi polipropilena dan masterbatch,” *Maj. Kulit, Karet, dan Plast.*, vol. 37, no. 1, p. 17, 2021, doi: 10.20543/mkkip.v37i1.6657.
- [44] M. Alauhdin, W. T. Eden, and D. Alighiri, “BAB 4 Aplikasi Spektroskopi Inframerah untuk Analisis Tanaman dan Obat Herbal,” 2021.
- [45] Y. Tkachenko, “FTIR as a Method for Qualitative Assessment of Solid Samples,” 2022.
- [46] N. M. Dickson-karn, “The Use of ATR-FTIR in Conjunction with Thermal Analysis Methods for Efficient Identification of Polymer Samples: A Qualitative Multi- instrument Instrumental Analysis Laboratory Experiment,” 2017, doi: 10.1021/acs.jchemed.6b00438.
- [47] A. Bakry, S. M. Elmesallamy, and M. Fekry, “Acid functionalized polypropylene derivatives to adsorb Mn (II) from aqueous solutions : equilibrium , kinetics , and thermodynamic modeling,” *Iran. Polym. J.*, vol. 32, no. 8, pp. 1047–1063, 2023, doi: 10.1007/s13726-023-01181-w.
- [48] Z. Wang, R. Song, W. Chen, J. Wang, P. Wang, and Z. Zhang, “Vibrational Spectra and Molecular Vibrational Behaviors of Dibenzyl Disulfide , Dibenzyl Sulphide and Bibenzyl,” pp. 1–16, 2022.

- [49] P. L. Ramkumar, N. Gupta, V. Sangani, P. L. Ramkumar, N. Gupta, and V. Sangani, “Experimental Investigation on Underlying Mechanism of LLDPE Based Rotationally Molded BioComposites Experimental Investigation on Underlying Mechanism of LLDPE Based Rotationally Molded BioComposites,” *J. Nat. Fibers*, vol. 20, no. 1, 2023, doi: 10.1080/15440478.2022.2156022.
- [50] N. V Vagenas, A. Gatsouli, and C. G. Kontoyannis, “Quantitative analysis of synthetic calcium carbonate polymorphs using FT-IR spectroscopy,” vol. 59, pp. 831–836, 2003, doi: 10.1016/S0039-9140(02)00638-0.
- [51] B. D. R. Ni, Ming, “NIH Public Access Author Manuscript Surf Interface Anal. Author manuscript; available in PMC 2014 July 14. Published in final edited form as: Surf Interface Anal. 2008 October ; 40(10): 1356–1361. doi:10.1002/sia.2904. Differentiation of Calcium Carbonate,” vol. 40, no. 10, pp. 1356–1361, 2014, doi: 10.1002/sia.2904.Differentiation.
- [52] P. D. and P. P. Khansinee Longkaew, Alain Gibaud, Wasan Tissanan, “Spherical CaCO₃: Synthesis, Characterization, Surface Modification and Efficacy as a Reinforcing Filler in Natural Rubber Composites,” 2023.
- [53] FIBCA, “Ultra-Violet Radiation Exposure to Flexible Intermediate Bulk Containers,” 2019.
- [54] I. Standard, “International Standard Packaging — Flexible intermediate bulk containers (FIBCs) for non- dangerous goods iTeh Standards iTeh Standards,” vol. 2024, 2024.
- [55] A. Singh and S. K. Katheria, “Effect of Mass Flow Index of UV Stabilizer on UV Resistance Property of Woven Fabric,” pp. 243–248, 2023.
- [56] T. Lozano, P. G. Lafleur, M. Grmela, C. Thibodeau, P. O. Box, and S. Centreville, “Effect of Filler Dispersion on Polypropylene Morphology,” 2004, doi: 10.1002/pen.20079.
- [57] M. S. Rabello, R. S. Tocchetto, L. A. Barros, J. R. M. D. Almeida, and J. R. White, “Weathering of polypropylene composites containing weldlines,” no. iv, 2001.

- [58] Z. Wang, Y. Li, Y. Fang, and G. Feng, “polypropylene nonwoven fabric composites,” vol. 29, no. 2, pp. 87–95, 2021, doi: 10.1177/0967391120903547.
- [59] D. Ry and H. Tkadle, “Surface photooxidation of filled polypropylene ; I,” vol. 37, pp. 19–23, 1992.
- [60] M. Q. Zhang, M. Z. Rong, S. L. Pan, and K. Friedrich, “TENSILE PROPERTIES OF POLYPROPYLENE FILLED WITH NANOSCALE CALCIUM CARBONATE PARTICLES,” vol. 11, no. 6, 2002.
- [61] and N. C. B. R. BENAVIDES’, V. H. PONCE-IBARRA, B. REYES-VIELMA, “Environmental Degradation of Highly Loaded Polypropylene,” vol. 9, no. 7, 2003.
- [62] K. Shelesh-nezhad, H. Orang, and M. Motallebi, “Composite Materials,” 2013, doi: 10.1177/0892705712454866.