

DAFTAR PUSTAKA

- [1] X. Li *dkk.*, “Research and Application of Polypropylene Carbonate Composite Materials: A Review,” 1 Juni 2022, *MDPI*. doi: 10.3390/polym14112159.
- [2] A. C. Ramadhan dan R. Rahmadewi, “Analisis Penyebab Terjadinya Cacat Produk Dalam Proses Injection Molding Pada Produksi Fan Blade Radiator di PT XYZ,” *Jurnal Ilmiah Wahana Pendidikan, Desember*, vol. 2024, no. 23, hlm. 1280–1287, 2024.
- [3] D. Godec, F. Panda, M. Tujmer, dan K. Monkova, “Molded Part Warpage Optimization Using Inverse Contouring Method,” *Polymers (Basel)*., vol. 17, no. 17, Sep 2025, doi: 10.3390/polym17172278.
- [4] Y. T. Huang *dkk.*, “Experimental and Numerical Study Determining the Warpage Phenomenon of Thin-Wall Injection Molding,” *Advances in Polymer Technology*, vol. 2020, hlm. 1–13, Okt 2020, doi: 10.1155/2020/2914801.
- [5] M. T. Hossain *dkk.*, “Research and application of polypropylene: a review,” 2 Januari 2024, *Springer*. doi: 10.1186/s11671-023-03952-z.
- [6] George. Wypych, *Handbook of polymers*. ChemTec Publishing, 2016.
- [7] H. Jones, J. McClements, D. Ray, C. S. Hindle, M. Kalloudis, dan V. Koutsos, “Thermomechanical Properties of Virgin and Recycled Polypropylene—High-Density Polyethylene Blends,” *Polymers (Basel)*., vol. 15, no. 21, Okt 2023, doi: 10.3390/polym15214200.
- [8] Pastor, Suárez, Expósito, Coto, dan García, “Engineered PP impact copolymers in a single reactor as efficient method for determining their structure and properties,” *Eur. Polym. J.*, vol. 157, Agu 2021, doi: 10.1016/j.eurpolymj.2021.110642.
- [9] M. Czepiel, M. Bańkosz, dan A. Sobczak-Kupiec, “Advanced Injection Molding Methods: Review,” 24 Agustus 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/ma16175802.
- [10] F. Tayalati, A. Azmani, dan M. Azmani, “Application of supervised machine learning methods in injection molding process for initial parameters setting: prediction of the cooling time parameter,” *Progress in Artificial Intelligence*, Feb 2024, doi: 10.1007/s13748-024-00318-z.
- [11] B. Silva *dkk.*, “Enhance the Injection Molding Quality Prediction with Artificial Intelligence to Reach Zero-Defect Manufacturing,” *Processes*, vol. 11, no. 1, Jan 2023, doi: 10.3390/pr11010062.

- [12] M. Zhao dan Z. Tang, “Comprehensive Analysis of the Injection Mold Process for Complex Fiberglass Reinforced Plastics with Conformal Cooling Channels Using Multiple Optimization Method Models,” *Processes*, vol. 13, no. 9, Sep 2025, doi: 10.3390/pr13092803.
- [13] A. Kutsbakh, A. Muranov, A. Pervushin, dan A. Semenov, “Modeling of Feedstock Formability to Optimize Mold Design and Prevent Possible Defects During Metal Injection Molding,” *Journal of Manufacturing and Materials Processing*, vol. 9, no. 6, Jun 2025, doi: 10.3390/jmmp9060203.
- [14] M. H. Dezfooli dan Moayyedian M, “Integrated Optimization for Reducing Injection Molding Defects in Charcoal Canisters,” *Journal of Manufacturing and Materials Processing*, vol. 10, no. 4, Apr 2026, doi: 10.3390/jmmp10040114.
- [15] Mawardi, A. Satrio, A. Fakhri, A. Budi, dan Y. Prastyo, “Analisis Defect Produk Handle No. 1 pada Proses Injection Molding Menggunakan Diagram Pareto dan Fishbone,” *Jurnal Ilmiah Penelitian Mahasiswa*, vol. 4, no. 1, hlm. 825–835, Feb 2026, doi: 10.61722/jipm.v4i1.1954.
- [16] Gonzalez dan Martinez, “Warpage: Causes, manufacturing processes and future challenges: A review,” 1 Juni 2025, *SAGE Publications Ltd.* doi: 10.1177/14644207241285399.
- [17] Hopmann, Kahve, Schmitz, dan Röbig, “A comparison of predictive control strategies for a highly segmented injection mold tempering,” *Polymer (Guildf)*, vol. 218, Mar 2021, doi: 10.1016/j.polymer.2021.123494.
- [18] J. L. Gámez, A. Jordá-Vilaplana, M. A. Peydro, M. A. Selles, dan S. Sanchez-Caballero, “Predictive ANN Modeling and Optimization of Injection Molding Parameters to Minimize Warpage in Polypropylene Rectangular Parts,” *Journal of Manufacturing and Materials Processing*, vol. 9, no. 7, Jul 2025, doi: 10.3390/jmmp9070236.
- [19] S. Kitayama, K. Yamaya, Y. Yamazaki, Y. Kubo, dan S. Aiba, “Process parameters optimization for minimizing warpage and cycle time using vibration-assisted plastic injection molding,” *International Journal of Advanced Manufacturing Technology*, vol. 139, no. 7–8, hlm. 3711–3722, Agu 2025, doi: 10.1007/s00170-025-16127-0.
- [20] Dominic, Rosato Donald V, dan Rosato Marlene G, *Injection Molding Handbook*. Springer US, 2000. doi: 10.1007/978-1-4615-4597-2.
- [21] T. Lucyshyn, L. V. Des Enffans D’Avernas, dan C. Holzer, “Influence of the mold material on the injection molding cycle time and warpage depending on

- the polymer processed,” *Polymers (Basel)*., vol. 13, no. 18, Sep 2021, doi: 10.3390/polym13183196.
- [22] Armendariz, Morales Guevara Andrea, U. F. López, M. Alfaro-Ponce, J. Martínez-Trinidad, dan M. Jimenez-Martinez, “Optimization of Injection Molding Parameters for Warpage Reduction on Polypropylene Plates,” *Journal of Manufacturing and Materials Processing*, vol. 9, no. 12, Des 2025, doi: 10.3390/jmmp9120393.
 - [23] A. Ç. Akçay dan Ş. Şahin, “Warpage optimization on primary recycled polypropylene composites: investigating the effect of cooling time and injection temperature with machine learning and in-mold sensors,” *International Journal of Advanced Manufacturing Technology*, hlm. 1–22, Feb 2026, doi: 10.1007/s00170-026-17702-9.
 - [24] H. F. . Giles, J. R. . Wagner, dan E. M. . Mount, *Extrusion : the definitive processing guide and handbook*. William Andrew Pub., 2005.
 - [25] Roshinta, Hidayat Risaldi, Saptono Singgih, dan Dwinagara Barlian, “Analisis Korelasi antara Massa Jenis dan Kuat Tekan Uniaksial pada Batu Andesit di Kecamatan Bagelen, Kabupaten Purworejo, Jawa Tengah,” hlm. 563–567, Nov 2022.
 - [26] ASTM D792-07, “Standard Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement 1,” ASTM International, 2007.
 - [27] A&D Company, “AD-1654 Instruction Manual Density Detemination Kit,” 2015.
 - [28] I. Sofana, W. Wijayanti, dan N. Hamidi, “Study of Thermal Behavior in Mixed Scrap Tires (ST) And Polypropylene (PP) Plastic Using Thermogravimetry Analysis (TGA) and Differential Scanning Calorimetry (DSC),” *International Journal of Mechanical Engineering Technologies and Applications*, vol. 3, no. 2, hlm. 122, Jul 2022, doi: 10.21776/mechta.2022.003.02.7.
 - [29] Tanjung dan Munte, *Pembuatan Komposit Bioplastik Dari Pati Sagu Kombinasi Polietilen*. Sumatera Utara: Lekomindo, 2023. [Daring]. Tersedia pada: <https://penerbit.lemkomindo.org/>
 - [30] M. Suhada, N. Herlina Sari, dan Sinarep, “Studi Sifat Termal,Kekuatan Tarik, dan Morfologi Komposit Serat Sembukan dengan Filler Serbuk Karbon,” Jul 2023.
 - [31] M. Paluch, J. Ostrowska, P. Tyński, W. Sadurski, dan M. Konkol, “Structural and Thermal Properties of Starch Plasticized with Glycerol/Urea Mixture,” *J.*

Polym. Environ., vol. 30, no. 2, hlm. 728–740, Feb 2022, doi: 10.1007/s10924-021-02235-x.

- [32] M. Islam, L. Bełkowska, P. Konieczny, E. Fornal, dan J. Tomaszewska-Gras, “Differential scanning calorimetry for authentication of edible fats and oilseWhat can we learn from the past to face the current challenges?,” *J. Food Drug Anal.*, vol. 30, no. 2, hlm. 185–201, 2022, doi: 10.38212/2224-6614.3402.
- [33] E. C. Mentari, “Analisis Metode Differential Scanning Calorimetry Terhadap Sifat Thermal Produk Pencangkakan Anhidra Maleat Pada Karet Alam Siklis,” *JIMTANI*, vol. 3, hlm. 632–638, 2023, [Daring]. Tersedia pada: <http://jurnalmahasiswa.umsu.ac.id/index.php/jimtani>
- [34] S. Arpit dan T. Jaya, *Properties and applications of superabsorbent polymers: Smart applications with smart polymers*. Springer, 2023. doi: 10.1007/978-981-99-1102-8.
- [35] Farahani, Parvareh, Moraveji, dan Soudbar, “Study on thermal and mechanical behaviors of polypropylene grade 552R/Cloisite 15A nanocomposites suitable for yarn applications,” *Polymers and Polymer Composites*, vol. 29, no. 9_suppl, hlm. S325–S334, Nov 2021, doi: 10.1177/09673911211003404.
- [36] M. A. Parvez dan I. M. Mehedi, “An Artificial Intelligence-Based Melt Flow Rate Prediction Method for Analyzing Polymer Properties,” *Polymers (Basel)*, vol. 17, no. 17, Sep 2025, doi: 10.3390/polym17172382.
- [37] M. Chien, Y. Lin, C. Huang, dan S. Hwang, “Impact of Runner Size, Gate Size, Polymer Viscosity, and Molding Process on Filling Imbalance in Geometrically Balanced Multi-Cavity Injection Molding,” *Polymers (Basel)*, vol. 16, no. 20, Okt 2024, doi: 10.3390/polym16202874.
- [38] A. Hamdi, “Moldability analysis of several types of polypropylenes using flow-length measurement,” *Polyolefins Journal*, vol. 10, no. 3, hlm. 159–167, Agu 2023, doi: 10.22063/poj.2023.3311.1252.
- [39] E. J. Susilo, U. Surya Dharma, dan D. Irawan, “Pengaruh viskositas bahan bakar terhadap karakteristik aliran fluida pada pompa sentrifugal,” vol. 2, no. 1, hlm. 2021, 2021.
- [40] A. K. Ko’sciuszko, D. Marciniak, dan D. Sykutera, “materials Post-Processing Time Dependence of Shrinkage and Mechanical Properties of Injection-Molded Polypropylene,” 2020, doi: 10.3390/ma1401.
- [41] A. Ko’sciuszko, M. Rojewski, B. Nowinka, dan F. Patalas, “Post-Molding Shrinkage, Structure and Properties of Cellular Injection-Molded

- Polypropylene,” *Materials*, vol. 15, no. 20, Okt 2022, doi: 10.3390/ma15207079.
- [42] C. Sergi, J. Tirillò, T. Valente, dan F. Sarasini, “Effect of Basalt Fibres on Thermal and Mechanical Properties of Recycled Multi-Material Packaging,” *Journal of Composites Science*, vol. 6, no. 3, Mar 2022, doi: 10.3390/jcs6030072.
 - [43] Wang, Liu T., Zheng K., Liu H., Cui H., dan Li H., “Local Thermal Warpage Deformation Of Polypropylene Injection Molded Flat Part and Neural Network Prediction Model,” hlm. 1–16, Jul 2024, doi: 10.3389/fmats.2024.1421546.
 - [44] Basiji, Erchiqui, Koubaa, Ghasemi, dan Baatti, “Impact of Fiber Morphology and Content on the Thermal Stability, and Mechanical Performance of Maple Wood Fiber-Polypropylene Composites,” *J. Appl. Polym. Sci.*, vol. 142, no. 30, Agu 2025, doi: 10.1002/app.57211.
 - [45] K. V. Balaji, K. Shirvanimoghaddam, R. Yadav, R. Mahmoodi, V. Unnikrishnan, dan M. Naebe, “The synergy of the matrix modification and fiber geometry to enhance the thermo-mechanical properties of basalt fiber-polypropylene composites for automotive applications,” *J. Appl. Polym. Sci.*, vol. 141, no. 29, Agu 2024, doi: 10.1002/app.55682.
 - [46] R. L. Gibson, M. J. H. Simmons, E. H. Stitt, L. Horsburgh, dan R. W. Gallen, “Selection of Formal Baseline Correction Methods in Thermal Analysis,” *Chem. Eng. Technol.*, vol. 45, no. 2, hlm. 238–248, Feb 2022, doi: 10.1002/ceat.202100120.
 - [47] A. Kpeusseu *dkk.*, “Corresponding Author: Polypropylene characterization by Differential Scanning Calorimetry (DSC),” 2023. [Daring]. Tersedia pada: <http://www.ijias.issr-journals.org/>
 - [48] Felder *dkk.*, “Incorporating crystallinity distributions into a thermo-mechanically coupled constitutive model for semi-crystalline polymers,” *Int. J. Plast.*, vol. 135, Des 2020, doi: 10.1016/j.ijplas.2020.102751.