

## DAFTAR PUSTAKA

- Akovali, G. (2012). Plastic materials: polyvinyl chloride (PVC). In *Toxicity of Building Materials*, 23-53. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857096357.23>
- Altindag, I. A., & Akdogan, Y. (2021). Spectrophotometric characterization of plasticizer migration in poly(vinyl chloride)-based artificial leather. *Materials Chemistry and Physics*, 258, 123954. <https://doi.org/10.1016/j.matchemphys.2020.123954>
- Ashori, A., & Bahreini, Z. (2009). Evaluation of calotropis gigantea as a promising raw material for fiber-reinforced composite. *Journal of Composite Materials*, 43(11), 1297-1304. <https://doi.org/10.1177/0021998308104526>
- ASTM E1131. (2015). Standard Test Method for Compositional Analysis by Thermogravimetry. In *ASTM International*.
- Athijayamani, A., Sekar, S., Sidhardhan, S., & Ramanathan, K. (2017). Mechanical properties of randomly oriented calotropis gigantea fiber-reinforced phenol formaldehyde biocomposites. *Journal of Advances in Chemistry*, 13(11), 6043-6050. <https://doi.org/10.24297/jac.v13i11.5910>
- Babu, G. D., Babu, K. S., & Kishore, P. N. (2014). Tensile and wear behavior of calotropis gigantea fruit fiber reinforced polyester composites. *Procedia Engineering*, 97, 531-535. <https://doi.org/10.1016/j.proeng.2014.12.279>
- Baur, E., Osswald, T. A., & Rudolph, N. (2018a). Additives, Fillers, and Fibers. In *Plastic Handbook - The Resource for Plastic Engineers*, 579-624. Hanser. <https://doi.org/10.3139/9781569905609.006>
- Baur, E., Osswald, T. A., & Rudolph, N. (2018b). Plastic Materials. In *Plastics Handbook The Resource for Plastics Engineers*, 337-578. Hanser. <https://doi.org/10.3139/9781569905609.005>
- Badan Pusat Statistik. *Neraca Perdagangan Beberapa Negara*. Diambil 1 Agustus 2022 dari <https://www.bps.go.id/indicator/8/336/1/neraca-perdagangan-beberapa-negara.html>
- Callister, W. D. (2007). *Materials Science and Engineering*. John Wiley & Sons, Inc. <https://doi.org/10.1007/BF01184995>
- Gandhi, K. L., & Sondhelm, W. S. (2016). Technical Fabric Structures - 1. Woven Fabrics. In *Handbook of Technical Textiles*, 63-106. Elsevier Ltd. <https://doi.org/10.1016/B978-1-78242-458-1.00004-2>
- Haponiuk, J. T., & Formela, K. (2017). PU Polymers, Their Composites, and Nanocomposites: State of the Art and New Challenges. In *Polyurethane Polymers: Composites and Nanocomposites*, 1-20. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-804065-2.00001-2>
- Hardcastle, J. M. (2020). Woven textiles for automotive interiors and other transportation applications. In *Woven Textiles*, 395-422. Wood Head Publishing. <https://doi.org/10.1016/B978-0-08-102497-3.00009-X>
- Harper, C. A. (2000). *Modern Plastics Handbook*. McCraw-Hill.
- Hassanzadeh, S., & Hasani, H. (2017). A review on milkweed fiber properties as a high-potential raw material in textile applications. *Journal of Industrial*

- Textiles*, 46(6), 1412-1436. <https://doi.org/10.1177/1528083715620398> Hu, J., & Tan, L. (2017). Polyurethane Composites and Nanocomposites for Biomedical Applications. In *Polyurethane Polymers: Composites and Nanocomposites*, 481-502. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-804065-2.00016-4>
- Jasbi, M. S., Hasani, H., Zadhoush, A., & Safi, S. (2018). Effect of alkali treatment on mechanical properties of the green composites reinforced with milkweed fibers. *Journal of the Textile Institute*, 109(1), 24-31. <https://doi.org/10.1080/00405000.2017.1320816>
- Kabir, M. M., Wang, H., Lau, K. T., & Cardona, F. (2012). Chemical treatments on plant-based natural fibre reinforced polymer composites: An overview. *Composites Part B: Engineering*, 43(7), 2883-2892. <https://doi.org/10.1016/j.compositesb.2012.04.053>
- Kementerian Perindustrian. *Kemenperin Akselerasi Penggunaan Serat Alam Jadi Bahan Baku Industri*. Siaran Pers Kemenperin. Diambil 30 Juli 2022 dari <https://kemenperin.go.id/artikel/22183/Kemenperin-Akselerasi-Penggunaan-Serat-Alam-Jadi-Bahan-Baku-Industri>
- Kementerian Perindustrian. *Produksi Mobil Lampaui Target, Penjualan Naik 71 Persen*. Siaran Pers Kemenperin. Diambil 1 Agustus 2022 dari <https://kemenperin.go.id/artikel/22994/Produksi-Mobil-Lampaui-Target,-Penjualan-Naik-71-Persen>
- Ma, Y., Dang, X., & Shan, Z. (2019). Thermal analysis and identification of potential fire-proof energy building material based on artificial leather. *Journal of Thermal Science*, 28(1), 88-96. <https://doi.org/10.1007/s11630-018-1054-8>
- Mariod, A. A., Saeed Mirghani, M. E., & Hussein, I. (2017). The Potential of Sodom Apple (*Calotropis procera* and *Calotropis gigantea*) Seed Oil. In *Unconventional Oilseeds and Oil Sources*, 151-155. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-809435-8.00026-3>
- Markets and Markets. *Synthetic Leather Market / Artificial Leather Market by Type, End-Use Industry, and Region (2022-2025)*. Diambil 16 Juli 2022 dari <https://www.marketsandmarkets.com/Market-Reports/synthetic-leather-market-6616309.html>
- Meyer, M., Schulz, H., & Stoll, M. (2008). Leather and coated textiles in automotive interiors. In *Textile Advances in the Automotive Industry*, 229-251. <https://doi.org/10.1533/9781845695040.2.229>
- Michel, S., Fuss, R. W., Kato, M., Nakamae, M. D., & Tsuboi, A. (2013). *Polyvinyl Alcohol as Co-Stabilizer for PVC*. European Patent Specification.
- Nagarkar, R., & Patel, J. (2019). Polyvinyl alcohol: a comprehensive study. *Acta Scientific Pharmaceutical Sciences*, 3(4), 34-44.
- Narayanasamy, P., Balasundar, P., Senthil, S., Sanjay, M. R., Siengchin, S., Khan, A., & Asiri, A. M. (2020). Characterization of a novel natural cellulosic fiber from *Calotropis gigantea* fruit bunch for ecofriendly polymer composites. *International Journal of Biological Macromolecules*, 150, 793-801. <https://doi.org/10.1016/j.ijbiomac.2020.02.134>
- Narzullaeva, A. M., & Karimov, M. U. (2021). Study of properties of PVC used in the production of artificial skins obtained with additives on the basis of metal salts. *International Journal of Innovative Research*, 10(7), 9160-

9167. <https://doi.org/10.15680/IJIRSET.2021.100708>
- Nouranian, S., Garmabi, H., & Mohammadi, N. (2007). Taguchi-based optimization of adhesion of polyurethane to plasticized poly(vinyl chloride) in synthetic leather. *Journal of Adhesion Science Technology*, 21(8), 705-724. <https://doi.org/10.1163/156856107781362644>
- Oktariani, E., Rakhma, A., Hasanah, M., & Prayudie, U. (2020). Pemanfaatan limbah polyester staple fiber (PSF) dan polyester suction waste (PSW) sebagai pengisi pada kulit sintetis berbasis polivinil klorida (PVC). *Jurnal Teknik Kimia*, 26(3), 103-107.
- Palejkar, C. J., Palejkar, J. H., Patel, M. A., & Patel, A. J. (2012). A comprehensive review on plant calotropis gigantea. *International Journal of Institutional Pharmacy and Life Sciences*, 2(2), 463-470.
- Peacock, A.J., & Calhoun, A. (2006). Polyvinyl Chloride. In *Polymer Chemistry*, 325-337. <https://doi.org/10.3139/9783446433434.022>
- Ramesh, M., Palanikumar, K., & Reddy, K. H. (2017). Plant fibre based bio-composites: Sustainable and renewable green materials. *Renewable and Sustainable Energy Reviews*, 79, 558-584. <https://doi.org/10.1016/j.rser.2017.05.094>
- Reddy, N., & Yang, Y. (2010). Non-traditional lightweight polypropylene composites reinforced withmilkweed floss. *Polymer International*, 59(7), 884-890. <https://doi.org/10.1002/pi.2798>
- Reghunadhan, A., & Thomas, S. (2017). Polyurethanes: Structure, Properties, Synthesis, Characterization, and Application. In *Polyurethane Polymers: Blends and Interpenetrating Polymer Networks*, 1-16. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-804039-3.00001-4>
- Reinecke, H., Navarro, R., & Perez, M. (2011). Plasticizer. In *Polymer Science and Technology*, 1-27. John Wiley & Sons, Inc. <https://doi.org/10.4135/9781446251867.n1>
- Roh, E. K., Oh, K. W., & Kim, S. H. (2013). Classification of synthetic polyurethane leather by mechanical properties according to consumers preference for fashion items. *Fibers and Polymers*, 14(10), 1731-1738. <https://doi.org/10.1007/s12221-013-1731-x>
- Russell, S. J., & Smith, P. A. (2016). Technical fabric Structures - 3. Nonwoven fabrics. In *Handbook of Technical Textiles: Second Edition*, 163-188. Elsevier Ltd. <https://doi.org/10.1016/B978-1-78242-458-1.00006-6>
- Rybachuk, G. V., Kozlova, I. I., Mozzhukhin, V. B., & Guzeev, V. V. (2007). PVC plastisols: preparation, properties, and application. *Polymer Science - Series C*, 49(1), 6-12. <https://doi.org/10.1134/S181123820701002X>
- Sana, A. W., Noerati, N., Sugiyana, D., & Sukardan, M. D. (2020). Aplikasi serat alam biduri (calotropis gigantea) sebagai bahan pengisi insulatif pada jaket musim dingin. *Arena Tekstil*, 35(1), 1-12.
- Sastri, V. R. (2013). Commodity Thermoplastics : Polyvinyl Chloride, Polyolefins, and Polystyrene. In *Plastics in Medical Devices*, 73-120. Elsevier Inc. <https://doi.org/10.1016/B978-1-4557-3201-2.00006-9>
- Sholeh, M., & Rochani, S. (2018). Pengaruh pemlastis dioktil ftalat terhadap sifat fisis dan mekanis kulit sintetis. *Jurnal Litbang Industri*, 8(1), 17. <https://doi.org/10.24960/jli.v8i1.3712.17-22>
- SNI1294:2009. (2009). *Kulit imitasi*. Badan Standarisasi Nasional.

- Soepranoto. (1988). Pembuatan Kulit Imitasi Untuk Atasan Sepatu Dengan Variasi Jumlah Blowing Agent ADCM. *Majalah Barang Kulit Karet Dan Plastik*, 4(8), 11-28.
- Sukardan, M. D., Natawijaya, D., Prettyanti, P., Cahyadi, C., & Novarini, E. (2016). Karakterisasi serat dari tanaman biduri (*calotropis gigantea*) dan identifikasi kemungkinan pemanfaatannya sebagai serat tekstil. *Arena Tekstil*, 31(2), 51-62. <https://doi.org/10.31266/at.v31i2.1986>
- Suto, K., Kawagoe, Y., Watanabe, H., Kubota, T., & Matsudaira, K. (2012). *Composition for matte layer formation, release sheet using the same, and synthetic leather produced using said release sheet*. US 8137789 B2.
- Syabani, M. W., Devi, C., Hermiyati, I., & Angkasa, A. D. (2020). The effect of PVC's resin K-value on the mechanical properties of the artificial leather. *Majalah Kulit, Karet, Dan Plastik*, 35(2), 75. <https://doi.org/10.20543/mkkp.v35i2.5639>
- Vadlapudi, V., Behara, M., Kaladhar, D. S. V. G. K., Kumar, S. V. N. S., Seshagiri, B., & Paul, M. J. (2014). Antimicrobial profile of crude extracts *calotropis procera* and *centella asiatica* against some important pathogens. *Indian Journal of Science and Technology*, 5(8), 3132-3136.
- Wang, Y., & Jin, L. (2018). Preparation and characterization of self-colored waterborne polyurethane and its application in eco-friendly manufacturing of microfiber synthetic leather base. *Polymers*, 10, 1-13. <https://doi.org/10.3390/polym10030289>
- Wypych, G. (2016). PVAl poly(vinyl alcohol). In *Handbook of Polymers*, 610-614. ChemTec Publishing. <https://doi.org/10.1016/b978-1-895198-92-8.50188-9>
- Wypych, G. (2017). Plasticizer types. In *Handbook of Plasticizers*, 7-84. ChemTec Publishing. <https://doi.org/10.1016/B978-1-895198-97-3.50004-4>
- Wypych, G. (2020a). Principles of Stabilization. In *PVC Degradation and Stabilization*, 297-430. ChemTec Publishing. <https://doi.org/https://doi.org/10.1016/B978-1-927885-61-1.50014-1>
- Wypych, G. (2020b). Principles of Thermal Degradation. In *PVC Degradation and Stabilization*, 79-167. ChemTec Publishing. <https://doi.org/10.1016/b978-1-927885-61-1.50007-4>
- Xu, M., Cao, C., Hu, H., Ren, Y., Guo, G., Gong, L., Zhang, J., Zhang, T., & Yao, H. (2022). Perspective on the disposal of PVC artificial leather via pyrolysis: Thermodynamics, kinetics, synergistic effects and reaction mechanism. *Fuel*, 327, 125082. <https://doi.org/10.1016/J.FUEL.2022.125082>
- Yu, J., Sun, L., Ma, C., Qiao, Y., & Yao, H. (2016). Thermal degradation of PVC: a review. *Waste Management*, 48, 300-314. <https://doi.org/10.1016/j.wasman.2015.11.041>
- Zadhoush, A., Alsharif, M. A., & Boukany, P. E. (2004). The influence of K-value and plasticizer type on the rheological behaviour of plastisol used in coated fabrics. *Iranian Polymer Journal (English Edition)*, 13(5), 371-379.
- Zhao, S., Song, X., Pei, N., Zhang, J., & Liu, S. (2008). Recovery technology of DMF from wet type polyurethane synthetic leather waste gas. *Chinese Journal of Chemical Engineering*, 16(3), 461-464.