

DAFTAR PUSTAKA

- [1] S. Rachmat, “Analisis Kandungan Kalsium (Ca) pada Air Tanah Bansir Darat Pontianak Tenggara,” *QUANTUM: Jurnal Pembelajaran IPA dan Aplikasinya*, vol. 1, no. 2, hlm. 23–32, 2022, doi: 10.46368/qjpia.v1i2.482.
- [2] N. I. F. Nisa, N. Fanani, dan V. Maritha, “Evaluasi Kualitas Air pada Sistem Pendinginan PT . XYZ Surabaya : Studi Kasus Cooling Water Evaluation of Water Quality in the Cooling System of PT . XYZ Surabaya : Cooling Water Case Study,” *Journal of Chemical Process Engineering (JCPE)*, vol. 8, no. 2, hlm. 141–150, 2023, doi: 10.33096/jcpe.v8i2.975.
- [3] S. Royani, A. S. Fitriana, A. B. P. Enarga, dan H. Z. Bagaskara, “Kajian Cod Dan Bod Dalam Air Di Lingkungan Tempat Pemrosesan Akhir (Tpa) Sampah Kaliori Kabupaten Banyumas,” *Jurnal Sains & Teknologi Lingkungan*, vol. 13, no. 1, hlm. 40–49, 2021, doi: 10.20885/jstl.vol13.iss1.art4.
- [4] Y. Maeda, “Fouling of Reverse Osmosis (RO) and Nanofiltration (NF) Membranes by Low Molecular Weight Organic Compounds (LMWOCs), Part 1: Fundamentals and Mechanism,” *Membranes (Basel)*, vol. 14, no. 10, hlm. 1–83, 2024, doi: 10.3390/membranes14100221.
- [5] T. Jarnerud, A. V. Karasev, dan P. G. Jönsson, “Neutralization Of Acidic Wastewater From A Steel Plant By Using Cao-Containing Waste Materials From Pulp And Paper Industries,” *Materials*, vol. 14, no. 10, 2021, doi: 10.3390/ma14102653.
- [6] I. R. Achmad, M. Yani, S. Suprihatin, dan W. A. Ridwan, “Pemodelan Sistem Pengolahan Air Limbah Aktivasi Bentonit,” *CHEESA: Chemical Engineering Research Articles*, vol. 1, no. 2, hlm. 43–57, 2018.
- [7] R. Robiah, U. Renaldi, dan A. Melani, “Kajian Pengaruh Laju Alir NaOH Dan Waktu Kontak Terhadap Absorpsi Gas CO₂ Menggunakan Alat Absorber Tipe Sieve Tray,” *Distilasi*, vol. 6, no. 2, hlm. 27–35, 2021, doi: 10.32502/jd.v6i2.4136.
- [8] V. Miranda, W. Nugroho, H. Magdalena, S. D. Devy, dan H. Hasan, “Efektivitas Adsorpsi Karbon Aktif Tempurung Kelapa Terhadap Kandungan Besi (Fe) Dan Mangan (Mn) Serta Ph Pada Pengelolaan Air Asam Tambang Batubara,” *Jurnal Inovasi Global*, vol. 2, no. 2, 2024, doi: 10.58344/jig.v2i2.55.
- [9] W. Fan dan X. Zhang, “Magnetic Coconut Shell Biochar/Sodium Alginate Composite Aerogel Beads For Efficient Removal Of Methylene Blue From Wastewater: Synthesis, Characterization, And Mechanism,” *Int. J. Biol.*

- Macromol.*, vol. 284, no. P1, hlm. 137945, 2025, doi: 10.1016/j.ijbiomac.2024.137945.
- [10] E. G. Arafa, O. F. A. Gawad, Z. E. Eldin, M. M. Ibrahim, S. A. Abd-Elghafour, dan A. H. M. Osman, “Sustainable Sodium Alginate Hydrogels Incorporating Banana Leaf Activated Carbon And Organo-Clay For Enhanced Dye Removal,” *Sci. Rep.*, vol. 15, no. 1, hlm. 1–22, 2025, doi: 10.1038/s41598-025-99343-8.
 - [11] W. Nabilah, M. Pandiangan, S. Irlamaida, A. Nuryadin, dan L. Subagiyo, “Efektivitas Karbon Aktif Terhadap TSS, TDS, Dan pH Air Sungai Mahakam,” *Jurnal Redoks*, vol. 10, no. 2, hlm. 153–161, 2025, doi: 10.31851/377eyp04.
 - [12] I. L. Balasooriya, M. D. H. J. Senavirathna, dan W. Wang, “Application of Activated Carbon/Alginate Composite Beads for the Removal of 2-Methylisoborneol from Aqueous Solution,” *AppliedChem*, vol. 5, no. 4, hlm. 32, 2025, doi: 10.3390/appliedchem5040032.
 - [13] H. G. Park, T. W. Kim, M. Y. Chae, dan I. K. Yoo, “Activated Carbon-Containing Alginate Adsorbent For The Simultaneous Removal Of Heavy Metals And Toxic Organics,” *Process Biochemistry*, vol. 42, no. 10, hlm. 1371–1377, 2007, doi: 10.1016/j.procbio.2007.06.016.
 - [14] R. I. D. Suyatmo dan L. Nulhakim, “Kinetika Slow-Released Pupuk Urea Terenkapsulasi Dalam Alginat,” *Ilmiah Ecosystem*, vol. 22, no. 3, hlm. 421–427, 2022.
 - [15] I. G. A. T. P. Wardana, K. Ghazali, dan R. R. Hariadi, “Rancang Bangun Sistem Menurunkan Temperatur Air Secar Otomatis Dan Memonitor Kekeruhan Serta pH Air Aquarium Berbasis IoT,” *Jurnal Teknik ITS*, vol. 12, no. 1, 2023, doi: 10.12962/j23373539.v12i1.103217.
 - [16] D. Sari, S. Arza, F. Fiona, N. Novita, E. Ega, dan B. Darmawan, “Analisis Kandungan Karbon Dioksida Dan Ph Pada Air,” *Journal of Food Security and Agroindustry*, vol. 2, no. 2, hlm. 44–48, 2024, doi: 10.58184/jfsa.v2i2.279.
 - [17] R. Listyaningrum, “Analisis Kandungan DO, BOD, COD, TS, TDS, TSS dan Analisis Karakteristik Fisikokimia Limbah Cair Industri Tahu di UMKM Daerah Imogiri Barat Yogyakarta,” hlm. 1–13, 2022.
 - [18] T. Léziart, P. M. Dutheil de la Rochere, R. Cheswick, P. Jarvis, dan A. Nocker, “Effect of turbidity on water disinfection by chlorination with the emphasis on humic acids and chalk,” *Environmental Technology (United Kingdom)*, vol. 40, no. 13, hlm. 1734–1743, 2019, doi: 10.1080/09593330.2019.1585480.

- [19] S. R. N. Khasanah dan S. Sunarto, "Validation Comparison Of Iron Ion Analysis By Visible Light Spectrophotometry With Kscn And 1,10-Orthophenanthroline Complexes," *Jurnal Kimia Dasar*, vol. 7, no. 3, hlm. 105–114, 2018.
- [20] P. P. A. Nirwana dan L. Legasari, "Analisis Kadar Total Dissolved Solid (TDS) pada Air Limbah Industri Menggunakan Metode Gravimetri," *Sains: Jurnal Kimia dan Pendidikan Kimia*, vol. 13, no. 2, hlm. 132–135, 2024.
- [21] F. Zulfania, R. Fathoni, Aribadin, dan A. M. Nur, "Kemampuan Adsorpsi Logam Berat Zn Dengan Menggunakan Adsorben Kulit Jagung," *Jurnal Chemurgy*, vol. 6, no. 2, hlm. 65–69, 2022.
- [22] T. Widayatno *dkk.*, "Adsorpsi Logam Berat (Pb) dari Limbah Cair dengan Adsorben Arang Bambu Aktif," *Jurnal Teknologi Bahan Alam*, vol. 1, no. 1, hlm. 17–23, 2017.
- [23] M. M. Youssif, H. G. El-Attar, V. Hessel, dan M. Wojnicki, "Recent Developments in the Adsorption of Heavy Metal Ions from Aqueous Solutions Using Various Nanomaterials," *Materials*, vol. 17, no. 21, 2024, doi: 10.3390/ma17215141.
- [24] P. S. Kumar, K. N. Vaibhav, S. Rekhi, dan A. Thyagarajan, "Removal Of Turbidity From Washing Machine Discharge Using Strychnos Potatorum Seeds: Parameter Optimization And Mechanism Prediction," *Resource-Efficient Technologies*, vol. 2, hlm. 171–176, 2016, doi: 10.1016/j.reffit.2016.09.006.
- [25] H. Zhou *dkk.*, "Preparation And Characterization Of Zirconium-Based Metal-Organic Skeleton Composite Sodium Alginate@SiO₂ and Its Adsorption on Methylene Blue Solution In Water," *Int. J. Biol. Macromol.*, vol. 304, no. P1, hlm. 140916, 2025, doi: 10.1016/j.ijbiomac.2025.140916.
- [26] H. Cahyani, H. Harmadi, dan W. Wildian, "Pengembangan Alat Ukur Total Dissolved Solid (TDS) Berbasis Mikrokontroler Dengan Beberapa Variasi Bentuk Sensor Konduktivitas," *Jurnal Fisika Unand*, vol. 5, no. 4, hlm. 371–377, 2016, doi: 10.25077/jfu.5.4.371-377.2016.
- [27] N. S. S. Miri dan N. Narimo, "Review : Kajian Persamaan Isoterm Langmuir dan Freundlich pada Adsorpsi Logam Berat Fe (II) dengan Zeolit dan Karbon Aktif dari Biomassa Review," *Jurnal Kimia Dan Rekayasa*, vol. Volume 2., no. 2, hlm. 58–71, 2022.
- [28] I. Syafrianda, E. Yenie, dan S. Daud, "Pengaruh Waktu Kontak dan Laju Pengadukan Terhadap Adsorpsi Zat Warna Pada Air Gambut Menggunakan Adsorben Limbah Biosolid Land Application Industri Minyak Kelapa Sawit," *Jom FTEKNIK*, vol. 4, no. 2, hlm. 1–6, 2017.

- [29] I. Syauqiah, F. I. Kusuma, dan M. Mardiana, “Adsorpsi Logam Zn dan Pb Pada Limbah Percetakan Pencucian Pelat Cetak PT. Grafika Wangi Kalimantan Menggunakan Arang Tongkol Jagung Sebagai Adsorben,” *Konversi*, vol. 9, no. 1, hlm. 28–34, 2020.
- [30] Sirajuddin, M. Syahrir, dan I. Syahrir, “Optimasi Kecepatan Pengadukan Pada Proses Adsorpsi Limbah Cair Laundry Untuk Menurunkan Kadar Surfaktan Menggunakan Batu Bara,” *Seminar Nasional Sains Dan Teknologi*, hlm. 1–8, 2017.
- [31] M. Busyairi, F. Firlina, E. Sarwono, dan S. Saryadi, “Pemanfaatan Serbuk Kayu Meranti Menjadi Karbon Aktif Untuk Penurunan Kadar Besi (Fe), Mangan (Mn) Dan Kondisi Ph Pada Air Asam Tambang,” *Jurnal Sains & Teknologi Lingkungan*, vol. 11, no. 2, hlm. 87–101, 2019, doi: 10.20885/jstl.vol11.iss2.art1.
- [32] A. H. Jawad, A. Saud Abdulhameed, L. D. Wilson, S. S. A. Syed-Hassan, Z. A. ALothman, dan M. Rizwan Khan, “High Surface Area And Mesoporous Activated Carbon From KOH-Activated Dragon Fruit Peels For Methylene Blue Dye Adsorption: Optimization And Mechanism Study,” *Chin. J. Chem. Eng.*, vol. 32, hlm. 281–290, 2021, doi: 10.1016/j.cjche.2020.09.070.
- [33] Y. Sukmono, R. A. Kristanti, B. V. Foo, dan T. Hadibarata, “Adsorption of Fe and Pb from Aqueous Solution using Coconut Shell Activated Carbon,” *Biointerface Res. Appl. Chem.*, vol. 14, no. 2, hlm. 1–14, 2024, doi: 10.33263/BRIAC142.030.
- [34] N. Ayawei, A. N. Ebelegi, dan D. Wankasi, “Modelling and Interpretation of Adsorption Isotherms,” *J. Chem.*, vol. 2017, 2017, doi: 10.1155/2017/3039817.
- [35] M. J. Baari, L. Rudi, dan L. Harimu, “Adsorption Isotherms, Thermodynamics, And Kinetics Of Activated Carbon As Adsorbent To Water Pollutants: A Review,” *Chimica Techno Acta*, vol. 12, no. 12214, hlm. 1–25, 2025, doi: 10.15826/chimtech.2025.12.2.14.
- [36] S. Annisah, V. Amalia, Rohmatulloh, dan Yusuf, “Sintesis Dan Karakterisasi Karbon Aktif Dari Kulit Durian (*Durio zibethinus* Murr.) Termofifikasi Kitosan Alginat Sebagai Adsorben Ion logam Timbal (II),” *Gunung Djati Conference Series*, vol. 58, hlm. 12–23, 2025.
- [37] O. P. Murphy, M. Vashishtha, P. Palanisamy, dan K. V. Kumar, “A Review on the Adsorption Isotherms and Design Calculations for the Optimization of Adsorbent Mass and Contact Time,” *ACS Omega*, vol. 8, no. 20, hlm. 17407–17430, 2023, doi: 10.1021/acsomega.2c08155.

- [38] P. Rakha dan S. T. Mochammad, “Studi Aktivasi Secara Fisika dan Kimia untuk Meningkatkan Kapasitas Adsorpsi CO₂ pada Biogas oleh Arang Tempurung Kelapa Menggunakan Kolom,” Universitas Brawijaya, 2021.
- [39] C. A. Riyanto, E. Kurniawan, dan N. R. Aminu, “Pengaruh NaOH dan Suhu Aktivasi Terhadap Karakteristik Karbon Aktif Sekam Padi Teraktivasi H₃PO₄,” *Rafflesia Journal of Natural and Applied Sciences*, vol. 1, no. 2, hlm. 59–68, 2021, doi: 10.33369/rjna.v1i2.16864.
- [40] M. Lutfi, Hanafi, B. Susilo, J. Prasetyo, Sandra, dan U. Prajogo, “Characteristics Of Activated Carbon From Coconut Shell (Cocos Nucifera) Through Chemical Activation Process,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 733, no. 1, 2021, doi: 10.1088/1755-1315/733/1/012134.
- [41] A. Usman *dkk.*, “Chemically Modified Biochar Produced From Conocarpus Wastes: An Efficient Sorbent For Fe(II) Removal From Acidic Aqueous Solutions,” *Adsorption Science and Technology*, vol. 31, no. 7, hlm. 625–640, 2013, doi: 10.1260/0263-6174.31.7.625.
- [42] Y. Prawiranti, W. Mandasari, S. S. Shofiyah, I. R. Febrianty, dan N. T. Utami, “Pembuatan Karbon Aktif Ampas Kelapa Dengan Aktivator Asam Fosfat (H₃PO₄) Untuk Mengadsorpsi Ion Logam Besi (Fe),” *Akta Kimia Indonesia*, vol. 9, no. 2, hlm. 133, 2024, doi: 10.12962/j25493736.v9i2.22084.
- [43] Meilani, S. Syafalni, Y. Santoso, dan G. Green Malau, “Rainwater Quality Improvement Using Zeolite, Activated Carbon, Limestone And Preheated 400°C Limestone,” dalam *MATEC Web of Conferences*, 2017, hlm. 1–4. doi: 10.1051/mateconf/201710105008.
- [44] S. G. Reddy, “Alginates - A Seaweed Product: Its Properties and Applications,” *IntechOpen*, hlm. 1–11, 2022, doi: 10.5772/intechopen.98831.
- [45] T. Sandu, A. Chiriac, A. Zaharia, dan T. Iordache, “New Trends in Preparation and Use of Hydrogels for Water Treatment,” *Gels*, vol. 11, no. 238, hlm. 1–82, 2025, doi: 10.3390/gels11040238.
- [46] D. R. Sahoo dan T. Biswal, “Alginate and Its Application to Tissue Engineering,” *SN Appl. Sci.*, vol. 3, no. 1, hlm. 1–19, 2021, doi: 10.1007/s42452-020-04096-w.
- [47] N. Dharmayanti *dkk.*, “Additional Alginate Concentration From Sargassum polycystum For Body’s Scrub Cream Formulation,” *Jurnal Akuotek*, vol. 2, no. 2, hlm. 81–94, 2021, doi: 10.24198/akuotek.v2i2.37489.
- [48] S. K. Pournaki, R. S. Aleman, M. Hasani-Azhdari, J. Marcia, A. Yadav, dan M. Moncada, “Current Review: Alginate in the Food Applications,” *J (Basel)*, vol. 7, no. 3, hlm. 281–301, 2024, doi: 10.3390/j7030016.

- [49] A. W. Putra, H. Hermawan, S. Setyaningrum, dan T. Paramitha, "The Methylene Blue Adsorption by Calcium Alginate- Activated Carbon Composite in Fixed Bed Column," *Fluida*, vol. 17, no. 2, hlm. 65–70, 2024, doi: 10.35313/fluida.v17i2.4926.
- [50] R. G. Puscaselu, A. Lobiuc, M. Dimian, dan M. Covasa, "Alginate: From food industry to biomedical applications and management of metabolic disorders," *Polymers (Basel)*, vol. 12, no. 10, hlm. 1–30, 2020, doi: 10.3390/polym12102417.
- [51] S. Lestari, L. M. Yuningsih, S. Muharam, P. S. Kimia, F. Sains, dan U. M. Sukabumi, "Hidrogel Superabsorben Berbasis Natrium Alginat-Bentonit sebagai Pelapis Pupuk Lepas Lambat," *Jurnal Riset Kimia*, 2022, doi: 10.25077/jrk.v13i1.464.
- [52] Ravi dan L. M. Pandey, "Enhanced Adsorption Capacity of Designed Bentonite and Alginate Beads for the Effective Removal of Methylene Blue," *Appl. Clay Sci.*, vol. 169, no. November 2018, hlm. 102–111, 2019, doi: 10.1016/j.clay.2018.12.019.
- [53] S. M. Mukulu, H. M. Mbuvi, T. M. Kasimu, dan F. Maingi, "Biodegradable Superabsorbent Hydrogel from Activated Hydrochar-Glycerol Cross-linked with Maleic Acid," *American Journal of Polymer Science*, vol. 14, no. 2, hlm. 22–29, 2025, doi: 10.5923/j.ajps.20251402.02.
- [54] T. M. Kasimu, H. M. Mbuvi, dan F. M. Maingi, "Super Absorbent Hydrogel Derived from Activated Charcoal Functionalized with Ethylenediamine and Cross-linked with Maleic Acid," *International Journal of Materials and Chemistry*, vol. 12, no. 1, hlm. 1–9, 2022, doi: 10.5923/j.ijmc.20221201.01.
- [55] A. B. D. Nandiyanto, R. Ragadhita, dan M. Fiandini, "Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer/Plastic Thermal Decomposition," *Indonesian Journal of Science and Technology*, vol. 8, no. 1, hlm. 113–126, 2023, doi: 10.17509/ijost.v8i1.53297.
- [56] A. D'Angelo, C. Mortalò, L. Comune, G. Raffaini, M. Fiorentino, dan M. Catauro, "Sol–Gel Synthesized Silica/Sodium Alginate Hybrids: Comprehensive Physico-Chemical and Biological Characterization," *Molecules*, vol. 30, no. 17, hlm. 1–17, 2025, doi: 10.3390/molecules30173481.
- [57] D. C. Montgomery dan G. C. Runger, *Applied Statistics and Probability for Engineers*, 7 ed. John Wiley & Sons, Ltd, 2018.
- [58] I. P. K. A. Putra, Narwati, P. Hermiyanti, dan H. Trisyanti, "Bioadsorben Kulit Pisang Kepok (*Musa Acuminata* L.) Dalam Menurunkan Kadar

- Timbal (Pb) Pada Larutan Pb,” *Jurnal Penelitian Kesehatan Suara Forikes*, vol. 10, no. 4, hlm. 1–7, 2019, doi: 10.33846/sf.v10i1.286.
- [59] W. Maylani, Ismiyati, dan Yustinah, “Efektivitas Adsorben Arang Aktif Kulit Durian (*Durio Zibethinus*) dan Waktu Kontak Terhadap Penurunan Konsentrasi Pewarna Naphtol Limbah Cair Batik,” *J. Teknol.*, vol. 15, no. 2, 2023, doi: 10.24853/jurtek.15.2.247-256.
- [60] J. Zhou dan Q. Sun, “Sodium Alginate/Modified Bentonite Composite Bead Adsorptive Removal of Norfloxacin: Static and Dynamic Adsorption,” *Polymers (Basel)*, vol. 14, no. 19, 2022, doi: 10.3390/polym14193984.
- [61] R. S. Lestari, F. F. Hanum, Maryudi, dan B. S. Wardhana, “Preliminary Study on the Synthesis and Stability Assessment of Fly Ash–Alginate Composite Hydrogel for Pb^{2+} Adsorption,” *Jurnal Ilmiah Teknik Kimia*, vol. 10, no. 1, hlm. 68–79, 2026, doi: 10.32493/jitk.v10i1.55444.
- [62] V. L. Tasik, H. Taunaumang, dan F. R. Tumimomor, “Karakterisasi Struktur dan Gugus Fungsi Karbon Aktif Sabut Kelapa dengan Variasi Konsentrasi NaOH untuk Material Elektroda Superkapasitor,” *Jurnal FisTa*, vol. 7, no. April, hlm. 48–55, 2026.
- [63] V. A. Tiwow, M. J. Rampe, H. L. Rampe, dan A. Apita, “Pola Inframerah Arang Tempurung Kelapa Hasil Pemurnian Menggunakan Asam,” *Chem. Prog.*, vol. 14, no. 2, hlm. 116–123, 2021, doi: 10.35799/cp.14.2.2021.37191.
- [64] M. Z. I. Mollah, M. R. I. Faruque, D. A. Bradley, M. U. Khandaker, dan S. Al Assaf, “FTIR And Rheology Study Of Alginate Samples: Effect Of Radiation,” *Radiation Physics and Chemistry*, vol. 202, 2023, doi: 10.1016/j.radphyschem.2022.110500.
- [65] K. V. S. Kumar *dkk.*, “Investigation On Swelling Behavior Of Sodium Alginate/Black Titania Nanocomposite Hydrogels And Effect Of Synthesis Conditions On Water Uptake,” *Results in Engineering*, vol. 20, 2023, doi: 10.1016/j.rineng.2023.101460.
- [66] S. Chkirida *dkk.*, “Highly Synergic Adsorption/Photocatalytic Efficiency Of Alginate/Bentonite Impregnated TiO_2 Beads For Wastewater Treatment,” *J. Photochem. Photobiol. A Chem.*, vol. 412, no. February, hlm. 113215, 2021, doi: 10.1016/j.jphotochem.2021.113215.
- [67] E. Makhado dan M. J. Hato, “Preparation and Characterization of Sodium Alginate-Based Oxidized Multi-Walled Carbon Nanotubes Hydrogel Nanocomposite and its Adsorption Behaviour for Methylene Blue Dye,” *Front. Chem.*, vol. 9, hlm. 1–16, 2021, doi: 10.3389/fchem.2021.576913.

- [68] Q. Zheng, L. Zhao, J. Wang, S. Wang, Y. Liu, dan X. Liu, “High-Strength And High-Toughness Sodium Alginate/Polyacrylamide Double Physically Crosslinked Network Hydrogel With Superior Self-Healing and Self-Recovery Properties Prepared by A One-Pot Method,” *Colloids Surf. A Physicochem. Eng. Asp.*, vol. 589, hlm. 124402, 2020, doi: 10.1016/j.colsurfa.2019.124402.
- [69] L. Wang, H. Hemmatpour, P. Rudolf, D. Gerlach, G. J. W. Euverink, dan F. Picchioni, “Swollen Hydrogels with Strong Mechanical Characteristics: A Superior Adsorbent for the Sustainable Removal of Diclofenac Sodium,” *J. Colloid Interface Sci.*, vol. 686, no. February, hlm. 754–763, 2025, doi: 10.1016/j.jcis.2025.02.004.
- [70] J. W. Lee, J. Han, Y. K. Choi, S. Park, dan S. H. Lee, “Reswellable Alginate/Activated Carbon/Carboxymethyl Cellulose Hydrogel Beads For Ibuprofen Adsorption From Aqueous Solutions,” *Int. J. Biol. Macromol.*, vol. 249, no. June, hlm. 126053, 2023, doi: 10.1016/j.ijbiomac.2023.126053.
- [71] A. A. Hussien, “Preparation and Study of The Properties of Sodium Alginate-Coated Nanoscale Montmorillonite Clay for The Removal of Organic Dyes,” *Central Asian Journal of Theoretical and Applied Science*, vol. 7, no. 1, hlm. 83–101, 2025, doi: 10.51699/cajotas.v7i1.1636.
- [72] A. I. Bakti dan P. L. Gareso, “Characterization of Active Carbon Prepared from Coconuts Shells using FTIR, XRD and SEM Techniques,” *Jurnal Ilmiah Pendidikan Fisika Al-Biruni*, vol. 7, no. 1, hlm. 33, 2018, doi: 10.24042/jipfalbiruni.v7i1.2459.
- [73] N. A. Z. Abidin, P. Palaniandy, M. S. Yusoff, dan S. S. Abu Amr, “Activated Carbon-Limestone-Alginate Beads For the Simultaneous Removal of Color and Turbidity of Kerian River,” *International Journal of Integrated Engineering*, vol. 11, no. 2, hlm. 032–039, 2019, doi: 10.30880/ijie.2019.11.02.004.
- [74] R. Devi, V. Singh, dan A. Kumar, “COD and BOD reduction from coffee processing wastewater using Avacado peel carbon,” *Bioresour. Technol.*, vol. 99, no. 6, 2008, doi: 10.1016/j.biortech.2007.03.039.
- [75] V. J. Inglezakis, M. Balsamo, dan F. Montagnaro, “Liquid-Solid Mass Transfer in Adsorption Systems - An Overlooked Resistance?,” *Ind. Eng. Chem. Res.*, vol. 59, no. 50, hlm. 22007–22016, 2020, doi: 10.1021/acs.iecr.0c05032.
- [76] A. A. Soha dan M. A. E. Hossam, “Removal of Pharmaceuticals From Aqueous Medium Using Entrapped Activated Carbon in Alginate,” *Air, Soil and Water Research*, vol. 12, 2019, doi: 10.1177/1178622119848761.

- [77] N. U. Alamin *dkk.*, “Activated Carbon-Alginate Beads Impregnated With Surfactant as Sustainable Adsorbent for Efficient Removal of Methylene Blue,” *Int. J. Biol. Macromol.*, vol. 176, hlm. 233–243, 2021, doi: 10.1016/j.ijbiomac.2021.02.017.