

DAFTAR PUSTAKA

- [1] R. Hsissou, R. Seghiri, Z. Benzekri, M. Hilali, M. Rafik, and A. Elharfi, “Polymer composite materials: A comprehensive review,” *Compos. Struct.*, vol. 262, no. January, pp. 0–3, 2021, doi: 10.1016/j.compstruct.2021.113640.
- [2] A. Alsabri, F. Tahir, and S. G. Al-Ghamdi, “Environmental impacts of polypropylene (PP) production and prospects of its recycling in the GCC region,” *Mater. Today Proc.*, vol. 56, pp. 2245–2251, 2022, doi: 10.1016/j.matpr.2021.11.574.
- [3] E. Velásquez *et al.*, “Developing Post-Consumer Recycled Flexible Polypropylene and Fumed Silica-Based Nanocomposites with Improved Processability and Thermal Stability,” *Polymers (Basel)*, vol. 15, no. 5, 2023, doi: 10.3390/polym15051142.
- [4] T. G. Yashas Gowda, M. R. Sanjay, K. Subrahmanya Bhat, P. Madhu, P. Senthamaraikannan, and B. Yogesha, “Polymer matrix-natural fiber composites: An overview,” *Cogent Eng.*, vol. 5, no. 1, pp. 1–13, 2018, doi: 10.1080/23311916.2018.1446667.
- [5] P. S. Khoo *et al.*, *Sustainable chemically treated lignocellulosic pineapple leaf fibre-reinforced polymer composites: mechanical properties, environmental aspects and applications*, vol. 32, no. 7. Springer Netherlands, 2025. doi: 10.1007/s10570-025-06519-6.
- [6] J. Jain and S. Sinha, “Pineapple Leaf Fiber Polymer Composites as a Promising Tool for Sustainable, Eco-friendly Composite Material: Review,” *J. Nat. Fibers*, vol. 19, no. 15, pp. 10031–10052, 2022, doi: 10.1080/15440478.2021.1993478.
- [7] D. M. Chaves, J. C. Araújo, C. V. Gomes, S. P. Gonçalves, R. Figueiro, and D. P. Ferreira, “Extraction, characterization and properties evaluation of pineapple leaf fibers from Azores pineapple,” *Heliyon*, vol. 10, no. 4, 2024, doi: 10.1016/j.heliyon.2024.e26698.
- [8] T. Islam *et al.*, “Advancements and challenges in natural fiber-reinforced

- hybrid composites: A comprehensive review,” *SPE Polym.*, vol. 5, no. 4, pp. 481–506, 2024, doi: 10.1002/pls2.10145.
- [9] D. Shelly, S. Y. Lee, and S. J. Park, *Hemp fiber and its bio-composites: a comprehensive review part I—characteristics and processing*, vol. 8, no. 3. Springer International Publishing, 2025. doi: 10.1007/s42114-025-01314-0.
- [10] A. N. Kasim, M. Z. Selamat, M. A. M. Daud, M. Y. Yaakob, A. Putra, and D. Sivakumar, “Mechanical properties of polypropylene composites reinforced with alkaline treated pineapple leaf fibre from josapine cultivar,” *Int. J. Automot. Mech. Eng.*, vol. 13, no. 1, pp. 3157–3167, 2016, doi: 10.15282/ijame.13.1.2016.3.0263.
- [11] H. Rahman *et al.*, “Fabrication and analysis of physico-mechanical characteristics of NaOH treated PALF reinforced LDPE composites: Effect of gamma irradiation,” *J. Mater. Res. Technol.*, vol. 11, pp. 914–928, 2021, doi: 10.1016/j.jmrt.2021.01.067.
- [12] N. L. Feng, S. D. Malingam, N. Razali, and S. Subramonian, “Alkali and Silane Treatments towards Exemplary Mechanical Properties of Kenaf and Pineapple Leaf Fibre-reinforced Composites,” *J. Bionic Eng.*, vol. 17, no. 2, pp. 380–392, 2020, doi: 10.1007/s42235-020-0031-6.
- [13] S. Gnanasekaran, N. I. A. Ahamad Nordin, M.M.M. Hamidi, and J.H. Shariffuddin, “Effect of Alkaline treatment on the characteristics of pineapple leaves fibre and PALF/PP biocomposite,” *J. Mech. Eng. Sci.*, vol. 15, no. 4, pp. 8518–8528, 2021, doi: 10.15282/jmes.15.4.2021.05.0671.
- [14] T. Jamnongkan *et al.*, “Towards a Circular Economy : Study of the Mechanical , Thermal , and Electrical Properties of Recycled Polypropylene and Their,” 2022.
- [15] H. Sharma *et al.*, “Critical review on advancements on the fiber-reinforced composites: Role of fiber/matrix modification on the performance of the fibrous composites,” *J. Mater. Res. Technol.*, vol. 26, pp. 2975–3002, 2023, doi: 10.1016/j.jmrt.2023.08.036.
- [16] H. Abdollahiparsa, A. Shahmirzaloo, P. Teuffel, and R. Blok, “A review of recent developments in structural applications of natural fiber-Reinforced composites (NFRCs),” *Compos. Adv. Mater.*, vol. 32, no. 42, pp. 1–18, 2023,

doi: 10.1177/26349833221147540.

- [17] M. T. Hossain *et al.*, “Research and application of polypropylene: a review,” *Discov. Nano*, vol. 19, no. 1, p. 2, Jan. 2024, doi: 10.1186/s11671-023-03952-z.
- [18] I. O. Oladele, T. F. Omotosho, and A. A. Adediran, “Polymer-Based Composites: An Indispensable Material for Present and Future Applications,” *Int. J. Polym. Sci.*, vol. 2020, 2020, doi: 10.1155/2020/8834518.
- [19] L. Gebrehiwet, E. Abate, Y. Negussie, T. Teklehaymanot, and E. Abeselom, “Application Of Composite Materials In Aerospace & Automotive Industry:Review,” *Int. J. Adv. Eng. Manag.*, vol. 5, no. 3, p. 697, 2023, doi: 10.35629/5252-0503697723.
- [20] J. H. Joo, S. H. Kim, Y. J. Yim, J. S. Bae, and M. K. Seo, “Interfacial Interlocking of Carbon Fiber-Reinforced Polymer Composites: A Short Review,” *Polymers (Basel)*, vol. 17, no. 3, pp. 1–24, 2025, doi: 10.3390/polym17030267.
- [21] Tanriverdiyev Yusif Alovzat, “Classification and properties of composites based on matrix material,” *World J. Adv. Res. Rev.*, vol. 24, no. 2, pp. 2278–2282, 2024, doi: 10.30574/wjarr.2024.24.2.3608.
- [22] S. Shrivastava, D. K. Rajak, T. Joshi, D. K. Singh, and D. P. Mondal, “Properties , and Applications,” pp. 652–679, 2024.
- [23] A. Mussatto, I. U. I. Ahad, R. T. Mousavian, Y. Delaure, and D. Brabazon, “Advanced production routes for metal matrix composites,” *Eng. Reports*, vol. 3, no. 5, pp. 1–25, 2021, doi: 10.1002/eng2.12330.
- [24] A. K. Sharma, R. Bhandari, C. Sharma, S. Krishna Dhakad, and C. Pinca-Bretotean, “Polymer matrix composites: A state of art review,” *Mater. Today Proc.*, vol. 57, pp. 2330–2333, 2022, doi: 10.1016/j.matpr.2021.12.592.
- [25] D. K. Rajak, D. D. Pagar, P. L. Menezes, and E. Linul, “Fiber-reinforced polymer composites: Manufacturing, properties, and applications,” *Polymers (Basel)*, vol. 11, no. 10, 2019, doi: 10.3390/polym11101667.
- [26] J. Jaafar *et al.*, “Pineapple reinforced composites,” *BioResources*, vol. 13, no. 3, pp. 6341–6355, 2018.
- [27] K. wen Ting, “Analysis of Thermal and Mechanical Properties of

- Polypropylene (PP) with Glass Fibre (GF) Composites,” *Dev. Employab. Bus.*, no. September, 2014.
- [28] U. O. Uyor, P. A. Popoola, O. M. Popoola, and V. S. Aigbodion, “A review of recent advances on the properties of polypropylene - carbon nanotubes composites,” *J. Thermoplast. Compos. Mater.*, vol. 36, no. 9, pp. 3737–3770, 2023, doi: 10.1177/08927057221077868.
- [29] H. A. Maddah, “Polypropylene as a Promising Plastic : A Review,” vol. 6, no. 1, pp. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [30] I. Baker, “Fifty materials that make the world,” *Fifty Mater. That Make World*, pp. 1–271, 2018, doi: 10.1007/978-3-319-78766-4.
- [31] J. Li, K. Yang, K. Wu, Z. Jing, and J. Y. Dong, “Eco-friendly polypropylene power cable insulation: Present status and perspective,” *IET Nanodielectrics*, vol. 6, no. 3, pp. 130–146, 2023, doi: 10.1049/nde2.12048.
- [32] B. Nabhan, T. W. Mohammed, H. H. Al Moameri, and L. Ghalib, “The Effect of Chain Tacticity on the Thermal Energy Parameters of Isotactic and Syndiotactic Polypropylene,” vol. 31, no. 2, 2024.
- [33] N. S. Yousef, “Statistical Study on Additives Used to Improve Mechanical Properties of Polypropylene,” *Polymers (Basel)*, vol. 14, no. 1, 2022, doi: 10.3390/polym14010179.
- [34] Z. O. G. Schyns and M. P. Shaver, “Mechanical Recycling of Packaging Plastics: A Review,” *Macromol. Rapid Commun.*, vol. 42, no. 3, pp. 1–27, 2021, doi: 10.1002/marc.202000415.
- [35] R. A. Del Barco Valdivia and E. K. Aigaje Espinosa, “Tensile and Impact Properties of Mechanically Recycled Polypropylene: A Structured Literature Review,” *J. Boliv. Ciencias*, vol. 21, no. 57, pp. 64–74, 2025, doi: 10.52428/20758944.v21i57.1325.
- [36] H. Jones, J. McClements, D. Ray, C. S. Hindle, M. Kalloudis, and V. Koutsos, “Thermomechanical Properties of Virgin and Recycled,” *Polymers (Basel)*, vol. 15, p. 20, 2023.
- [37] L. G. Barbosa, C. R. Dalberto, and E. L. Franceschetti, “Obtaining an Empirical Equation for Correcting the Melt Flow Index of Virgin and Recycled Polypropylene Mixtures and Analysis of Mechanical Properties of

- the Blends,” *Glob. J. Res. Eng.*, vol. 20, no. 5, pp. 27–34, 2020, doi: 10.34257/gjrejvol20is5pg27.
- [38] R. J. de O. Silva, K. Graf, and M. L. Leite Ribeiro Okimoto, “Plastic waste recycling: an overview of the mechanical, chemical, and thermal technologies,” *J. Eng. Appl. Sci.*, vol. 72, no. 1, pp. 1–29, 2025, doi: 10.1186/s44147-025-00799-2.
- [39] E. Esmizadeh, C. Tzoganakis, and T. H. Mekonnen, “Degradation Behavior of Polypropylene during Reprocessing and Its Biocomposites: Thermal and Oxidative Degradation Kinetics,” *Polymers (Basel)*., vol. 12, no. 8, p. 1627, Jul. 2020, doi: 10.3390/polym12081627.
- [40] B. von Vacano, O. Reich, G. Huber, and G. Türkoglu, “Elucidating pathways of polypropylene chain cleavage and stabilization for multiple loop mechanical recycling,” *J. Polym. Sci.*, vol. 61, no. 16, pp. 1849–1858, Aug. 2023, doi: 10.1002/pol.20230121.
- [41] D. Thapliyal, S. Verma, P. Sen, R. Kumar, and A. Thakur, “Natural Fibers Composites : Origin , Importance , Consumption,” *J. Compos. Sci.*, vol. 7, no. 506, pp. 1–44, 2023.
- [42] I. Elfaleh *et al.*, “A comprehensive review of natural fibers and their composites: An eco-friendly alternative to conventional materials,” *Results Eng.*, vol. 19, no. June, p. 101271, 2023, doi: 10.1016/j.rineng.2023.101271.
- [43] N. M. Nurazzi *et al.*, “Thermogravimetric analysis properties of cellulosic natural fiber polymer composites: A review on influence of chemical treatments,” *Polymers (Basel)*., vol. 13, no. 16, 2021, doi: 10.3390/polym13162710.
- [44] S. Palanisamy, K. Vijayananth, T. M. Murugesan, M. Palaniappan, and C. Santulli, “The prospects of natural fiber composites: A brief review,” *Int. J. Light. Mater. Manuf.*, vol. 7, no. 4, pp. 496–506, 2024, doi: 10.1016/j.ijlmm.2024.01.003.
- [45] M. Sethupathi, M. V. Khumalo, S. J. Skosana, and S. Muniyasamy, “Recent Developments of Pineapple Leaf Fiber (PALF) Utilization in the Polymer Composites—A Review,” *Separations*, vol. 11, no. 8, 2024, doi: 10.3390/separations11080245.

- [46] S. W. Gadzama, O. K. Sunmonu, U. S. Isiaku, and A. Danladi, "Effects of Surface Modifications on the Mechanical Properties of Reinforced Pineapple Leaf Fibre Polypropylene Composites," *Adv. Chem. Eng. Sci.*, vol. 10, no. 01, pp. 24–39, 2020, doi: 10.4236/aces.2020.101002.
- [47] H. C. Chittapa and P. T., "A Review of the Pineapple Leaf Fiber Variants, Structure, Physical Properties and Chemical Composition," *Int. J. Eng. Res. Technol.*, vol. 12, no. 11, 2023.
- [48] S. Liao, J. Chen, and X. Wang, "A composition-based model for rapid prediction of pineapple leaf fibers fineness and tensile strength," *Ind. Crops Prod.*, vol. 234, no. June, p. 121516, 2025, doi: 10.1016/j.indcrop.2025.121516.
- [49] E. Widodo and I. Dwiyoga, "Analisis Pengaruh Alkalisasi NaOH Terhadap Serat Daun Nanas Sebagai Penguatan Bio Komposit," *Otopro*, vol. 18, no. 1, pp. 1–6, 2022, doi: 10.26740/otopro.v18n1.p1-6.
- [50] I. D. Raj. J, A. M, P. T, and S. silvesta. J, "Experimental Investigation Of Mechanical And Water Absorption Properties Of Waste Cassette Disc Powder As A Filler In Woven Natural Fiber Composites," *Int. J. Environ. Sci.*, vol. 11, no. 14, pp. 1042–1047, 2025, doi: 10.64252/8rteen62.
- [51] Y. Kaushik, N. Sooriyaperakasam, U. Rathee, and N. Naik, "A Mini Review of Natural Cellulosic Fibers: Extraction, Treatment and Characterization Methods," *J. Comput. Mech. Manag.*, vol. 2, no. 2, pp. 1–16, 2023, doi: 10.57159/gadl.jcmm.2.2.23057.
- [52] Y. T. Dharanendra, J. Hindi, B. M. Gurumurthy, and K. Muralishwara, "Influence of alkali treatment in enhancing crystallinity and breaking force of pineapple leaf fiber," *Sci. Rep.*, vol. 15, no. 1, pp. 1–13, 2025, doi: 10.1038/s41598-025-19991-8.
- [53] N. F. Ismail, N. A. Mohd Radzuan, A. B. Sulong, N. Muhamad, and C. H. Che Haron, "The effect of alkali treatment on physical, mechanical and thermal properties of kenaf fiber and polymer epoxy composites," *Polymers (Basel)*, vol. 13, no. 12, 2021, doi: 10.3390/polym13122005.
- [54] V. Raghunathan, V. Ayyappan, J. D. J. Dhilip, D. Sundarajan, S. M. Rangappa, and S. Siengchin, "Influence of alkali-treated and raw *Zanthoxylum*

- acanthopodium fibers on the mechanical, water resistance, and morphological behavior of polymeric composites for lightweight applications,” *Biomass Convers. Biorefinery*, vol. 14, no. 19, pp. 24345–24357, 2024, doi: 10.1007/s13399-023-04240-7.
- [55] U. L. Jamilah and E. Hidayah, “Journal of Educational and Applied Science,” *J. Educ. Appl. Sci.*, vol. 2, no. 1, pp. 23–31, 2024.
- [56] C. L. Luchese, J. B. Engel, and I. C. Tessaro, “A Review on the Mercerization of Natural Fibers: Parameters and Effects,” *Korean J. Chem. Eng.*, vol. 41, no. 3, pp. 571–587, 2024, doi: 10.1007/s11814-024-00112-6.
- [57] D. Verma and K. L. Goh, “Effect of mercerization/alkali surface treatment of natural fibres and their utilization in polymer composites: Mechanical and morphological studies,” *J. Compos. Sci.*, vol. 5, no. 7, 2021, doi: 10.3390/jcs5070175.
- [58] J. J. Kenned, K. Sankaranarayananasamy, and C. S. Kumar, “Chemical, biological, and nanoclay treatments for natural plant fiber-reinforced polymer composites: A review,” *Polym. Polym. Compos.*, vol. 29, no. 7, pp. 1011–1038, 2021, doi: 10.1177/0967391120942419.
- [59] A. E. Bekele, H. G. Lemu, and M. G. Jiru, “Study of the Effects of Alkali Treatment and Fiber Orientation on Mechanical Properties of Enset/Sisal Polymer Hybrid Composite,” *J. Compos. Sci.*, vol. 7, no. 1, pp. 1–11, 2023, doi: 10.3390/jcs7010037.
- [60] A. Karimah *et al.*, “A review on natural fibers for development of eco-friendly bio-composite: characteristics, and utilizations,” *J. Mater. Res. Technol.*, vol. 13, pp. 2442–2458, 2021, doi: 10.1016/j.jmrt.2021.06.014.
- [61] M. Aravindh *et al.*, “A Review on the Effect of Various Chemical Treatments on the Mechanical Properties of Renewable Fiber-Reinforced Composites,” *Adv. Mater. Sci. Eng.*, vol. 2022, 2022, doi: 10.1155/2022/2009691.
- [62] E. W. Gaba, B. O. Asimeng, E. E. Kaufmann, S. K. Katu, E. J. Foster, and E. K. Tiburu, “Mechanical and structural characterization of pineapple leaf fiber,” *Fibers*, vol. 9, no. 8, pp. 1–11, 2021, doi: 10.3390/fib9080051.
- [63] M. Jean Rome, T. Walter, P. Johan, S. Ashutosh, R. Roger Moya, and N. Gopu Raveendran, “Effect of Pre-treatments in the Processing of Pineapple Leaf

- Fibers,” *Adv. Food Sci. Eng.*, vol. 1, no. 4, pp. 196–205, 2017, doi: 10.22606/afse.2017.14006.
- [64] N. Saba, M. Jawaid, and M. T. H. Sultan, *An overview of mechanical and physical testing of composite materials*. Elsevier Ltd, 2018. doi: 10.1016/B978-0-08-102292-4.00001-1.
- [65] A. A. Ghazal, “The Process of Maintenance and Assessment of The Universal Testing Material Machine H50KS,” *Jmsa*, vol. 4, 2020, doi: 10.17303/jmsa.2020.4.204.
- [66] I. Faridmehr, M. H. Osman, A. Bin Adnan, A. F. Nejad, and R. Hodjati, “Correlation between Engineering Stress-Strain and True Stress-Strain Curve,” vol. 2, no. 1, pp. 53–59, 2014, doi: 10.12691/ajcea-2-1-6.
- [67] S. Anand Kumar and Y. Shivraj Narayan, *Tensile testing and evaluation of 3D-printed PLA specimens as per ASTM D638 type IV standard*. Springer Singapore, 2019. doi: 10.1007/978-981-13-2718-6_9.
- [68] ASTM, “ASTM D638-14, Standard practice for preparation of metallographic specimens,” *ASTM Int.*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [69] P. P. Das and V. Chaudhary, “Mechanical Characterization Techniques for Composite Materials,” *Compos. Mater.*, pp. 155–161, 2020, doi: 10.1201/9781003080633-8.
- [70] R. Hafizhah, A. L. Juwono, and S. Roseno, “Study of Tensile Properties and Deflection Temperature of Polypropylene/Subang Pineapple Leaf Fiber Composites,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 196, no. 1, pp. 6–10, 2017, doi: 10.1088/1757-899X/196/1/012031.
- [71] A. S. Afkari, R. A. Pratama, A. L. Juwono, and S. Roseno, “Mechanical Properties of Pineapple Leaf Fiber / Epoxy Composites with 0 ° / 0 ° / 0 ° / 0 °,” vol. 23, no. 2, pp. 83–89, 2022.
- [72] P. F. Alao, H. Kallakas, T. Poltimäe, and J. Kers, “Effect of hemp fibre length on the properties of polypropylene composites,” vol. 17, no. 4, pp. 1517–1531, 2019.
- [73] H. M. Ng, N. M. Saidi, F. S. Omar, K. Ramesh, S. Ramesh, and S. Bashir, “Thermogravimetric Analysis of Polymers,” *Encycl. Polym. Sci. Technol.*, no.

- 13, pp. 1–29, 2018, doi: 10.1002/0471440264.pst667.
- [74] M. O. Adeoti, T. Jamiru, T. A. Adegbola, and L. W. Beneke, “Sustainability assessment of inter-critical heat treatment of MWCNT/SNSA-reinforced A6082 Alloy for enhanced mechanical and corrosion resistance,” *J. Energy, Mech. Mater. Manuf. Eng.*, vol. 10, no. 1, pp. 13–28, 2025, doi: 10.22219/jemmme.v10i1.40693.
- [75] N. Saadatkhan *et al.*, “Experimental methods in chemical engineering: Thermogravimetric analysis—TGA,” *Can. J. Chem. Eng.*, vol. 98, no. 1, pp. 34–43, 2020, doi: 10.1002/cjce.23673.
- [76] D. Yadav, G. P. Singh, S. Nehra, and A. Joshi, “Thermal stability of natural fiber reinforced biodegradable composites,” *J. Phys. Conf. Ser.*, vol. 2603, no. 1, 2023, doi: 10.1088/1742-6596/2603/1/012037.
- [77] M. M. Kabir, M. Y. Alhaik, S. H. Aldajah, K. T. Lau, H. Wang, and M. M. Islam, “Effect of Hemp Fibre Surface Treatment on the Fibre-Matrix Interface and the Influence of Cellulose, Hemicellulose, and Lignin Contents on Composite Strength Properties,” *Adv. Mater. Sci. Eng.*, vol. 2021, 2021, doi: 10.1155/2021/9753779.
- [78] J. Intapun, T. Rungruang, S. Suchat, B. Cherdchim, and S. Hiziroglu, “The characteristics of natural rubber composites with klason lignin as a green reinforcing filler: Thermal stability, mechanical and dynamical properties,” *Polymers (Basel)*, vol. 13, no. 7, 2021, doi: 10.3390/polym13071109.
- [79] TAPPI, “Acid-insoluble lignin in wood and pulp,” *Test*, pp. 3–7, 2002.
- [80] A. Sluiter *et al.*, “Determination of Structural Carbohydrates and Lignin in Biomass,” *Lab. Anal. Proced.*, no. April 2008, pp. 1–3, 2012.
- [81] H. Chen, *Lignocellulose biorefinery feedstock engineering*. 2015. doi: 10.1016/b978-0-08-100135-6.00003-x.
- [82] F. Raposo, R. Borja, and C. Ibelli-Bianco, “Predictive regression models for biochemical methane potential tests of biomass samples: Pitfalls and challenges of laboratory measurements,” *Renew. Sustain. Energy Rev.*, vol. 127, no. April, p. 109890, 2020, doi: 10.1016/j.rser.2020.109890.
- [83] K. L. Pickering, M. G. A. Efendy, and T. M. Le, “A review of recent developments in natural fibre composites and their mechanical performance,”

- Compos. Part A Appl. Sci. Manuf.*, vol. 83, pp. 98–112, 2016, doi: 10.1016/j.compositesa.2015.08.038.
- [84] O. Faruk, A. K. Bledzki, H. P. Fink, and M. Sain, “Biocomposites reinforced with natural fibers: 2000-2010,” *Prog. Polym. Sci.*, vol. 37, no. 11, pp. 1552–1596, 2012, doi: 10.1016/j.progpolymsci.2012.04.003.
- [85] R. Octa Perdana, Yohanes, and M. Akbar, “Desain mesin hot press untuk pembuatan papan komposit dari serat batang kelapa sawit,” *Jom FTEKNIK*, vol. 3, no. 2, p. 1, 2016.
- [86] Junaidi, “Pengembangan Alat Kempa Panas (Hot Press) Penekanan Dongkrak Hidrolik untuk Pembuatan Papan Komposit ukuran 25 cm x 25 cm,” *Jurnal Pengabdian Masyarakat Teknik*, vol. 20, no. 1, pp. 25–31, 2020.
- [87] F. E. Nakula and A. M. Sakti, “Rancang Bangun Mesin Cetak Hot Press Pneumatik,” *J. Rekayasa Mesin*, vol. 1, no. 2, pp. 6–10, 2013.
- [88] M. H. Zin, K. Abdan, N. Mazlan, E. S. Zainudin, and K. E. Liew, “The effects of alkali treatment on the mechanical and chemical properties of pineapple leaf fibres (PALF) and adhesion to epoxy resin,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 368, no. 1, 2018, doi: 10.1088/1757-899X/368/1/012035.
- [89] K. Z. M. A. Motaleb, M. S. Islam, and M. B. Hoque, “Improvement of Physicomechanical Properties of Pineapple Leaf Fiber Reinforced Composite,” *Int. J. Biomater.*, vol. 2018, 2018, doi: 10.1155/2018/7384360.
- [90] R. Siakeng *et al.*, “Alkali treated coir/pineapple leaf fibres reinforced pla hybrid composites: Evaluation of mechanical, morphological, thermal and physical properties,” *Express Polym. Lett.*, vol. 14, no. 8, pp. 717–730, 2020, doi: 10.3144/expresspolymlett.2020.59.
- [91] T. Akarapoowadol, K. L. Goh, and T. Amornsakchai, “Effect of Alkali Treatment on the Mechanical and Structural Properties of Pineapple Leaf Fiber for Epoxy Composite Reinforcement,” *ACS Omega*, 2026, doi: 10.1021/acsomega.5c07292.
- [92] S. S. Kumar *et al.*, “Investigation and machine learning-based prediction of mechanical properties in hybrid natural fiber composites,” *Sci. Rep.*, vol. 15, no. 1, pp. 1–28, 2025, doi: 10.1038/s41598-025-18944-5.
- [93] M. H. Mulla *et al.*, “Surface and Interfaces Effects of Concentrations and

- Alkaline Treatment Durations on Sugar Palm Fiber as Structural Reinforcement in Polymer Composites Surface and Interfaces Effects of Concentrations and Alkaline Treatment Durations on Sugar Palm Fiber a,” *J. Nat. Fibers*, vol. 22, no. 1, 2025, doi: 10.1080/15440478.2025.2527277.
- [94] M. Asim, M. Jawaaid, K. Abdan, and M. Nasir, “Effect of Alkali treatments on physical and Mechanical strength of Pineapple leaf fibres,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 290, no. 1, 2018, doi: 10.1088/1757-899X/290/1/012030.
- [95] M. Massaguni, Z. Djafar, R. Zulkifli, and L. H. Arma, “Enhancing mechanical strength of bamboo parring (*Gigantochloa Atter*) fiber with alkaline treatment for flame-retardant composite,” *Discov. Mater.*, vol. 5, no. 1, 2025, doi: 10.1007/s43939-025-00295-7.
- [96] C. Gómez Hoyos, V. A. Alvarez, P. G. Rojo, and A. Vázquez, “Fique fibers: Enhancement of the tensile strength of alkali treated fibers during tensile load application,” *Fibers Polym.*, vol. 13, no. 5, pp. 632–640, 2012, doi: 10.1007/s12221-012-0632-8.
- [97] C. Nwankwo, J. Mahachi, D. Olukanni, and I. Musonda, “Alkali treatment of flax fibres: effects on tensile strength, thermal performance, and moisture absorption,” *Compos. Interfaces*, vol. 32, no. 9, pp. 1329–1346, 2025, doi: 10.1080/09276440.2025.2467700.
- [98] L. de M. Neuba *et al.*, “Alkaline Treatment Investigation for Sedge Fibers (*Cyperus malaccensis*): A Promising Enhancement,” *Polymers (Basel)*, vol. 15, no. 9, 2023, doi: 10.3390/polym15092153.
- [99] P. F. Alao, L. Marrot, M. D. Burnard, G. Lavrič, M. Saarna, and J. Kers, “Impact of Alkali and silane treatment on hemp/PLA composites’ performance: From micro to macro scale,” *Polymers (Basel)*, vol. 13, no. 6, 2021, doi: 10.3390/polym13060851.
- [100] H. N. Zubairi, N. M. Salleh, and N. M. M. A. Rahman, “Effect of Alkali Treatment and Fibre Composition on the Performance of Pineapple Leaf Fibre-Polyvinyl Alcohol Composites,” *Sains Malaysiana*, vol. 52, no. 5, pp. 1435–1451, 2023, doi: 10.17576/jsm-2023-5205-09.
- [101] D. Bachtiar *et al.*, “Effect of alkaline treatment on the thermal and mechanical properties of sugar palm fibre reinforced thermoplastic polyurethane

- composites,” *Sci. Rep.*, vol. 15, no. 1, pp. 1–14, 2025, doi: 10.1038/s41598-025-99227-x.
- [102] M. Poletto, A. J. Zattera, M. M. C. Forte, and R. M. C. Santana, “Thermal decomposition of wood: Influence of wood components and cellulose crystallite size,” *Bioresour. Technol.*, vol. 109, pp. 148–153, 2012, doi: 10.1016/j.biortech.2011.11.122.
- [103] J. K. Singh and A. K. Rout, “Characterization of raw and alkali-treated cellulosic fibers extracted from *Borassus flabellifer* L.,” *Biomass Convers. Biorefinery*, vol. 14, no. 10, pp. 11633–11646, 2024, doi: 10.1007/s13399-022-03238-x.
- [104] M. Mittal and R. Chaudhary, “Effect of Alkaline Treatment on the Thermal Stability of Pineapple Leaf Fibers,” *Int. J. Adv. Prod. Ind. Eng.*, vol. 4, no. 2, pp. 1–5, 2019, doi: 10.35121/ijapie201904231.
- [105] M. Esquivel-Alfaro *et al.*, “Processing of Pineapple Leaf Fibers for the Production of Oxidized Micro-/Nanofibrillated Cellulose,” *Polymers (Basel)*, vol. 17, no. 19, pp. 1–21, 2025, doi: 10.3390/polym17192671.
- [106] J. Hindi, M. K. K. S. Bhat, G. B M, A. Ibrahim, and S. Y M, “Physical, Morphological, Tensile, and Thermal Stability Characteristics of Novel *Tinospora Cordifolia* Natural Fiber,” *J. Nat. Fibers*, vol. 22, no. 1, pp. 1–12, 2025, doi: 10.1080/15440478.2024.2437539.
- [107] Z. Dong *et al.*, “Enhancement of interface between lignocellulosic fibers and polypropylene matrix via the structure alteration of lignin at elevated temperatures,” *Materials (Basel)*, vol. 13, no. 23, pp. 1–13, 2020, doi: 10.3390/ma13235428.
- [108] B. Tsegaye, C. Balomajumder, and P. Roy, “Alkali pretreatment of wheat straw followed by microbial hydrolysis for bioethanol production,” *Environ. Technol. (United Kingdom)*, vol. 40, no. 9, pp. 1203–1211, 2019, doi: 10.1080/09593330.2017.1418911.
- [109] J. Jain, S. Sinha, and S. Jain, “Compendious Characterization of Chemically Treated Natural Fiber from Pineapple Leaves for Reinforcement in Polymer Composites,” *J. Nat. Fibers*, vol. 18, no. 6, pp. 845–856, 2021, doi: 10.1080/15440478.2019.1658256.

- [110] G. P. Bernardes, M. de Prá Andrade, and M. Poletto, “Effect of alkaline treatment on the thermal stability, degradation kinetics, and thermodynamic parameters of pineapple crown fibres,” *J. Mater. Res. Technol.*, vol. 23, pp. 64–76, 2023, doi: 10.1016/j.jmrt.2022.12.179.