

DAFTAR PUSTAKA

- [1] P. S. Dinanti, S. A. Siregar, dan F. E. Putri, “Faktor-Faktor yang Berhubungan dengan Perilaku Penggunaan Styrofoam sebagai Kemasan Makanan pada UMKM Sektor Makanan di Kota Jambi Factors Associated with the Behavior of Using Styrofoam as Food Packaging in MSMEs in the Food Sector in Jambi City,” 2024.
- [2] C. Abdaniah, E. Nursyifa, F. S. Yuniarti, dan K. Susilawati, “Penerapan Prinsip Green Chemistry dalam Penggantian Styrofoam dengan Material Ramah Lingkungan,” *Jurnal Ilmiah Multidisiplin*, vol. 3, no. 1, 2023.
- [3] Asmawanti, M. Tawil, dan R. F. Labiro, “IMPLEMENTASI KEBIJAKAN PENGURANGAN SAMPAH PLASTIK DI DINAS LINGKUNGAN HIDUP KOTA PALU,” vol. 01, 2024, doi: <https://doi.org/10.5281/jps.v1i3.1512>.
- [4] T. Humaira, B. Kurniawan, S. Hasanah, E. Christina, J. Hawckins At-Tsaqib, dan K. Kunci, “Modifikasi Struktur Polistirena Menggunakan Maleat Anhidrida sebagai Pengikat Silang dan Benzoiil Peroksida sebagai Inisiator A R T I C L E I N F O A B S T R A K,” 2022. [Daring]. Tersedia pada: <https://journal.formosapublisher.org/index.php/ajmee>
- [5] C. Hari Wibowo, M. Sudjatinah, dan A. Nani Cahyanti, “Edukasi Bahaya Penggunaan Styrofoam, Resiko Kesehatan dan Mitigasinya untuk Siswa SMK N 4 Kendal,” 2026. [Daring]. Tersedia pada: <https://journals.usm.ac.id/index.php/tematik>
- [6] T. Kurniasari, S. Sudartik, dan W. Subhan, “GAMBARAN PENGETAHUAN DAN SIKAP SISWA SMAN BALUNG TERHADAP BAHAYA STYROFOAM SEBAGAI WADAH MAKANAN,” *JURNAL KESEHATAN MASYARAKAT DAN LINGKUNGAN HIDUP*, vol. 6, no. 1, hlm. 23–27, Jul 2021, doi: 10.51544/jkmlh.v6i1.1675.
- [7] Z. Nur Chofifa, F. D. Nurlaili, J. M. Hati, K. H. Purbawati, dan H. Kusumayanti, “PENGOLAHAN LIMBAH JERAMI SEBAGAI BIOFOAM PENGANTI STYROFOAM BUAH DAN BOX KEMASAN GUNA MENGURANGI LIMBAH JERAMI DI TRENGGALEK,” 2021.

- [8] Y. Darni, A. Aryanti, H. Utami, L. Lismeri, dan M. Haviz, “Kajian Awal Pembuatan Biofoam Berbahan Baku Campuran Pati dan Batang Sorgum,” vol. 02, hlm. 013–019, 2021, doi: <https://doi.org/10.23960/jtii.v2i2.33>.
- [9] R. F. Zulfia dan R. C. Welya, “KAJIAN TEKNOLOGI PRODUKSI BIODEGRADABLE FOAM BERBASIS PATI DAN SELULOSA SEBAGAI KEMASAN RAMAH LINGKUNGAN : STUDI PUSTAKA [Study of Cellulose and Starch-Based Biodegradable Foam Production Technology as Environmentally-Friendly Packaging Materials: A Review],” *J. Sains dan Teknologi Pangan*, vol. 6, no. 3, hlm. 3947–3954, 2021.
- [10] O. N. Putra *dkk.*, “Sodium Starch Glycolate (SSG) from Sago Starch (Metroxylon sago) as a Superdisintegrant: Synthesis and Characterization,” 1 Januari 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: [10.3390/molecules29010151](https://doi.org/10.3390/molecules29010151).
- [11] A. Della Cornelia, N. Aqillafasya Ashifa, A. F. Churmelia, Z. Sandy, R. Al Fikri, dan D. O. Radianto, “KOMBINASI JERAMI DAN AMPAS TEBU SEBAGAI BIOFOAM HIGH DURABILITY DAN WATERPROOF DENGAN METODE MIXING DAN MOLDING,” 2023. doi: <https://doi.org/10.31004/koloni.v2i2.458>.
- [12] M. Putri, D. K. Putri, dan A. Putri, “Pengaruh Penambahan Gliserin dan Polivinil Alkohol Terhadap Karakteristik Biofoam dari Kulit Singkong dan Daun Angsana,” *REACTOR: Journal of Research on Chemistry and Engineering*, vol. 2, no. 1, hlm. 15, Jun 2021, doi: [10.52759/reactor.v2i1.19](https://doi.org/10.52759/reactor.v2i1.19).
- [13] Fitria Pohan, “Pemanfaatan Limbah Biji Durian (*Durio Zibethinus*) dan Tongkol Jagung (*Zea Mays L.*) pada Pembuatan Biofoam,” *Agrintech: Jurnal Teknologi Pangan dan Hasil Pertanian*, vol. 2, hlm. 55–60, Jun 2025, doi: <https://doi.org/10.30596/agrintech.v2i2.3661>.
- [14] H. Haiqal dan M. Muldarisnur, “Analisis Sifat Fisis dan Mekanik Biodegradable Foam Berbahan Dasar Selulosa Jerami Padi dan Polivinyl Alcohol,” *Jurnal Fisika Unand*, vol. 12, no. 4, hlm. 621–627, Okt 2023, doi: [10.25077/jfu.12.4.621-627.2023](https://doi.org/10.25077/jfu.12.4.621-627.2023).
- [15] C. M. Santos *dkk.*, “A bibliometric review on applications of lignocellulosic fibers in polymeric and hybrid composites: Trends and perspectives,” 15 Oktober 2024, *Elsevier Ltd.* doi: [10.1016/j.heliyon.2024.e38264](https://doi.org/10.1016/j.heliyon.2024.e38264).
- [16] Y. Darni, F. Amalia, E. Azwar, H. Utami, L. Lismeri, dan M. Haviz, “Pemanfaatan Jerami Padi sebagai Filler dalam Pembuatan Biodegradable

- Foam (Biofoam),” *Jurnal Teknologi dan Inovasi Industri*, vol. 03, no. 02, hlm. 18–026, 2022.
- [17] R. A. Hakim, Y. Darni, dan L. Lismeri, “Sintesis Produk Biofoam Berbahan Baku Pati Sorgum dan Jerami Padi sebagai Filler,” *Jurnal Teknologi dan Inovasi Industri*, vol. 05, no. 01, hlm. 18–026, 2024.
- [18] M. Rizky, R. Fitri Faradilla, J. Ilmu dan Teknologi Pangan, F. Pertanian, dan U. Halu Oleo, “ANALISIS PENGARUH PENAMBAHAN POLIETILEN GLIKOL (PEG) TERHADAP KARAKTERISTIK BIOPLASTIK BERBASIS NIRA AREN (*Arenga pinnata*),” *J. Sains dan Teknologi Pangan*, vol. 10, no. 6, hlm. 9039–9054, 2025.
- [19] R. Ningtyas dan I. H. Sunandar, “PENGEMBANGAN KEMASAN BIOFOAM PENGANTI STYROFOAM DENGAN MENGGUNAKAN BAHAN BAKU LOKAL INDONESIA: REVIEW,” 2024. Diakses: 1 Juli 2026. [Daring]. Tersedia pada: <https://prosiding.pnj.ac.id/index.php/tetamekraf/article/view/2452>
- [20] A. L. Cahyani, V. Linda, D. Guntama, M. N. Dewi, dan L. Hakim, “Effect of Chitosan Variation in Starch and Cellulose Based Biofoam,” *Advance Sustainable Science, Engineering and Technology*, vol. 5, no. 3, Agu 2023, doi: 10.26877/asset.v5i3.17126.
- [21] P. Studi Teknik Kimia UPN dkk., “SEMINAR NASIONAL TEKNIK KIMIA SOEBARDJO BROTOHARDJONO XIX Pembuatan Biodegradable Foam dari Selulosa Jerami dan Tepung Singkong dengan Proses Thermopressing Production Biodegradable Foam from Cellulose Straw and Cassava Flour with Thermopressing Process”, [Daring]. Tersedia pada: <http://snsb.upnjatim.ac.id/>
- [22] Novianty, E. Puspita, Suminah, F. S. Arsyad, dan Idha Royani, “Biodegradable Foam (Bio-foam) from Banana Weevil as an Environmentally Friendly Styrofoam Generation,” *Gravitasi*, vol. 21, no. 2, hlm. 44–48, Des 2022, doi: 10.22487/gravitasi.v21i2.15874.
- [23] N. Hendrawati, E. Novika Dewi, dan S. Santosa, “Karakterisasi Biodegradable Foam dari Pati Sagu Termodifikasi dengan Kitosan Sebagai Aditif,” vol. 2019, no. 1, hlm. 47–52, 2019, [Daring]. Tersedia pada: www.jtkl.polinema.ac.id
- [24] L. Hevira, D. Ariza, dan A. Rahmi, “PEMBUATAN BIOFOAM BERBAHAN DASAR AMPAS TEBU DAN WHEY,” *Jurnal Kimia dan Kemasan*, vol. 43, no. 2, hlm. 75, Okt 2021, doi: 10.24817/jkk.v43i2.6718.

- [25] F. Rahmadani, I. Syauqiah, dan A. Nugroho, “Oil Palm Fiber (*Elaeis guineensis*) as Filler to Improve the Mechanical Quality of Biofoam at Different Size Levels,” dalam *IOP Conference Series: Earth and Environmental Science*, Institute of Physics, 2025. doi: 10.1088/1755-1315/1513/1/012008.
- [26] I. Utami, F. Rachmawati, P. Srianah, dan N. Widji Triana, “OPTIMASI PROSES PEMBUATAN BIOFOAM DARI JERAMI DAN KULIT SINGKONG DENGAN RSM,” 2024.
- [27] R. A. Hakim, Y. Darni, dan L. Lismeri, “Sintesis Produk Biofoam Berbahan Baku Pati Sorgum dan Jerami Padi sebagai Filler,” *Jurnal Teknologi dan Inovasi Industri*, vol. 05, no. 01, hlm. 18–026, 2024.
- [28] S. Hutagalung, J. Sibarani, R. Y. Pramesti, dan T. H. R. Puspaningtya, “Modifikasi Biofoam Berbasis Pati Singkong dengan Serat Eceng Gondok dan Variasi Konsentrasi Plasticizer,” *KOVALEN: Jurnal Riset Kimia*, vol. 10, no. 2, hlm. 114–125, Agu 2024, doi: 10.22487/kovalen.2024.v10.i2.17104.
- [29] F. Ramadhani *dkk.*, “KEMAMPUAN SWELLING HIDROGEL BERBASIS PVA/ALGINAT,” 2021. doi: <https://doi.org/10.33019/snppm.v5i0.2727>.
- [30] X. Liang *dkk.*, “Polyvinyl Alcohol (PVA)-Based Hydrogels: Recent Progress in Fabrication, Properties, and Multifunctional Applications,” 1 Oktober 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/polym16192755.
- [31] S. Purnavita dan V. C. Dewi, “KAJIAN KETAHANAN BIOPLASTIK PATI JAGUNG DENGAN VARIASI BERAT DAN SUHU PELARUTAN POLIVINIL ALKOHOL,” *Journal of Chemical Engineering*, vol. 2, no. 1, 2021.
- [32] T. S. Gaaz *dkk.*, “Properties and applications of polyvinyl alcohol, halloysite nanotubes and their nanocomposites,” 19 Desember 2015, *MDPI AG*. doi: 10.3390/molecules201219884.
- [33] A. S. Elgharbawy, A. G. M. El Demerdash, W. A. Sadik, M. A. Kasaby, A. H. Lotfy, dan A. I. Osman, “Enhancing the Biodegradability, Water Solubility, and Thermal Properties of Polyvinyl Alcohol through Natural Polymer Blending: An Approach toward Sustainable Polymer Applications,” *Polymers (Basel)*, vol. 16, no. 15, Agu 2024, doi: 10.3390/polym16152141.

- [34] Y. Fitrianti, R. T. Azzahra, E. Kusumawati, dan Keryanti, “Pengaruh Penambahan Polyvinyl Alcohol (PVOH) pada Biofoam dari Tepung Biji Nangka dan Ampok Jagung dengan Metode Thermopressing,” *Jurnal Teknik Kimia USU*, vol. 12, no. 2, hlm. 100–107, Sep 2023, doi: 10.32734/jtk.v12i2.9228.
- [35] I. Utami, F. Rachmawati, P. Srianah, dan N. Widji Triana, “OPTIMASI PROSES PEMBUATAN BIOFOAM DARI JERAMI DAN KULIT SINGKONG DENGAN RSM,” 2024.
- [36] A. Rahim, C. Anggriani, dan E. Kurnia, “KARAKTERISTIK FISIKOKIMIA DAN FUNGSIONAL PATI SAGU FOSFAT PADA BERBAGAI KONSENTRASI RASIO SODIUM TRIMETAPHOSPHATE DENGAN SODIUM TRIPOLYPHOSPHATE PHYSICOCHEMICAL AND FUNCTIONAL CHARACTERISTICS OF PHOSPHORYLATED SAGO STARCH AT VARIOUS CONCENTRATIONS OF SODIUM TRIMETAPHOSPHATE WITH SODIUM TRIPOLYPHOSPHATE RATIO,” *Jurnal Pengolahan Pangan*, vol. 8, no. 2, hlm. 73–81, 2023.
- [37] D. Sari, S. Arza, F. Fiona, N. Novita, B. Dermawan, dan E. Ega, “ANALISIS KADAR AIR DAN NITRIT PADA PATI SAGU,” *Journal of Food Security and Agroindustry*, vol. 2, no. 1, hlm. 11–16, Feb 2024, doi: 10.58184/jfsa.v2i1.280.
- [38] E. Kamsiati, H. Herawati, dan E. Y. Purwani, “POTENSI PENGEMBANGAN PLASTIK BIODEGRADABLE BERBASIS PATI SAGU DAN UBIKAYU DI INDONESIA / The Development Potential of Sago and Cassava Starch-Based Biodegradable Plastic in Indonesia,” *Jurnal Penelitian dan Pengembangan Pertanian*, vol. 36, no. 2, hlm. 67, Des 2017, doi: 10.21082/jp3.v36n2.2017.p67-76.
- [39] K. Nisah, “STUDY PENGARUH KANDUNGAN AMILOSA DAN AMILOPEKTIN UMBI-UMBIAN TERHADAP KARAKTERISTIK FISIK PLASTIK BIODEGRADABLE DENGAN Plastizicer GLISEROL,” vol. 05, 2017, doi: <https://doi.org/10.22373/biotik.v5i2.3018>.
- [40] F. Zulfia Rasdiana dan C. Welya Refdi, “KAJIAN TEKNOLOGI PRODUKSI BIODEGRADABLE FOAM BERBASIS PATI DAN SELULOSA SEBAGAI KEMASAN RAMAH LINGKUNGAN : STUDI PUSTAKA [Study of Cellulose and Starch-Based Biodegradable Foam Production Technology as Environmentally-Friendly Packaging Materials: A Review],” *J. Sains dan Teknologi Pangan*, vol. 6, no. 3, hlm. 3947–3954, 2021.

- [41] R. Fitry Ramanda *dkk.*, “APLIKASI KOMPOS JERAMI PADI DI MEDIA GAMBUT UNTUK MENINGKATKAN PERTUMBUHAN BIBIT KOPI LIBERIKA APPLICATION OF RICE STRAW COMPOST IN PEAT MEDIA TO IMPROVE THE GROWTH OF LIBERIC COFFEE SEEDLINGS,” 2024.
- [42] Ilham Karim, Syamsul Bahri, dan Syahrudin, “The Contents of Cellulose, Hemicellulose, and Lignin in Rice Straw Fermented with Various Probiotics,” 2023, [Daring]. Tersedia pada: <https://ejurnal.ung.ac.id/index.php/jjas/archive>
- [43] K. M. Salleh, S. Zakaria, M. Mostapha, U. A. Amran, W. N. A. W. Nadhari, dan N. A. Ibrahim, “Cellulose solubility, solvent and their regenerated cellulose products: A review,” 1 Oktober 2021, *Penerbit Universiti Kebangsaan Malaysia*. doi: 10.17576/jsm-2021-5010-23.
- [44] N. Hartati, E. Kurniawan, M. Trisna, I. Noviarni, J. T. Kimia, dan N. Sriwijaya, “SSJ: Sains Sutha Journal Isolasi, Karakterisasi, dan Aplikasi Nanokristal Selulosa : Review Isolation, Characterisation, and Application of Cellulose Nanocrystalline : Review,” 2023. doi: <https://doi.org/10.30631/jssit.v1i2.19>.
- [45] H. Haiqal dan M. Muldarisnur, “Analisis Sifat Fisis dan Mekanik Biodegradable Foam Berbahan Dasar Selulosa Jerami Padi dan Polivinyl Alcohol,” *Jurnal Fisika Unand*, vol. 12, no. 4, hlm. 621–627, Okt 2023, doi: 10.25077/jfu.12.4.621-627.2023.
- [46] A. Setiawan, F. D. M. Anggraini, T. A. Ramadani, L. Cahyono, dan M. C. Rizal, “Pemanfaatan Jerami Padi Sebagai Bioplastik Dengan Menggunakan Metode Perlakuan Pelarut Organik,” *METANA*, vol. 17, no. 2, hlm. 69–80, Des 2021, doi: 10.14710/metana.v17i2.42254.
- [47] M. Fajri, Susilastri, dan Fakhruzy, “PERBANDINGAN KARAKTERISTIK PULP DAN PAPER DARI TIGA BAHAN ECENG GONDOK (*Eichhornia crassipes*), JERAMI PADI (*Oryza sativa*), MENSANG (*Actinocarpus grossus*),” vol. 07, 2023, Diakses: 6 April 2026. [Daring]. Tersedia pada: <https://jurnal.umsb.ac.id/index.php/STROFOR/article/view/5031>
- [48] Y. S. Cheng, Y. Zheng, C. W. Yu, T. M. Dooley, B. M. Jenkins, dan J. S. Vanderghenst, “Evaluation of high solids alkaline pretreatment of rice straw,” *Appl. Biochem. Biotechnol.*, vol. 162, no. 6, hlm. 1768–1784, Nov 2010, doi: 10.1007/s12010-010-8958-4.
- [49] D. A. Permata, A. Kasim, Alfi Asben, dan Yusniwati, “Delignification of Lignocellulosic Biomass,” *World Journal of Advanced Research and Reviews*, vol. 12, no. 2, hlm. 462–469, Nov 2021, doi: 10.30574/wjarr.2021.12.2.0618.

- [50] A. Cahya Putra *dkk.*, “SEMINAR NASIONAL TEKNIK KIMIA SOEBARDJO BROTOHARDJONO XIX Pembuatan Biodegradable Foam dari Selulosa Jerami dan Tepung Singkong dengan Proses Thermopressing Production Biodegradable Foam from Cellulose Straw and Cassava Flour with Thermopressing Process,” 2023, [Daring]. Tersedia pada: <http://snsb.upnjatim.ac.id/>
- [51] D. M. Maharani, L. Normalasari, D. Kumalasari, C. A. H. Prakoso, M. Kusumaningtyas, dan M. T. Ramadhan, “Pengaruh Pretreatment Secara Alkalisasi-Resistive Heating terhadap Kandungan Lignoselulosa Jerami Padi,” *Agritech*, vol. 37, no. 2, hlm. 132, Sep 2017, doi: 10.22146/agritech.25326.
- [52] M. Risal Siregar, Y. Hendrawan, W. Agung, N. Jurusan, K. Pertanian, dan F. T. Pertanian, “PENGARUH KONSENTRASI NaOH DAN LAMA WAKTU PEMANASAN MICROWAVE DALAM PROSES PRETREATMENT TERHADAP KADAR LIGNOSELULOSA *Chlorella vulgaris* The Effect Of NaOH Concentration And Microwave Heating Time On Pretreatment Process Toward Lignocellulose Content Of *Chlorella vulgaris*,” 2018.
- [53] N. Muspira, J. Teknik Kimia, dan P. Negeri Lhokseumawe Jl Banda Aceh-Medan km, “PEMBUATAN BIOFOAM DARI PATI SINGKONG DENGAN TAMBAHAN SERAT SELULOSA DARI JERAMI PADI SEBAGAI FILLER,” 2024.
- [54] S. S. Muobom, A.-M. Saleem Umar, Y. Soongseok, dan A.-P. Brolin, “Title: A Review on Plasticizers and Eco-Friendly Bioplasticizers: Biomass Sources and Market,” 2020. doi: <https://doi.org/10.17577/ijertv9is050788>.
- [55] F. Fahrullah *dkk.*, “The Effects of Plasticizer Types on Properties of Whey-Gelatin Films,” *Jurnal Biologi Tropis*, vol. 23, no. 3, hlm. 414–421, Jul 2023, doi: 10.29303/jbt.v23i3.5283.
- [56] L. Shi *dkk.*, “Effects of polyethylene glycol on the surface of nanoparticles for targeted drug delivery,” 28 Juni 2021, *Royal Society of Chemistry*. doi: 10.1039/d1nr02065j.
- [57] C. Bento, M. Katz, M. M. M. Santos, dan C. A. M. Afonso, “Striving for Uniformity: A Review on Advances and Challenges To Achieve Uniform Polyethylene Glycol,” 19 April 2024, *American Chemical Society*. doi: 10.1021/acs.oprd.3c00428.

- [58] A. Servesh *dkk.*, “Recent advances in polyethylene glycol as a dual-functional agent in heterocycle synthesis: Solvent and catalyst,” 1 Juni 2024, *John Wiley and Sons Ltd.* doi: 10.1002/pat.6433.
- [59] A. Servesh *dkk.*, “Recent advances in polyethylene glycol as a dual-functional agent in heterocycle synthesis: Solvent and catalyst,” 1 Juni 2024, *John Wiley and Sons Ltd.* doi: 10.1002/pat.6433.
- [60] Z. Eslami, S. Elkoun, M. Robert, dan K. Adjallé, “A Review of the Effect of Plasticizers on the Physical and Mechanical Properties of Alginate-Based Films,” 1 September 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/molecules28186637.
- [61] M. Rizky, R. Fitri Faradilla, J. Ilmu dan Teknologi Pangan, F. Pertanian, dan U. Halu Oleo, “ANALISIS PENGARUH PENAMBAHAN POLIETILEN GLIKOL (PEG) TERHADAP KARAKTERISTIK BIOPLASTIK BERBASIS NIRA AREN (*Arenga pinnata*),” *J. Sains dan Teknologi Pangan*, vol. 10, no. 6, hlm. 9039–9054, 2025.
- [62] G. Guerrero-Vacas dan Ó. Rodríguez-Alabanda, “Comparative Analysis of the Use of Polymers and Release Agents in Mold Manufacturing for Polyurethane Foam (PUR) Production,” *J. Appl. Polym. Sci.*, vol. 142, no. 7, Feb 2025, doi: 10.1002/app.56495.
- [63] M. E. Johansson dan M. Nicklasson, “Investigation of the film formation of magnesium stearate by applying a flow-through dissolution technique,” *Journal of Pharmacy and Pharmacology*, vol. 38, no. 1, hlm. 51–54, 2024, doi: 10.1111/j.2042-7158.1986.tb04466.x.
- [64] P. Zarmpi, T. Flanagan, E. Meehan, J. Mann, dan N. Fotaki, “Impact of Magnesium Stearate Presence and Variability on Drug Apparent Solubility Based on Drug Physicochemical Properties,” *AAPS Journal*, vol. 22, no. 4, Jul 2020, doi: 10.1208/s12248-020-00449-w.
- [65] M. Herzberg *dkk.*, “The structure of magnesium stearate trihydrate determined from a micrometre-sized single crystal using a microfocused synchrotron X-ray beam,” *Acta Crystallogr. B Struct. Sci. Cryst. Eng. Mater.*, vol. 79, hlm. 330–335, Jul 2023, doi: 10.1107/S2052520623005607.
- [66] S. S. Putri, B. Admadi Harsojuwono, dan A. Agung Made Dewi Anggreni, “Pengaruh Konsentrasi Polivinil Alkohol dan Magnesium Stearat terhadap Karakteristik Bahan Pengemas Biokomposit Foam Tapioka dan Glukomanan The Effect of Polyvinyl Alcohol and Magnesium Stearate Concentration on

The Characteristics of Tapioca Foam Biocomposite and Glucomananan Packaging Materials,” 2023, doi: <https://doi.org/10.24843/JITPA/2023.v08.i02.p04>.

- [67] N. Soykeabkaew, C. Thanomsilp, dan O. Suwantong, “A review: Starch-based composite foams,” 1 November 2015, *Elsevier Ltd*. doi: 10.1016/j.compositesa.2015.08.014.
- [68] Moch. A. Andi, M. Lutfi, dan A. Lastriyanto, “Perancangan, Simulasi Kinerja, dan Fabrikasi Mesin Thermopressing untuk Produksi Biofoam Berbasis Material Alami,” *Jurnal Keteknikan Pertanian Tropis dan Biosistem*, vol. 13, no. 2, hlm. 226–240, Agu 2025, doi: 10.21776/ub.jkptb.2025.013.02.10.
- [69] Y. Fitrianti, R. T. Azzahra, E. Kusumawati, dan Keryanti, “Pengaruh Penambahan Polyvinyl Alcohol (PVOH) pada Biofoam dari Tepung Biji Nangka dan Ampok Jagung dengan Metode Thermopressing,” *Jurnal Teknik Kimia USU*, vol. 12, no. 2, hlm. 100–107, Sep 2023, doi: 10.32734/jtk.v12i2.9228.
- [70] dan Haitami, H. Rahman, dan M. N. Haitami, “KARAKTERISTIK KEMASAN BIODEGRADABLE FOAM BERBASIS PATI JAGUNG DAN KULIT JAGUNG DENGAN TAMBAHAN KITOSAN MENGGUNAKAN METODE THERMOPRESSING CHARACTERISTICS OF BIODEGRADABLE FOAM BASED ON CORN STARCH AND CORN HUSK WITH CHITOSAN USING THERMOPRESSING METHOD,” vol. 35, no. 1, 2025.
- [71] I. Utami, F. Rachmawati, P. Srianah, dan N. Widji Triana, “OPTIMASI PROSES PEMBUATAN BIOFOAM DARI JERAMI DAN KULIT SINGKONG DENGAN RSM,” 2024.
- [72] F. Zulfia Rasdiana dan C. Welya Refdi, “KAJIAN TEKNOLOGI PRODUKSI BIODEGRADABLE FOAM BERBASIS PATI DAN SELULOSA SEBAGAI KEMASAN RAMAH LINGKUNGAN : STUDI PUSTAKA [Study of Cellulose and Starch-Based Biodegradable Foam Production Technology as Environmentally-Friendly Packaging Materials: A Review],” *J. Sains dan Teknologi Pangan*, vol. 6, no. 3, hlm. 3947–3954, 2021.
- [73] yauartono yauartono, H. Purnamaningsih, S. Indarjulianto, dan A. Nururrozi, “Potensi jerami sebagai pakan ternak ruminansia,” *Jurnal Ilmu-Ilmu peternakan*, vol. 27, no. 1, hlm. 40–62, Apr 2017, doi: 10.21776/ub.jiip.2017.027.01.05.

- [74] N. Hastuti, L. Efiyanti, G. Pari, S. Saepuloh, dan D. Setiawan, “KOMPONEN KIMIA DAN POTENSI PENGGUNAAN LIMA JENIS KAYU KURANG DIKENAL ASAL JAWA BARAT,” *Jurnal Penelitian Hasil Hutan*, vol. 35, no. 1, hlm. 15–27, Apr 2017, doi: 10.20886/jphh.2017.35.1.15-27.
- [75] C. Y. Febrianti dan Lindawati, “HIDROLISIS LIGNOSELULOSA DAN KARAKTERISASI LIGNIN DARI MATERIAL LIMBAH KELAPA DENGAN METODE HIDROLISIS ASAM SULFAT,” Nov 2021, doi: <https://doi.org/10.29103/jtku.v10i2.5573>.
- [76] C. M. Albert dan K. C. Liew, “A review on the role of thermogravimetric analysis in assessing thermal stability and degradation of wood,” 1 Juli 2025, *Springer Science and Business Media Deutschland GmbH*. doi: 10.1007/s00226-025-01665-3.
- [77] N. Nur Anisa, R. Dirgarini Julia Nurlianti Subagyono, dan V. Londong Allo, “ANALISIS THERMOGRAVIMETRI Spirulina Plantensis DENGAN KATALIS Ni/Al-SBA-15 RASIO Si/Al=10 MENGGUNAKAN LAJU PEMANASAN 10 °C/ MENIT,” 2024. Diakses: 14 April 2026. [Daring]. Tersedia pada: <https://jurnal.kimia.fmipa.unmul.ac.id/index.php/prosiding/article/view/1467>
- [78] N. M. Nurazzi *dkk.*, “Thermogravimetric Analysis (TGA) and Differential Scanning Calorimetry (DSC) of PLA/Cellulose Composites,” dalam *Polylactic Acid-Based Nanocellulose and Cellulose Composites*, CRC Press, 2022, hlm. 145–164. doi: 10.1201/9781003160458-7.
- [79] I. Agus Jamaludin, F. Al Afghani, A. Jamaludin, H. Dwiyantri, dan Ariyanti Saputri, dan P. Teknologi Bahan Bakar Nuklir Badan Tenaga Nuklir Nasional, “IDENTIFIKASI KERUSAKAN THERMO GRAVIMETRY ANALYSIS DI HOTCELL 108 IRM,” 2020.
- [80] Y. Li, J. Li, S. Zhou, B. Meng, dan T. Wu, “A review on thermogravimetric analysis-based analyses of the pyrolysis kinetics of oil shale and coal,” 1 Januari 2024, *John Wiley and Sons Ltd*. doi: 10.1002/ese3.1627.
- [81] N. M. Nurazzi *dkk.*, “Thermogravimetric analysis properties of cellulosic natural fiber polymer composites: A review on influence of chemical treatments,” 2 Agustus 2021, *MDPI AG*. doi: 10.3390/polym13162710.
- [82] F. Ahmad, V. P. Fahriani, F. Yuliasari, A. S. Sinaga, Z. Al-Qordhiyah, dan R. Artikel, “ALCHEMY : JOURNAL OF CHEMISTRY INFO ARTIKEL ABSTRAK,” 2025, doi: 10.18860/al.v13i1.36477.

- [83] R. Ningtyas, N. Syawalia, D. Silvia, P. Studi Teknologi Industri Cetak Kemasan, J. Teknik Grafika dan Penerbitan, dan P. Negeri Jakarta, "OPEN ACCESS Karakteristik Kemasan Biofoam Berbahan Dasar Pati Umbi Garut dan Selulosa Sekam Padi dengan Penambahan Kitosan Characteristics of Biofoam Packaging made from Garut Tumber Starch and Rice Husk Cellulose with the addition of Chitosan," vol. 25, no. 1, 2025, doi: 10.25047/jii.v25i1.5824.
- [84] I. Mufida dan O. N. Sigiro, "ANALISIS BIODEGRADASI DAN KETAHANAN AIR PADA PLASTIK BIODEGRADABLE DARI KULIT SINGKONG DENGAN VARIASI SELULOSA SERAT DAUN NANAS," *Journal of Food Security and Agroindustry*, vol. 2, no. 2, hlm. 61–68, Jun 2024, doi: 10.58184/jfsa.v2i2.357.
- [85] E. Dwicania, J. T. Lingkungan, A. Lanskap, dan T. Lingkungan, "BIODEGRADASI LIMBAH PLASTIK OLEH MIKROORGANISME," 2019. doi: <https://doi.org/10.31227/osf.io/j842v>.
- [86] N. Rezky, I. Zulmanwardi, dan S. Erna Widiyanti, "PENINGKATAN KARAKTERISTIK BIODEGRADABLE FOAM (BIOFOAM) DARI UMBI UWI (*Deoscorea Alata*) DAN SELULOSA JERAMI PADI DENGAN PENAMBAHAN KITOSAN. (Improvement Of Biodegradable Foam (Biofoam) Characteristics From Uwi Tuber (*Dioscorea Alata*) And Rice Straw Cellulose With The Addition Of Chitosan.)," *Jurnal Agritechno*, vol. 17, no. 02, 2024, [Daring]. Tersedia pada: <http://agritech.unhas.ac.id/ojs/index.php/at>
- [87] I. Silviyati, A. S. Ningsih, D. Lidya, E. Supraptiah, S. M. Niati, dan B. Satrio, "CHARACTERIZATION OF BIODEGRADABLE FOAM FROM OIL PALM EMPTY FRUIT BUNCH CELLULOSE, CASSAVA STARCH, AND POLYVINYL ALCOHOL," *AL ULUM: JURNAL SAINS DAN TEKNOLOGI*, vol. 12, no. 1, hlm. 78, Apr 2026, doi: 10.31602/jst.v12i1.22977.
- [88] B. Tsegaye, C. Balomajumder, dan P. Roy, "Alkali delignification and *Bacillus* sp. BMP01 hydrolysis of rice straw for enhancing biofuel yields," *Bull. Natl. Res. Cent.*, vol. 43, no. 1, Des 2019, doi: 10.1186/s42269-019-0175-x.
- [89] H. V. Lee, S. B. A. Hamid, dan S. K. Zain, "Conversion of lignocellulosic biomass to nanocellulose: Structure and chemical process," *Scientific World Journal*, vol. 2014, 2014, doi: 10.1155/2014/631013.
- [90] R. Thandavamoorthy, Y. Devarajan, dan S. Thanappan, "Analysis of the characterization of NaOH-treated natural cellulose fibre extracted from banyan

aerial roots,” *Sci. Rep.*, vol. 13, no. 1, Des 2023, doi: 10.1038/s41598-023-39229-9.

- [91] N. Sharma, B. J. Allardyce, R. Rajkhowa, dan R. Agrawal, “Rice straw-derived cellulose: a comparative study of various pre-treatment technologies and its conversion to nanofibres,” *Sci. Rep.*, vol. 13, no. 1, Des 2023, doi: 10.1038/s41598-023-43535-7.
- [92] N. Hendrawati, Y. I. Lestari, dan P. A. Wulansari, “Pengaruh Penambahan Kitosan dalam Pembuatan Biodegradable Foam Berbahan Baku Pati,” *Jurnal Rekayasa Kimia & Lingkungan*, vol. 12, no. 1, hlm. 1, Mei 2017, doi: 10.23955/rkl.v11i2.5002.
- [93] R. R. Pradiza, S. Junus, M. Asrofi, dan R. A. Ilyas, “Moisture Characteristics of Biocomposites from PVA/Cassava Starch Reinforced by Lemon Peel Fiber,” *Journal of Fibers and Polymer Composites*, vol. 4, no. 1, hlm. 1–10, Des 2024, doi: 10.55043/jfpc.v4i1.218.
- [94] X. Wei *dkk.*, “Intermolecular interactions between starch and polyvinyl alcohol for improving mechanical properties of starch-based straws,” *Int. J. Biol. Macromol.*, vol. 239, Jun 2023, doi: 10.1016/j.ijbiomac.2023.124211.
- [95] N. Muspira, J. Teknik Kimia, dan P. Negeri Lhokseumawe Jl Banda Aceh-Medan km, “PEMBUATAN BIOFOAM DARI PATI SINGKONG DENGAN TAMBAHAN SERAT SELULOSA DARI JERAMI PADI SEBAGAI FILLER,” 2024.
- [96] E. Kusumawati, P. Nurjanah, R. N. Sa’adah, dan R. Sudarman, “Effect of the addition of nanoscale cellulose fibres from bagasse on the characteristics of biofoam from avocado seed starch,” dalam *E3S Web of Conferences*, EDP Sciences, Jan 2024. doi: 10.1051/e3sconf/202447904007.
- [97] N. M. Nurazzi *dkk.*, “Thermogravimetric analysis properties of cellulosic natural fiber polymer composites: A review on influence of chemical treatments,” 2 Agustus 2021, *MDPI AG*. doi: 10.3390/polym13162710.
- [98] B. Pantelic *dkk.*, “Upcycling Biodegradable PVA/starch Film To A Bacterial Biopigment and Biopolymer,” *Polymers (Basel)*, vol. 13, no. 21, Nov 2021, doi: 10.3390/polym13213692.
- [99] R. Wulandari, A. Swasono, M. Zain, N. Ichsan, dan A. Rifathin, “Thermal Behavior and Kinetic of Degradation of PVA and PVA/CS/AL Blend,” 2023. [Daring]. Tersedia pada: <https://journal.unnes.ac.id/nju/index.php/sainteknol>

- [100] Z. A. Alhulaybi dan I. Dubdub, “Kinetics Study of PVA Polymer by Model-Free and Model-Fitting Methods Using TGA,” *Polymers (Basel)*., vol. 16, no. 5, Mar 2024, doi: 10.3390/polym16050629.
- [101] S. M. Daza-Orsini, C. Medina-Jaramillo, A. López-Córdoba, dan C. Co, “Physicochemical Characterization of Starch and Cellulose Nanofibers Extracted from *Colocasia esculenta* Cultivated in the Colombian Caribbean,” 2025, doi: 10.3390/polym.
- [102] I. Oliver, J. A. Conesa, dan A. Fullana, “Thermal Decomposition of Bio-Based Plastic Materials,” *Molecules*, vol. 29, no. 13, Jul 2024, doi: 10.3390/molecules29133195.
- [103] I. Kris Shandy, N. Wahyudi, K. Nur Faizin, dan P. Negeri Madiun, “Analisis Stabilitas Termal Komposit Serat Ampas Tebu Matriks Polyester Dengan Pengujian Thermogravimetric Analysis,” *JEECAE : Journal of Electrical, Electronic, Control and Automotive Engineering*, vol. 9, no. 1, hlm. 9–11, 2024, [Daring]. Tersedia pada: <http://journal.pnm.ac.id/>
- [104] K. Martínez-Villadiego, M. J. Arias-Tapia, dan A. F. Jaramillo, “Improving thermal stability of starches native cross-linked with citric acid as a compatibilizer for thermoplastic starch/polylactic acid blends,” *Polymer Bulletin*, vol. 81, no. 14, hlm. 13253–13274, Sep 2024, doi: 10.1007/s00289-024-05315-9.
- [105] Z. Kenessova, Z. Urkimbayeva, A. Toktabayeva, G. Irmukhametova, P. Urkimbayeva, dan R. Rakhmetullayeva, “Synthesis and Characterization of PVA/Modified Starch/Acrylic Acid–Based Biocomposite Films,” *Int. J. Polym. Sci.*, vol. 2025, no. 1, 2025, doi: 10.1155/ijps/8297023.
- [106] S. Jafarzadeh *dkk.*, “Valorization of waste-derived starch for the development of bioplastics for sustainable packaging applications,” *Mater. Today Chem.*, vol. 53, Apr 2026, doi: 10.1016/j.mtchem.2026.103591.
- [107] I. Annisa, S. Hidayati, O. Nawansih, T. Hasil Pertanian, F. Pertanian, dan U. Lampung, “(2024) 288 Pengaruh Konsentrasi Pati Sagu (Metroxylon sago Rottb,” vol. 3, no. 2, 2024, doi: <https://doi.org/10.23960/jab.v3i2.9507>.
- [108] A. S. Elgharbawy, A. G. M. El Demerdash, W. A. Sadik, M. A. Kasaby, A. H. Lotfy, dan A. I. Osman, “Enhancing the Biodegradability, Water Solubility, and Thermal Properties of Polyvinyl Alcohol through Natural Polymer Blending: An Approach toward Sustainable Polymer Applications,” *Polymers (Basel)*., vol. 16, no. 15, Agu 2024, doi: 10.3390/polym16152141.

- [109] A. S. Gamage, O. Merah, A. Liyana, C. Gunathilake, dan S. Mani, "Biodegradability of Starch and Starch Blends," 2022. doi: <https://doi.org/10.3390/su14106085>.
- [110] W. U. Fibarzi, R. Nurlaila, R. Ulfa, Y. D. Putri, S. L. Masri, dan V. F. Katanti, "Sintesis bioplastik dari pati sagu dengan penambahan selulosa limbah kertas dan plasticizer gliserol-sorbitol," 2026, doi: 10.22146/jrekpros.25729.