

DAFTAR PUSTAKA

- [1] M. Yücetürk dan M. Ö. Seydibeyoğlu, “Bio-based polyethylene masterbatch preparation and investigation of the effect of process conditions on pigment dispersion,” *Coloration Technology*, vol. 141, no. 3, hlm. 375–385, Jun 2025, doi: 10.1111/cote.12790.
- [2] K. Poul, M. Sobron, Y. Lubis, dan S. Ariyanti, “ANALIS NUMERIK SIFAT MEKANIK BAHAN ABS & KOMPOSIT SERAT BAMBU APLIKASI PADA KOMPONEN ADJUSTER SEAT MOBIL,” vol. XVI, no. 1, hlm. 14, 2022.
- [3] A. F. Ehsan dan Ö. Toraman, “The effect of different mineral filler mixtures on dispersion and thermal properties of polymer composites,” *Ömer Halisdemir Üniversitesi Mühendislik Bilimleri Dergisi*, no. 15, hlm. 1–11, Jan 2026, doi: 10.28948/ngumuh.1554529.
- [4] C. T. Yu *dkk.*, “Preparation of acrylonitrile-butadiene-styrene copolymer (ABS)/polylactic acid (PLA) biomass alloys with BaSO₄ and their feasible evaluation for the housing of loudspeakers,” *Mater. Lett.*, vol. 251, hlm. 52–56, Sep 2019, doi: 10.1016/j.matlet.2019.05.041.
- [5] C. Budiyanoro, H. Sosiati, A. Nugroho, dan A. Anggariawan, “Thermal Characterization of Mixed Virgin-Recycle Acrylonitrile Butadiene Styrene,” *JMPM (Jurnal Material dan Proses Manufaktur)*, vol. 3, no. 2, 2019, doi: 10.18196/jmpm.3241.
- [6] X. Chen, L. Wang, J. Shi, H. Shi, dan Y. Liu, “Surface Treatments of BaSO₄ Particles,” 2010.
- [7] Y. P. Shaik, N. K. Naidu, V. R. Yadavalli, dan M. R. Muthyala, “The Comparison of the Mechanical Characteristics of ABS Using Three Different

- Plastic Production Techniques,” *OAlib*, vol. 10, no. 05, hlm. 1–18, 2023, doi: 10.4236/oalib.1110097.
- [8] R. Setiawan Dan dan M. N. A. Widodo, “Effect of Recycled and New Mixtures of Acrylonitril Butadiene Styrene on Mechanical Properties of Product,” 2017.
- [9] O. Momen, M. Mehrabi-Mazidi, dan N. Jahangiri, “Isotactic polypropylene (PP) modified by ABS and CaCO₃ nanoparticles: effect of composition and compatibilization on the phase morphology, mechanical properties and fracture behavior,” *Polymer Bulletin*, vol. 72, no. 11, hlm. 2757–2782, Nov 2015, doi: 10.1007/s00289-015-1434-0.
- [10] A. I. Ebunu, Y. A. Olanrewaju, O. Ogolo, A. R. Adetunji, dan A. P. Onwualu, “Barite as an industrial mineral in Nigeria: occurrence, utilization, challenges and future prospects,” 1 Juni 2021, *Elsevier Ltd*. doi: 10.1016/j.heliyon.2021.e07365.
- [11] S. A. Madkour, S. Tirkes, dan U. Tayfun, “Development of barite-filled acrylonitrile butadiene styrene composites: Mechanical, thermal, melt-flow and morphological characterizations,” *Applied Surface Science Advances*, vol. 3, Mar 2021, doi: 10.1016/j.apsadv.2020.100042.
- [12] M. Savi, ; Andrade, ; Villani, ; Rodrigues, dan O. Potiens, “Development of FFF filaments for bone and teeth representation in 3D printed radiological objects,” *BRAZILIAN JOURNAL OF*, 2022.
- [13] F. I. Aryanti, “Pembuatan Komposit Polimer Polipropilena/Talk/Masterbatch Hitam Pada Cover Tail,” *Jurnal Teknologi dan Manajemen*, vol. 19, no. 1, hlm. 1–6, Apr 2021, doi: 10.52330/jtm.v19i1.8.
- [14] L. Zsíros, D. Török, dan J. G. Kovács, “The Effect of Masterbatch Recipes on the Homogenization Properties of Injection Molded Parts,” *Int. J. Polym. Sci.*, vol. 2017, 2017, doi: 10.1155/2017/5745878.

- [15] A. T. Putra, “USULAN PERBAIKAN KUALITAS MASTER BATCH WHITE MENGGUNAKAN METODE FAULT TREE ANALYSIS (FTA) DAN FAILURE MODE EFFECT ANALYSIS (FMEA) DENGAN PENDEKATAN DESIGN OF EXPERIMENT (DOE) DI PT.XYZ,” *Jurnal Ilmiah Teknik dan Manajemen Industri Jurnal Taguchi*, vol. 4, no. 2, hlm. 229–241, 2024, doi: 10.46306/tgc.v4i2.
- [16] F. I. Aryanti dan D. A. Maghfira, “Pengaruh Penambahan Filler Talc Terhadap Sifat Termal dan Massa Jenis Komposit Polipropilena/Masterbatch Black,” *Jurnal Ilmiah Teknik Kimia*, vol. 6, no. 2, hlm. 72–77, Jul 2022, doi: 10.32493/jitk.v6i2.19471.
- [17] L. Zsíros, D. Török, dan J. G. Kovács, “The Effect of Masterbatch Recipes on the Homogenization Properties of Injection Molded Parts,” *Int. J. Polym. Sci.*, vol. 2017, 2017, doi: 10.1155/2017/5745878.
- [18] M. Davidson *dkk.*, “Carbon Fiber-Reinforced Polymer Matrix Composites: Processing, Properties, and Applications,” 1 Maret 2026, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/fib14030029.
- [19] N. Syavika dan S. Aritonang, “Arus Jurnal Sosial dan Humaniora (AJSH) Analisis Termoset dan Termoplastik Komposit Polimer dan Pengaplikasian pada Kendaraan Darat Milter,” vol. 6, no. 1, 2026, [Daring]. Tersedia pada: <http://jurnal.ardenjaya.com/index.php/ajsh><http://jurnal.ardenjaya.com/index.php/ajpp>
- [20] C. Budiyanoro, H. Sosiati, A. Nugroho, dan A. Anggariawan, “Thermal Characterization of Mixed Virgin-Recycle Acrylonitrile Butadiene Styrene,” *JMPM (Jurnal Material dan Proses Manufaktur)*, vol. 3, no. 2, 2019, doi: 10.18196/jmpm.3241.
- [21] V. Guazzotti, A. Ebert, A. Gruner, dan F. Welle, “Migration from acrylonitrile butadiene styrene (ABS) polymer: swelling effect of food simulants compared

- to real foods,” *Journal für Verbraucherschutz und Lebensmittelsicherheit*, vol. 16, no. 1, hlm. 19–33, Mar 2021, doi: 10.1007/s00003-020-01308-8.
- [22] N. Hidayati, M. Mujiburohman, H. Abdillah, T. Harmoko, dan R. Arimurti, “Sintesis dan Karakteristik Membran Komposit Akrilonitril Butadiena Stirena (ABS)-Kitosan Tersulfonasi untuk Direct Metanol Fuel Cell (DMFC),” *Jurnal Matematika dan Sains*, vol. 22, no. 1, hlm. 20–23, 2017, doi: 10.5614/jms.2017.22.1.6.
- [23] M. Aldilani Ikaningsih *dkk.*, “Proses Pelapisan Krom pada Material ABS (Acrylonitrile Butadiene Styrene),” 2020.
- [24] B. Haddli Irawan *dkk.*, “PENGARUH WELD TIME TERHADAP KECACATAN PRODUK PADA PROSES PENGELASAN MATERIAL TERMOPLASTIK ABS (AKRILONITRIL BUTADIENA STIREN) MENGGUNAKAN MESIN ULTRASONIC WELDING,” 2020. [Daring]. Tersedia pada: <http://jurnal.polibatam.ac.id/index.php/JATRA>, <https://jurnal.polibatam.ac.id/index.php/JATRA>
- [25] M. A. Dundar dan G. S. Dhaliwal, “Investigation for impact behavior of acrylonitrile-butadiene-styrene amorphous thermoplastic,” *Polym. Test.*, vol. 89, Sep 2020, doi: 10.1016/j.polymertesting.2020.106624.
- [26] V. Ramasamy, P. Anand, dan G. Suresh, “Synthesis and characterization of polymer-mediated CaCO₃ nanoparticles using limestone: A novel approach,” *Advanced Powder Technology*, vol. 29, no. 3, hlm. 818–834, Mar 2018, doi: 10.1016/j.appt.2017.12.023.
- [27] C. Webb, K. Qi, L. Anguilano, dan X. Schmidt Rivera, “Mechanical and environmental evaluation of ground calcium carbonate (CaCO₃) filled polypropylene composites as a sustainable alternative to virgin polypropylene,” *Results in Materials*, vol. 22, Jun 2024, doi: 10.1016/j.rinma.2024.100562.

- [28] M. Hesabi, S. Brennan, Q. Boulard, F. Le Blanc, dan I. Major, “On the possibility of replacement of calcium carbonate by a high-performance, economically viable filler in polyethylene composites,” *Journal of Thermoplastic Composite Materials*, vol. 36, no. 2, hlm. 728–748, Feb 2023, doi: 10.1177/08927057211031956.
- [29] H. Choe, J. H. Lee, dan J. H. Kim, “Polyurethane composite foams including CaCO₃ fillers for enhanced sound absorption and compression properties,” *Compos. Sci. Technol.*, vol. 194, Jul 2020, doi: 10.1016/j.compscitech.2020.108153.
- [30] J. Luo, J. Liu, X. Guo, Y. Liu, H. Jin, dan D. Fan, “Preparation, characterisation, and application of bifunctional BaSO₄ sheets,” *Materials*, vol. 13, no. 13, hlm. 1–12, Jul 2020, doi: 10.3390/ma13132903.
- [31] N. Asriyani, “Identifikasi Gugus Fungsi Barium Sulfat Berbasis Fourier Transform Infrared (FTIR),” dalam *Energy Procedia*, Elsevier Ltd, 2025, hlm. 30–38. doi: 10.1016/j.egypro.2018.11.160.
- [32] Y. xuan Xu, J. nian Yang, S. bin Nie, Z. yu Li, Y. Liu, dan J. bo Zhu, “Investigation on the environmental-friendly poly(lactic acid) composites based on precipitated barium sulfate: Mechanical, thermal properties, and kinetic study of thermal degradation,” *J. Appl. Polym. Sci.*, vol. 136, no. 39, Okt 2019, doi: 10.1002/app.47995.
- [33] W. Gao, B. Zhou, X. Ma, Y. Liu, Z. Wang, dan Y. Zhu, “Preparation and characterization of BaSO₄/poly(ethylene terephthalate) nanocomposites,” *Colloids Surf. A Physicochem. Eng. Asp.*, vol. 385, no. 1–3, hlm. 181–187, Jul 2011, doi: 10.1016/j.colsurfa.2011.06.015.
- [34] J. Ullah dkk., “The effect of masterbatch pigments on the crystallisation, morphology, and shrinkage behaviour of Isotactic Polypropylene,” *Journal of Polymer Research*, vol. 29, no. 5, Mei 2022, doi: 10.1007/s10965-022-03028-z.

- [35] M. C. F. Karlsson, D. Corr, C. Forsgren, dan B. M. Steenari, “Recovery of titanium dioxide and other pigments from waste paint by pyrolysis,” *J. Coat. Technol. Res.*, vol. 12, no. 6, hlm. 1111–1122, Nov 2015, doi: 10.1007/s11998-015-9707-y.
- [36] M. Buccella, A. Dorigato, F. Crugnola, M. Caldara, dan L. Fambri, “Coloration properties and chemo-rheological characterization of a dioxazine pigment-based monodispersed masterbatch,” *J. Appl. Polym. Sci.*, vol. 132, no. 7, Feb 2015, doi: 10.1002/app.41452.
- [37] A. Marzec, B. Szadkowski, J. Rogowski, W. Maniukiewicz, P. Rybiński, dan M. Prochoń, “New organic/inorganic pigments based on azo dye and aluminum-magnesium hydroxycarbonates with various Mg/Al ratios,” *Materials*, vol. 12, no. 8, 2019, doi: 10.3390/ma12081349.
- [38] S. Vita *dkk.*, “Rheological, mechanical and morphological characterization of fillers in the nautical field: The role of dispersing agents on composite materials,” *Polymers (Basel)*, vol. 12, no. 6, Jun 2020, doi: 10.3390/polym12061339.
- [39] G. Cappiello, D. Rocco, C. Aversa, dan M. Barletta, “Study of compostable materials for the production of transparent food containers,” dalam *Materials Research Proceedings*, Association of American Publishers, 2023, hlm. 28–36. doi: 10.21741/9781644902714-4.
- [40] A. Ibrahim, I. Widiastuti, dan Y. Estriyanto, “Penambahan Compatibilizer pada Polymer Blend dari Limbah Masker Sekali Pakai dan Polypropylene Daur Ulang terhadap Sifat Mekanik Material,” *JST (Jurnal Sains dan Teknologi)*, vol. 13, no. 3, hlm. 415–423, Okt 2024, doi: 10.23887/jstundiksha.v13i3.84945.
- [41] S. W. Hwang *dkk.*, “Grafting of maleic anhydride on poly(L-lactic acid). Effects on physical and mechanical properties,” *Polym. Test.*, vol. 31, no. 2, hlm. 333–344, Apr 2012, doi: 10.1016/j.polymertesting.2011.12.005.

- [42] B. G. P. Van Ravensteijn *dkk.*, “Triple Function Lubricant Additives Based on Organic-Inorganic Hybrid Star Polymers: Friction Reduction, Wear Protection, and Viscosity Modification,” *ACS Appl. Mater. Interfaces*, vol. 11, no. 1, hlm. 1363–1375, Jan 2019, doi: 10.1021/acsami.8b16849.
- [43] D. Siska Anastasia, R. Desnita, J. H. Hadari Nawawi, dan K. Barat, “REVIEW : FORMULASI DAN EVALUASI SEDIAAN LIP GLOSS
REVIEW: LIP GLOSS FORMULATION AND EVALUATION,” 2023.
- [44] G. Chen, X. Chen, H. Wang, dan D. Wu, “Dispersion of Graphite Nanosheets in Polymer Resins via Masterbatch Technique,” *J. Appl. Polym. Sci.*, vol. 103, no. 6, hlm. 3470–3475, Mar 2007, doi: 10.1002/app.24431.
- [45] M. Hyvärinen, R. Jabeen, dan T. Kärki, “The modelling of extrusion processes for polymers-A review,” 1 Juni 2020, *MDPI AG*. doi: 10.3390/polym12061306.
- [46] D. Irawan dan R. M. Bisono, “RANCANG BANGUN PROTOTYPE MESIN EKSTRUSI POLIMER SINGLE SCREW,” *Seminar Nasional Multidisiplin*, 2018.
- [47] M. E. C. Nugroho dan R. Tutuka, “Pengaruh Kecepatan Screw, Feeder, dan Temperatur Pemanas terhadap Proses Ekstrusi Biji Plastik Daur Ulang Menggunakan Mesin Extruder,” *Jurnal Penelitian Inovatif*, vol. 5, no. 2, hlm. 1467–1474, Jun 2025, doi: 10.54082/jupin.1524.
- [48] F. I. Aryanti dan E. C. Pasya, “Purge material berbasis campuran recycled HDPE dan lempung kaolin untuk ekstrusi polipropilena dan masterbatch,” *Majalah Kulit, Karet, dan Plastik*, vol. 37, no. 1, hlm. 17, Jul 2021, doi: 10.20543/mkqp.v37i1.6657.
- [49] P. Zhao *dkk.*, “Intelligent Injection Molding on Sensing, Optimization, and Control,” *Advances in Polymer Technology*, vol. 2020, hlm. 1–22, Mar 2020, doi: 10.1155/2020/7023616.

- [50] H. Ha dan J. Jeong, “CNN-based defect inspection for injection molding using edge computing and industrial IoT systems,” *Applied Sciences (Switzerland)*, vol. 11, no. 14, Jul 2021, doi: 10.3390/app11146378.
- [51] J. Fajrin, M. Eniarti, dan D. Murdiman, “Prosiding SAINTEK KUAT TARIK DAN LENTUR KOMPOSIT EPOKSI/SERAT BAMBU YANG DIBUAT DENGAN METODE HOT-PRESS,” *Seminar Nasional Sains dan Teknologi (SAINTEK) Mataram*, vol. 7, 2025.
- [52] I. Tharazi, A. Bakar Sulong, F. Mohd Salleh, A. Hakim Abdullah, dan N. Farhani Ismail, “Application of Response Surface Methodology for Parameters Optimization in Hot Pressing Kenaf Reinforced Biocomposites,” *Journal of Mechanical Engineering*, vol. 17, no. 3, hlm. 131–144, 2020.
- [53] R. Budeanu, “ANNALS OF THE UNIVERSITY OF ORADEA FASCICLE OF TEXTILES, LEATHERWORK COLOUR ANALYSIS IN THE CIE LAB SPACE REGARDING THE DYEING WITH WELD AND MADDER DYES,” 2021.
- [54] K. Nur Amalia dan dan Saeful Imam, “Peningkatan Kualitas Cetak Kemasan pada Produk X dengan Pendekatan Statistical Process Control (SPC),” 2025.
- [55] N. K. Widodo dan H. Nu'man Aulia, “PENGARUH PENAMBAHAN ADITIF ANTIOKSIDAN TERHADAP KUALITAS PELET DAN FILM PLASTIK POLIPROPILENA DI PT XYZ,” 2025.
- [56] A. Dwi Supriono, D. Wicaksono, dan Sehonu, “ANALISA KEKUATAN POLYPROPYLENE DENGAN CAMPURAN HDPE DAN SERAT KARBON MENGGUNAKAN UJI IMPACT,” *Teknika STTKD: Jurnal Teknik, Elektronik, Engine*, vol. 8, no. 2, hlm. 251–256, Nov 2022, doi: 10.56521/teknika.v8i2.640.

- [57] Y. Nuhgraha, M. Khairul, A. Rosa, dan I. Agustian, “Perancangan Alat Uji Impak Digital dengan Metode Charpy Untuk Mengukur Kekuatan Material Polimer,” 2020.
- [58] S. Sumartini, N. E. Hasibuan, dan S. Gurusmatika, “Karakteristik Thermal Shortening Minyak Biji Karet, Minyak Ikan, dan Stearin Sawit Menggunakan Differential Scanning Calorimetry (DSC),” *Jurnal Agritechno*, hlm. 26–35, Apr 2021, doi: 10.20956/at.v14i1.400.
- [59] G. Afrianda dan M. Arifin, “PEMANFAATAN LIMBAH SERAT PINANG SEBAGAI BAHAN CAMPURAN FILAMENT 3D PRINTING,” Online, 2026.
- [60] N. Sa’ude, M. Ibrahim, dan M. H. I. Ibrahim, “MELT FLOW RATE (MFR) OF ABS-COPPER COMPOSITE FILAMENT BY FUSED DEPOSITION MODELING (FDM),” 2016. [Daring]. Tersedia pada: www.arpnjournals.com
- [61] Mokrzycki WS dan Tatol M, “Colour difference ΔE -A survey,” 2012.