

DAFTAR PUSTAKA

- [1] F. D. Wijayanti, D. Yayok, and S. Purnomo, "PENGOLAHAN LIMBAH CAIR BENGKEL DENGAN MENGGUNAKAN GREASE TRAP DAN FITOREMEDIASI," vol. 2, no. 1, 2021.
- [2] I. S. Moreira, I. T. Tomasi, R. A. R. Boaventura, C. M. S. Botelho, and R. M. Ferreira, "Natural Coagulants as Sustainable Alternatives for Wastewater Treatment: A Review," *Sustainability*, vol. 18, no. 14, p. 7130, Jul. 2026, doi: 10.3390/su18147130.
- [3] R. M. Kudaibergenova *et al.*, "Physicochemical Properties and Adsorption Mechanisms of Bentonite–Sawdust-Derived Carbon Composites," Jan. 01, 2026, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/w18020290.
- [4] S. Chkirida *et al.*, "Highly synergic adsorption/photocatalytic efficiency of Alginate/Bentonite impregnated TiO₂ beads for wastewater treatment," *J. Photochem. Photobiol. A Chem.*, vol. 412, May 2021, doi: 10.1016/j.jphotochem.2021.113215.
- [5] R. Brooke, J. Edberg, X. Crispin, M. Berggren, I. Engquist, and M. P. Jonsson, "Greyscale and paper electrochromic polymer displays by UV patterning," *Polymers (Basel)*, vol. 11, no. 2, Feb. 2019, doi: 10.3390/polym11020267.
- [6] B. Aritonang, A. H. Ritonga, K. Harefa, and H. H., "Reduction of BOD, COD, and TSS in Textile Wastewater Using Bentonite Activated Charcoal Adsorbent," *JURNAL FARMASIMED (JFM)*, vol. 7, no. 2, pp. 381–389, Apr. 2025, doi: 10.35451/jfm.v7i2.2699.
- [7] H. K. MNaswir and Z. Rodhiyah, "Analysis of the ability of bentonite reduce Cod and Cod prameters in rubber factory waste."
- [8] Ravi and L. M. Pandey, "Enhanced adsorption capacity of designed bentonite and alginate beads for the effective removal of methylene blue," *Appl. Clay Sci.*, vol. 169, pp. 102–111, Mar. 2019, doi: 10.1016/j.clay.2018.12.019.
- [9] E. G. Arafa, O. F. A. Gawad, Z. E. Eldin, M. M. Ibrahim, S. A. Abd-Elghafour, and A. H. M. Osman, "Sustainable sodium alginate hydrogels incorporating banana leaf activated carbon and organo-clay for enhanced dye removal," *Sci. Rep.*, vol. 15, no. 1, Dec. 2025, doi: 10.1038/s41598-025-99343-8.
- [10] M. A. Arif, I. Abdullah, and E. M. Rangkuti, "Manajemen Pengolahan Air Limbah Industri di Kawasan Industri Medan," 2021.

- [11] R. P. Dewa, B. Riset, D. Standardisasi, I. Ambon, J. Kebun, and C. Ambon, "PENANGANAN BAKU MUTU KUALITAS AIR LIMBAH PRODUKSI ATC DARI RUMPUT LAUT EUCHEUMA COTTONII WASTE WATER HANDLING STANDARD QUALITY OF ATC PRODUCTION FROM *Eucheuma cottonii* SEAWEED," 2016.
- [12] W. I. Mortada, R. A. Mohamed, A. A. A. Monem, M. M. Awad, and A. F. Hassan, "Effective and Low-Cost Adsorption Procedure for Removing Chemical Oxygen Demand from Wastewater Using Chemically Activated Carbon Derived from Rice Husk," *Separations*, vol. 10, no. 1, Jan. 2023, doi: 10.3390/separations10010043.
- [13] D. Sari, S. Arza, F. Fiona, N. Novita, E. Ega, and B. Darmawan, "ANALISIS KANDUNGAN KARBON DIOKSIDA DAN pH PADA AIR," *Journal of Food Security and Agroindustry*, vol. 2, no. 2, pp. 44–48, Jun. 2024, doi: 10.58184/jfsa.v2i2.279.
- [14] S. P. Arfitania Firly As Shifa, "ANALISIS KUALITAS AIR PARAMETER PH, TDS, DAN KEKERUHAN PADA PAMSIMAS AKIBAT AIR LIMBAH INDUSTRI PLASTIK: SEBUAH STUDI KASUS DI DUSUN SIRAH KABUPATEN BOYOLALI," 2026.
- [15] I. T. Fitri, G. Samudro, and S. Sumiyati, "STUDI PENURUNAN PARAMETER TSS DAN TURBIDITY DALAM AIR LIMBAH DOMESTIK ARTIFISIAL MENGGUNAKAN KOMBINASI VERTICAL ROUGHING FILTER DAN HORIZONTAL ROUGHING FILTER," 2019.
- [16] V. P. C. R. P. N. C. A. R. P. S. D. P. I. A. K. C. L. A. M. S. S. Z. P. E. K. La Ode Agus Salim, "Teknologi Pengolahan Air Limbah: Prinsip dan Aplikasi," 2024. [Online]. Available: <https://scitechgrup.com/>
- [17] S. Martini, D. Yuliwati, S. Martini, E. Yuliwati, and D. Kharismadewi, "PEMBUATAN TEKNOLOGI PENGOLAHAN LIMBAH CAIR INDUSTRI," 2020.
- [18] C. Y. Teh, P. M. Budiman, K. P. Y. Shak, and T. Y. Wu, "Recent Advancement of Coagulation-Flocculation and Its Application in Wastewater Treatment," Apr. 27, 2016, *American Chemical Society*. doi: 10.1021/acs.iecr.5b04703.
- [19] F. Zulfania, an Fathoni, and A. Moh Nur, "KEMAMPUAN ADSORBSI LOGAM BERAT Zn DENGAN MENGGUNAKAN ADSORBEN KULIT JAGUNG (ZEA MAYS) ADSORTABILITY OF Zn HEAVY METALS BY USING CORN SKIN ADSORBENT (ZEA MAYS)," *Jurnal Chemurgy*, vol. 6, no. 2, pp. 65–69, 2022, [Online]. Available: <http://e-journals.unmul.ac.id/index.php/TK>

- [20] D. Termodinamika, *Seri Buku Teknik Kimia UNIVERSITAS KATOLIK WIDYA MANDALA SURABAYA ADSORPSI PADA FASE CAIR*. [Online]. Available: <http://www.ukwms.ac.id/>
- [21] B. Setya Wardhana, A. Ardelia Musnamar, and D. Esti Rahayu, "PENGOLAHAN AIR LIMBAH INDUSTRI: PENDEKATAN METODE ADSORPSI DALAM PERSPEKTIF ISLAM BERKEMAJUAN".
- [22] H. Alkhalidi *et al.*, "Sustainable polymeric adsorbents for adsorption-based water remediation and pathogen deactivation: a review," 2024, *Royal Society of Chemistry*. doi: 10.1039/D4RA05269B.
- [23] I. Lestari, M. Mahraja, F. Farid, D. R. Gusti, and E. Permana, "PENYERAPAN ION Pb(II) MENGGUNAKAN ADSORBEN DARI LIMBAH PADAT LUMPUR AKTIF PENGOLAHAN AIR MINUM," *CHEMISTRY PROGRESS*, vol. 13, no. 2, Nov. 2020, doi: 10.35799/cp.13.2.2020.31391.
- [24] S. R. Adawiah, S. Sutarno, and S. Suyanta, "Studi Adsorpsi-Desorpsi Anion Fosfat Pada Bentonit Termomodifikasi CTAB," *Indo. J. Chem. Res.*, vol. 8, no. 2, pp. 125–136, Sep. 2020, doi: 10.30598/ijcr.2020.8-sra.
- [25] M. A. H. A. K. Isna Syauqiah, "ALISIS VARIASI WAKTU DAN KECEPATAN PENGADUK PADA PROSES ADSORPSI LIMBAH LOGAM BERAT DENGAN ARANG AKTIF," 2011.
- [26] S. Khaliha *et al.*, "The removal efficiency of emerging organic contaminants, heavy metals and dyes: intrinsic limits at low concentrations," *Environ. Sci. (Camb)*, vol. 9, no. 6, pp. 1558–1565, Apr. 2023, doi: 10.1039/d2ew00644h.
- [27] G. A. El Gamal and A. M. Gomaa, "Performance of maize tassel activated carbon for COD removal from industrial wastewater under optimized conditions," *Sci. Rep.*, vol. 15, no. 1, Dec. 2025, doi: 10.1038/s41598-025-24902-y.
- [28] M. Afzaal *et al.*, "Removal of oxytetracycline from pharmaceutical wastewater using kappa carrageenan hydrogel," *Sci. Rep.*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-69989-x.
- [29] C. Ruskandi, A. Siswanto, and R. Widodo, "Karakterisasi fisik dan kimiawi bentonite untuk membedakan natural sodium bentonite dengan sodium bentonite hasil aktivasi," 2020.
- [30] S. Bahri, B. Riset, D. Standardisasi, and I. Palembang, "PENGARUH ADSORBEN BENTONIT TERHADAP KUALITAS PEMUCATAN MINYAK INTI SAWIT THE EFFECT OF BENTONIT

ADSORBENT TOWARDS THE QUALITY OF BLEACHING
PROCESS OF PALM KERNEL OIL,” 2014.

- [31] S. Ismadji, D. S. Tong, F. E. Soetaredjo, A. Ayucitra, W. H. Yu, and C. H. Zhou, “Bentonite-hydrochar composite for removal of ammonium from Koi fish tank,” *Appl. Clay Sci.*, vol. 114, pp. 467–475, Sep. 2015, doi: 10.1016/j.clay.2015.06.025.
- [32] M. T. Caccamo, G. Mavilia, L. Mavilia, D. Lombardo, and S. Magazù, “Self-assembly processes in hydrated montmorillonite by FTIR investigations,” *Materials*, vol. 13, no. 5, Mar. 2020, doi: 10.3390/ma13051100.
- [33] H. K. MNaswir and Z. Rodhiyah, “Analysis of the ability of bentonite reduce Cod and Cod parameters in rubber factory waste,” 2019.
- [34] B. Aritonang, A. H. Ritonga, K. Harefa, and H. H., “Reduction of BOD, COD, and TSS in Textile Wastewater Using Bentonite Activated Charcoal Adsorbent,” *JURNAL FARMASIMED (JFM)*, vol. 7, no. 2, pp. 381–389, Apr. 2025, doi: 10.35451/jfm.v7i2.2699.
- [35] Ravi and L. M. Pandey, “Enhanced adsorption capacity of designed bentonite and alginate beads for the effective removal of methylene blue,” *Appl. Clay Sci.*, vol. 169, pp. 102–111, Mar. 2019, doi: 10.1016/j.clay.2018.12.019.
- [36] O. D. Frent *et al.*, “Sodium Alginate—Natural Microencapsulation Material of Polymeric Microparticles,” Oct. 01, 2022, *MDPI*. doi: 10.3390/ijms232012108.
- [37] A. Ajeng, A. Husni, and N. Ekantari, “Masyarakat Pengolahan Hasil Perikanan Indonesia 478 KARAKTERISTIK NATRIUM ALGINAT RUMPUT LAUT COKELAT *Sargassum fluitans* DENGAN METODE EKSTRAKSI YANG BERBEDA,” 2017.
- [38] R. S. Putriyana, I. Abdulah, I. Purwaningsih, and L. Silvia, “SINTESIS NATRIUM ALGINAT DARI *Sargassum* sp. DENGAN PROSES LEACHING,” 2019.
- [39] X. Zhang *et al.*, “Structural and Physical Properties of Alginate Pretreated by High-Pressure Homogenization,” *Polymers (Basel)*, vol. 15, no. 15, Aug. 2023, doi: 10.3390/polym15153225.
- [40] K. Oudghiri *et al.*, “Mechanistic Insights into the Selective Synthesis of 4H-Pyran Derivatives On-Water Using Naturally Occurring Alginate from *Sargassum muticum*: Experimental and DFT Study,” *Gels*, vol. 8, no. 11, Nov. 2022, doi: 10.3390/gels8110713.
- [41] E. R. Chaldun, D. G. S. Andayani, and T. Handayani, “Physicochemical properties of sodium alginate from brown algae

Sargassum aquifolium and Sargassum cinereum,” in *IOP Conference Series: Earth and Environmental Science*, Institute of Physics, 2023. doi: 10.1088/1755-1315/1201/1/012097.

- [42] E. M. Ahmed, “Hydrogel: Preparation, characterization, and applications: A review,” 2015, *Elsevier B.V.* doi: 10.1016/j.jare.2013.07.006.
- [43] M. F. Akhtar, M. Hanif, and N. M. Ranjha, “Methods of synthesis of hydrogels ... A review,” Sep. 01, 2016, *Elsevier B.V.* doi: 10.1016/j.jsps.2015.03.022.
- [44] E. Kaffash, M. Abbaspour, H. A. Garekani, Z. Jahanian, F. Saremnejad, and A. Akhgari, “The effect of thermal-treating on drug release from sustained release alginate-eudragit RS matrices,” *Adv. Pharm. Bull.*, vol. 11, no. 2, pp. 318–326, 2021, doi: 10.34172/apb.2021.027.
- [45] S. Chkirida *et al.*, “Highly synergic adsorption/photocatalytic efficiency of Alginate/Bentonite impregnated TiO₂ beads for wastewater treatment,” *J. Photochem. Photobiol. A Chem.*, vol. 412, May 2021, doi: 10.1016/j.jphotochem.2021.113215.
- [46] W. John Thomas and Barry Crittenden, “Adsorption Technology and Design,” 1998.
- [47] J. Wang and X. Guo, “Adsorption kinetic models: Physical meanings, applications, and solving methods,” May 15, 2020, *Elsevier B.V.* doi: 10.1016/j.jhazmat.2020.122156.
- [48] F. Rouquerol J & K. Sing, *Adsorption by Powders and Porous Solids Principles, Methodology and Applications*. 1999.
- [49] S. Kalam, S. A. Abu-Khamsin, M. S. Kamal, and S. Patil, “Surfactant Adsorption Isotherms: A Review,” Dec. 07, 2021, *American Chemical Society*. doi: 10.1021/acsomega.1c04661.
- [50] K. N. S. Budhiary and I. Sumantri, “Langmuir and Freundlich isotherm adsorption using activated charcoal from banana peel to reduce total suspended solid (TSS) levels in tofu industry liquid waste,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1053, no. 1, p. 012113, Feb. 2021, doi: 10.1088/1757-899x/1053/1/012113.
- [51] S. Sharma, D. P. Tiwari, and K. K. Pant, “Model-fitting approach for methylene blue dye adsorption on Camelina and Sapindus seeds-derived adsorbents,” *Adsorption Science and Technology*, vol. 34, no. 9–10, pp. 565–580, Dec. 2016, doi: 10.1177/0263617416674949.
- [52] D. Setyorini, A. Arninda, Q. Syafaatullah, and R. Panjaitan, “Penentuan Konstanta Isoterm Freundlich dan Kinetika Adsorpsi

Karbon Aktif Terhadap Asam Asetat Determination of Isotherm Freundlich Constant and Adsorption Kinetics of Activated Carbon to Acetic Acid,” 2023.

- [53] A. Dwi Saptati Nur Hidayati and B. Ismuyanto, “ADSORPSI KESADAHAN (Ca) MENGGUNAKAN ADSORBEN BERBASIS SEKAM PADI,” 2016.
- [54] M. A. Fawzy *et al.*, “Statistical optimization, kinetic, equilibrium isotherm and thermodynamic studies of copper biosorption onto Rosa damascena leaves as a low-cost biosorbent,” *Sci. Rep.*, vol. 12, no. 1, Dec. 2022, doi: 10.1038/s41598-022-12233-1.
- [55] V. O. Shikuku and T. Mishra, “Adsorption isotherm modeling for methylene blue removal onto magnetic kaolinite clay: a comparison of two-parameter isotherms,” *Appl. Water Sci.*, vol. 11, no. 6, Jun. 2021, doi: 10.1007/s13201-021-01440-2.
- [56] A. Riduan, Rainiyati, S. F. Heraningsih, and Badariah, “Minimizing river pollution by batik dye wastewater using palm oil fuel ash (POFA) as an environmentally friendly, low-cost adsorbent alternative,” *Journal of Degraded and Mining Lands Management*, vol. 10, no. 1, pp. 3981–3989, Oct. 2022, doi: 10.15243/jdmlm.2022.101.3981.
- [57] N. Ayawei, A. N. Ebelegi, and D. Wankasi, “Modelling and Interpretation of Adsorption Isotherms,” 2017, *Hindawi Limited*. doi: 10.1155/2017/3039817.
- [58] A. Perdana *et al.*, “KARAKTERISTIK ADSORBEN AMPAS TEH DALAM MENYERAP ION LOGAM TIMBAL MENGGUNAKAN MODEL ISOTERM LANGMUIR,” 2023.
- [59] N. Sariana Sarana Miri, “Volume 2. Nomor 2. Tahun 2022 JURNAL KIMIA DAN REKAYASA Review : Kajian Persamaan Isoterm Langmuir dan Freundlich pada Adsorpsi Logam Berat Fe (II) dengan Zeolit dan Karbon Aktif dari Biomassa Review : Equation Study of Langmuir and Freundlich Isotherms on Adsorption of Heavy Metal Fe (II) with Zeolite and Activated Carbon from Biomass,” 2022, [Online]. Available: <http://kireka.setiabudi.ac.id>
- [60] F. Ramadhani *et al.*, “Prosiding Seminar Nasional Kimia 2023 eISSN 2987-9922 Jurusan Kimia FMIPA UNMUL,” 2023.
- [61] D. P. C. Batista *et al.*, “Encapsulation and release of: *Beauveria bassiana* from alginate-bentonite nanocomposite,” *RSC Adv.*, vol. 7, no. 42, pp. 26468–26477, 2017, doi: 10.1039/c7ra02185b.

- [62] I. Nugroho *et al.*, “Tinjauan Kritis Kemampuan Fourier Transform Infrared Spectroscopy (FTIR) dalam Analisis dan Karakterisasi Senyawa Obat,” *Jurnal Ilmiah Wahana Pendidikan*, vol. 2024, no. 15, pp. 332–344, doi: 10.5281/zenodo.13777154.
- [63] M. T. Berhe, G. G. Berhe, M. S. Cheru, and M. G. Weldehans, “Characterization of Acid Activation of Bentonite Clay of Hadar, Afar, Ethiopia,” *Advances in Materials Science and Engineering*, vol. 2024, 2024, doi: 10.1155/2024/6413786.
- [64] M. Naswir, “Activation of Bentonite and Application for Reduction pH, Color, Organic Substance, and Iron (Fe) in the Peat Water,” *Science Journal of Chemistry*, vol. 1, no. 5, p. 74, 2013, doi: 10.11648/j.sjc.20130105.14.
- [65] F. W. M. dan T. S. Muhammad Septian Nugraha, “View of Pemanfaatan Bentonit Teraktivasi HCl sebagai Adsorben Ion Logam Cd(II),” *Indonesian Journal of Chemical Science*, 2017.
- [66] J. Zhou and Q. Sun, “Sodium Alginate/Modified Bentonite Composite Bead Adsorptive Removal of Norfloxacin: Static and Dynamic Adsorption,” *Polymers (Basel)*, vol. 14, no. 19, Oct. 2022, doi: 10.3390/polym14193984.
- [67] N. Babahoum and M. Ould Hamou, “Characterization and purification of Algerian natural bentonite for pharmaceutical and cosmetic applications,” *BMC Chem.*, vol. 15, no. 1, Dec. 2021, doi: 10.1186/s13065-021-00776-9.
- [68] R. S. Hebbar, A. M. Isloor, B. Prabhu, Inamuddin, A. M. Asiri, and A. F. Ismail, “Removal of metal ions and humic acids through polyetherimide membrane with grafted bentonite clay,” *Sci. Rep.*, vol. 8, no. 1, Dec. 2018, doi: 10.1038/s41598-018-22837-1.
- [69] M. Andrunik and T. Bajda, “Modification of bentonite with cationic and nonionic surfactants: Structural and textural features,” *Materials*, vol. 12, no. 22, Nov. 2019, doi: 10.3390/ma12223772.
- [70] H. Fawaid, “EFFECTIVENESS OF ACTIVATED BENTONITE ADSORPTION AND DESORPTION USING NaOH IN IODINE PURIFICATION,” 2014.
- [71] A. Maged, S. Kharbish, I. S. Ismael, and A. Bhatnagar, “Characterization of activated bentonite clay mineral and the mechanisms underlying its sorption for ciprofloxacin from aqueous solution,” *Environmental Science and Pollution Research*, vol. 27, no. 26, pp. 32980–32997, Sep. 2020, doi: 10.1007/s11356-020-09267-1.

- [72] Q. Xiao, X. Gu, and S. Tan, "Drying process of sodium alginate films studied by two-dimensional correlation ATR-FTIR spectroscopy," *Food Chem.*, vol. 164, pp. 179–184, Dec. 2014, doi: 10.1016/j.foodchem.2014.05.044.
- [73] H. A. Smith, J. Zhou, and H. L. Buckley, "Greener citrate-assisted extraction of sodium alginate: Process optimization and mechanical performance of alginate-based films," *Green Chemistry*, 2026, doi: 10.1039/d5gc05514h.
- [74] K. Al-Essa, "Activation of Jordanian Bentonite by Hydrochloric Acid and Its Potential for Olive Mill Wastewater Enhanced Treatment," *J. Chem.*, vol. 2018, 2018, doi: 10.1155/2018/8385692.
- [75] L. Rožić, T. Novaković, and S. Petrović, "Modeling and optimization process parameters of acid activation of bentonite by response surface methodology," *Appl. Clay Sci.*, vol. 48, no. 1–2, pp. 154–158, Mar. 2010, doi: 10.1016/j.clay.2009.11.043.
- [76] A. Olad, M. Pourkhiyabi, H. Gharekhani, and F. Doustdar, "Semi-IPN superabsorbent nanocomposite based on sodium alginate and montmorillonite: Reaction parameters and swelling characteristics," *Carbohydr. Polym.*, vol. 190, pp. 295–306, Jun. 2018, doi: 10.1016/j.carbpol.2018.02.088.
- [77] L. Wang, H. Hemmatpour, P. Rudolf, D. Gerlach, G. J. W. Euverink, and F. Picchioni, "Swollen hydrogels with strong mechanical characteristics: A superior adsorbent for the sustainable removal of diclofenac sodium," *J. Colloid Interface Sci.*, vol. 686, pp. 754–763, May 2025, doi: 10.1016/j.jcis.2025.02.004.
- [78] M. Kessler, T. Yuan, J. M. Kolinski, and E. Amstad, "Influence of the Degree of Swelling on the Stiffness and Toughness of Microgel-Reinforced Hydrogels," *Macromol. Rapid Commun.*, vol. 44, no. 16, Aug. 2023, doi: 10.1002/marc.202200864.
- [79] E. Baigorria, L. A. Cano, L. M. Sanchez, V. A. Alvarez, and R. P. Ollier, "Bentonite-composite polyvinyl alcohol/alginate hydrogel beads: Preparation, characterization and their use as arsenic removal devices," *Environ. Nanotechnol. Monit. Manag.*, vol. 14, Dec. 2020, doi: 10.1016/j.enmm.2020.100364.
- [80] W. S. Tan and A. S. Y. Ting, "Alginate-immobilized bentonite clay: Adsorption efficacy and reusability for Cu(II) removal from aqueous solution," *Bioresour. Technol.*, vol. 160, pp. 115–118, 2014, doi: 10.1016/j.biortech.2013.12.056.

- [81] J. Wang and X. Guo, "Adsorption kinetic models: Physical meanings, applications, and solving methods," May 15, 2020, *Elsevier B.V.* doi: 10.1016/j.jhazmat.2020.122156.
- [82] S. F. A. Shattar, N. A. Zakaria, and K. Y. Foo, "One step acid activation of bentonite derived adsorbent for the effective remediation of the new generation of industrial pesticides," *Sci. Rep.*, vol. 10, no. 1, Dec. 2020, doi: 10.1038/s41598-020-76723-w.
- [83] C. Bennacef, S. Desobry, J. Jasniowski, S. Leclerc, L. Probst, and S. Desobry-Banon, "Influence of Alginate Properties and Calcium Chloride Concentration on Alginate Bead Reticulation and Size: A Phenomenological Approach," *Polymers (Basel)*., vol. 15, no. 20, Oct. 2023, doi: 10.3390/polym15204163.
- [84] W. S. Tan and A. S. Y. Ting, "Alginate-immobilized bentonite clay: Adsorption efficacy and reusability for Cu(II) removal from aqueous solution," *Bioresour. Technol.*, vol. 160, pp. 115–118, 2014, doi: 10.1016/j.biortech.2013.12.056.
- [85] A. Borgiallo and R. Rojas, "Reactivity and heavy metal removal capacity of calcium alginate beads loaded with Ca–Al layered double hydroxides," *ChemEngineering*, vol. 3, no. 1, pp. 1–13, Mar. 2019, doi: 10.3390/chemengineering3010022.
- [86] D. Jafari, M. Esfandyari, and M. Mojahed, "Optimization of removal of toluene from industrial wastewater using RSM Box–Behnken experimental design," *Sustainable Environment Research*, vol. 33, no. 1, Dec. 2023, doi: 10.1186/s42834-023-00189-4.
- [87] N. Ayawei, A. N. Ebelegi, and D. Wankasi, "Modelling and Interpretation of Adsorption Isotherms," 2017, *Hindawi Limited*. doi: 10.1155/2017/3039817.
- [88] R. Rodríguez-Dorado, C. López-Iglesias, C. A. García-González, G. Auriemma, R. P. Aquino, and P. Del Gaudio, "Design of aerogels, cryogels and xerogels of alginate: Effect of molecular weight, gelation conditions and drying method on particles' micromeritics," *Molecules*, vol. 24, no. 6, Mar. 2019, doi: 10.3390/molecules24061049.
- [89] N. A. Habibi, S. Fathia, and C. T. Utami, "Perubahan Karakteristik Bahan Pangan pada Keripik Buah dengan Metode Freeze Drying (Review)," 2019.
- [90] M. K. R. Noor *et al.*, "Optimization parameter design of SEPIC-Cuk converter," *International Journal of Integrated Engineering*, vol. 11, no. 1, pp. 27–32, 2019, doi: 10.30880/ijie.2019.11.01.004.

- [91] J. Sains *et al.*, “PENGOLAHAN AIR PAYAU DENGAN FILTER ZEOLIT DAN BENTONIT,” 2019.
- [92] D. Stoyan and R. Cepuritis, “Estimation of the specific surface area of particle samples,” *Metrika*, 2026, doi: 10.1007/s00184-026-01021-w.
- [93] B. Aritonang, A. H. Ritonga, K. Harefa, Dicky Yuswardi Wiratma, and H. Herlina, “The Effect of a Combination of Activated Carbon and Bentonite on Reducing COD, BOD, and TSS Levels in Tofu Industry Wastewater,” *JURNAL FARMASIMED (JFM)*, vol. 8, no. 1, pp. 405–412, Nov. 2025, doi: 10.35451/cbxjb379.
- [94] L. Rožić, T. Novaković, and S. Petrović, “Modeling and optimization process parameters of acid activation of bentonite by response surface methodology,” *Appl. Clay Sci.*, vol. 48, no. 1–2, pp. 154–158, Mar. 2010, doi: 10.1016/j.clay.2009.11.043.
- [95] N. Salahudeen and A. Alhassan, “Adsorption of Crystal Violet on Rice Husk Activated Carbon,” *Journal of Engineering Sciences*, vol. 9, no. 1, pp. F11–F15, 2022, doi: 10.21272/jes.2022.9(1).f2.
- [96] Y. Zoungranan, K. N. L. Bérenger, D. D. Yannick, K. K. Dobi-Brice, S. S. Fébé, and E. Lynda, “Eco-energy Adsorbent Based on Agricultural Residues of Cotton Capsules for the Removal of Synthetic Dyes,” *Oriental Journal Of Chemistry*, vol. 41, no. 2, pp. 628--640, Apr. 2025, doi: 10.13005/ojc/410232.