

DAFTAR PUSTAKA

- [1] C. D. Alfarisi, Y. Fitri, and D. K. Nisa, "Pengaruh Penambahan Tepung Biji Durian Pada Pembuatan Bioplastik," vol. 9455, pp. 44–55, 2021, doi: 10.33474/e-jbst.v7i1.385.
- [2] L. Rosmainar, D. N. Tukan, and M. Deviyanti, "Perbandingan Plastik Dari Material," vol. 03, no. 01, pp. 19–28, 2021.
- [3] A. Fauzan and E. Supriyo, "Pembuatan Plastik Biodegradable Pati Jagung Terplastisasi Sorbitol dengan Pengisi Selulosa dari Ampas Tebu," vol. 6, no. 1, pp. 45–49, 2022.
- [4] A. Susanti *et al.*, "Pembuatan dan Karakterisasi Biodegradable Plastic Berbasis Campuran Pati dan Selulosa dari Limbah Jagung," vol. 18, no. 2, pp. 49–55, 2021.
- [5] I. Sulastri, Suryati, Azhari, Sulhatun, and S. Bahri, "Pembuatan Bioplastik Dari Tepung Pati Ubi Jalar (*Ipomoea batatas*) Dengan Pengaruh Penambahan Ampas Tebu (*Saccharum officinarum*) dan Gliserol," vol. 4, no. Agustus, pp. 481–494, 2023.
- [6] I. Illing and S. MB, "Uji ketahanan air bioplastik dari limbah ampas sagu dengan penambahan variasi konsentrasi gelatin," vol. 3, no. 1, pp. 182–189, 2017.
- [7] N. Mittal, T. Jang, S.-W. Hwang, and M. Niederberger, "PVA–FeCl₃ composites as substrate and packaging materials for the controlled degradation of non-degradable metals in transient electronics," pp. 12999–13006, 2023, doi: 10.1039/d2ta09507f.
- [8] B. A. Widyaningrum *et al.*, "Karakterisasi Sifat Mekanik Bioplastik Pati Singkong/PVA Dengan Penambahan Pulp Tandan Kosong Kelapa Sawit Dan Asam Sitrat Teraktivasi," vol. 42, no. 2, pp. 46–56, 2020.
- [9] Z. Peng and L. Xue, "A Thermal Degradation Mechanism of Polyvinyl Alcohol / Silica Nanocomposites," vol. 92, 2007, doi: 10.1016/j.polymdegradstab.2007.02.012.
- [10] B. Shrestha, K. Chapain, S. Shah, and R. Pandit, "Starch / Polyvinyl Alcohol (PVA) Blend Bioplastics : Synthesis and Physicochemical Properties," vol.

- 44, no. 1, pp. 103–109, 2023.
- [11] M. Afif, N. Wijayati, and S. Mursiti, “Pembuatan dan Karakterisasi Bioplastik dari Pati Biji Alpukat-Kitosan dengan Plasticizer Sorbitol,” vol. 7, no. 2, 2018.
 - [12] M. Madani, “Advancements in Supported Liquid-Phase Catalyst Systems for Sustainable Industrial Hydroformylation,” 2024.
 - [13] K. Sri, N. L. Yulianti, and Y. Setiyo, “Karakteristik Fisik Kemasan Bioplastik dari Pati Singkong dan Karagenan dengan Variasi Durasi Gelatinisasi dan Jenis Plasticizer,” vol. 11, pp. 287–296, 2023.
 - [14] A. Asngad, E. Marudin, and D. Cahyo, “Kualitas Bioplastik Dari Umbi Singkong Karet Dengan Penambahan Kombinasi Plasticizer Gliserol Dengan Sorbitol Dan Kitosan,” vol. 6, no. Maret, 2020, doi: 10.23917/bioeksperimen.v6i1.2795.
 - [15] N. Sari, M. Mairisya, R. Kurniasari, and S. Purnavita, “Bioplastik Berbasis Galaktomanan Hasil Ekstraksi Ampas Kelapa Dengan Campuran Polyvinyl Alkohol,” vol. 15, no. 2, pp. 71–78, 2019.
 - [16] T. Gozali, W. P. Wijaya, and M. I. Rengganis, “Pengaruh Konsentrasi CMC Dan Konsentrasi Gliserol Terhadap Karakteristik Edible Packaging Kopi Instan Dari Pati Kacang Hijau (*Vigna radiata* L.),” vol. 7, no. 1, pp. 1–9, 2020.
 - [17] B. Santoso, *Edible Film : Teknologi Dan Aplikasinya*.
 - [18] J. Rohmad, “Pengaruh Penambahan Kalsium Karbonat Terhadap Sifat Mekanik Bioplastik Pati Ubi Kayu Dengan Pemlastis Gliserol,” 2018.
 - [19] M. Amanda, M. Wardati, and L. Nurdini, “Pengaruh Suhu dan Waktu Pengeringan pada Bioplastik dari Pati Jagung terhadap Waktu Biodegradasi,” vol. 20, no. 1, pp. 76–81, 2023.
 - [20] S. Sutanti, M. A. Pratiwi, L. H. Rahayu, and H. G. Ramadhan, “Karakterisasi Bioplastik Berbahan Kombinasi Pati Jagung dan Tepung Jagung dengan Perekat Poli Vinil Alkohol (PVA) dan Pemlastis Gliserol,” vol. 6, no. 2, pp. 89–96, 2022, doi: 10.32493/jitk.v6i2.20912.
 - [21] P. Gupta, S. Raghunath, and D. Prasanna, “An Update on Overview of Cellulose, Its Structure and Applications,” 2019.

- [22] H. Sulityo and Ismiyati, “Pengaruh Formulasi Pati Singkong–Selulosa Terhadap Sifat Mekanik Dan Hidrofobisitas Pada Pembuatan Bioplastik,” 2012.
- [23] G. Kovtun, D. Casas, and T. Cuberes, “Influence of Glycerol on the Surface Morphology and Crystallinity of Polyvinyl Alcohol Films,” 2024.
- [24] S. Sari, “Pembuatan dan karakterisasi Edibel Film Pati Jagung Sebagai Pembungkus Cabe,” 2020.
- [25] W. A. Larasati, Y. Rahmawati, F. Taufany, A. Altway, and S. Nurkhamidah, “Pengaruh Gliserol sebagai Plasticizer terhadap Karakterisasi Edible Film dari Kappa Karaginan,” vol. 21, no. 3, pp. 173–180, 2024.
- [26] M. F. Akbar and A. Amri, “Pembuatan Bioplastik Berbasis Pati Ubi Jalar dan Polyvinyl Alcohol (PVA) Menggunakan Graphene Sebagai Filler dan Gliserol Sebagai Plasticizer,” vol. 6, pp. 1–10, 2019.
- [27] B. Putra, F. Saputra, D. Ayu, and A. Andoko, “Peningkatan Sifat Fisik Bioplastik Pati Kulit Kentang Dengan Variasi PVA Untuk Aplikasi Kemasan Sayur,” pp. 65–71, 2025.
- [28] D. N. Wening and R. Amalia, “Optimasi Kondisi Operasi Pembuatan Plastik Biodegradable Dari Selulosa Tongkol Jagung Dan Pati Kulit Singkong Dengan Penambahan PVA Dan TiO₂ Sebagai Smart Packaging,” vol. 17, pp. 139–147, 2023, doi: 10.22146/jrekpros.77598.
- [29] M. Hijriawati and E. Febrina, “Review : Edible Film Antimikroba,” vol. 14, pp. 8–16, 2016.
- [30] M. Zaman *et al.*, “Fabrication of Polyvinyl Alcohol Based Fast Dissolving Oral Strips of Sumatriptan Succinate and Metoclopramide HCL,” vol. 103, no. 4, pp. 1–21, 2020, doi: 10.1177/0036850420964302.
- [31] B. Gerbie, “Water Absorption Reduction of Biodegradable Plastic Made From Sugar Cane Molasses by the Synergistic Effect Of Sisal Fiber Reinforcement And Succinic Acid Crosslinking,” 2024.
- [32] Rahmatullah, R. Putri, E. Nurisman, Yandriyani, A. Al Hadi, and M. Raihan, “Pembuatan Biodegradasi Bioplastic Dari Campuran Pati Dan Serat Kapuk Dengan Variasi Kitosan Dan Gliserol,” vol. 8, no. 1, pp. 60–76, 2024.
- [33] L. Behera, M. Mohanta, and A. Thirugnanam, “Environmental Technology

- & Innovation Intensification of yam-starch based biodegradable bioplastic film with bentonite for food packaging application,” *Environ. Technol. Innov.*, vol. 25, no. 206, p. 102180, 2022, doi: 10.1016/j.eti.2021.102180.
- [34] A. Ridlo, S. Sedjati, E. Supriyantini, and O. K. Putri, “Karakteristik Bioplastik Komposit CMC- Gliserol-Alginat dari Sargassum Sp. Dengan Kalsium Klorida,” vol. 25, no. 2, pp. 257–265, 2022.
- [35] Y. Yang and H. Jia, “Thermocouple-integrated resonant microcantilever for on-chip thermogravimetric (TGA) and differential thermal analysis (DTA) dual characterization applications,” *Microsystems Nanoeng.*, 2025, doi: 10.1038/s41378-024-00828-9.
- [36] E. ASTM, “Test Method for Compositional Analysis by Thermogravimetry. ASTM International,” pp. 8–13, 2008, doi: 10.1520/E1131-08.2.
- [37] O. Fischer, R. Lemaire, and A. Bensakhria, “Thermogravimetric analysis and kinetic modeling of the pyrolysis of different biomass types by means of model - fitting , model - free and network modeling approaches,” *J. Therm. Anal. Calorim.*, vol. 149, no. 19, pp. 10941–10963, 2024, doi: 10.1007/s10973-023-12868-w.
- [38] H. J. Rao, A. Melnikov, and C. Spitas, “Isolation and alkali treatment of novel natural fiber from Chinese burr stalk for sustainable polymer composites and versatile applications,” pp. 1–25, 2025.
- [39] M. Paluch, J. Ostrowska, P. Tyński, W. Sadurski, and M. Konkol, “Structural and Thermal Properties of Starch Plasticized with Glycerol / Urea Mixture,” *J. Polym. Environ.*, vol. 30, no. 2, pp. 728–740, 2022, doi: 10.1007/s10924-021-02235-x.
- [40] M. Christwardana, Ismojo, and S. Marsudi, “Physical, Thermal Stability, and Mechanical Characteristics of New Bioplastic from Blends Cassava and Tannia Starches as Green Material,” vol. 16, no. 1, pp. 46–56, 2021.
- [41] S. X. Tan *et al.*, “Characterization and Parametric Study on Mechanical Properties Enhancement in Biodegradable Chitosan-Reinforced Starch-Based Bioplastic Film,” pp. 1–21, 2022.
- [42] M. T. Al fath, M. Lubis, G. Ekawati, and N. Fadilah, “Pengaruh Selulosa Nanokristal dari Serat Buah Kelapa Sawit sebagai Pengisi dan Kalium

- Klorida sebagai Agen Pendispersi Terhadap Sifat Fisik Bioplastik Berbasis Pati Biji Alpukat (*Persea americana*),” vol. 11, no. 2, 2022.
- [43] E. Sirbu *et al.*, “Influence of Plasticizers Concentration on Thermal , Mechanical , and Physicochemical Properties on Starch Films,” 2024.
- [44] A. S. Elgharbawy, A. M. El Demerdash, W. A. Sadik, M. A. Kasaby, A. H. Lotfy, and A. I. Osman, “Enhancing the Biodegradability , Water Solubility , and Thermal Properties of Polyvinyl Alcohol through Natural Polymer Blending : An Approach toward Sustainable Polymer Applications,” 2024.
- [45] R. Yahia *et al.*, “Biodegradable, UV absorber and thermal stable bioplastic films from waxy corn starch/polyvinyl alcohol blends,” *Biomass Convers. Biorefinery*, vol. 14, no. 22, pp. 27989–28006, 2024, doi: 10.1007/s13399-022-03683-8.
- [46] I. Mufida and O. N. Sigiyo, “ANALISIS BIODEGRADASI DAN KETAHANAN AIR PADA PLASTIK BIODEGRADABLE DARI KULIT SINGKONG DENGAN VARIASI SELULOSA,” vol. 2, no. 2, pp. 61–68, 2024.
- [47] R. Sundari, “Pengaruh Penambahan Plasticizer Polyvinyl Alcohol (PVA) Terhadap Karakteristik Bioplastik Pati-Kitosan,” p. 2014, 2014.
- [48] E. Nurhayati and N. Widiarti, “SINTESIS PLASTIK BIODEGRADABLE AMILUM BIJI DURIAN DENGAN GLISEROL SEBAGAI PENAMBAH ELASTISITAS (PLASTICIZER),” pp. 57–64, 2013.
- [49] S. Purnavita and V. C. Dewi, “Kajian Ketahanan Bioplastik Pati Jagung Dengan Variasi Berat Dan Suhu Pelarutan Polivinil Alkohol,” vol. 2, pp. 14–22, 2021.
- [50] I. Purba, “Pengaruh Penambahan Polyvinyl Alcohol (PVA) Terhadap Karakteristik Biodegradable Foam Dari Serat Sabut Buah Pinang Dan Tapioka,” p. 37, 2026.
- [51] L. Wei, S. Ma, M. Hao, L. Ma, and X. Lin, “Modifying Anti-Compression Property and Water-Soluble Ability of Polyglycolic Acid via Melt Blending with Polyvinyl Alcohol,” 2022.
- [52] G. Kovtun, “Impact of Glycerol and Heating Rate on the Thermal Decomposition of PVA Films,” pp. 1–24, 2025.

- [53] A. I. Osman, M. Farghali, I. Ihara, A. M. Elgarahy, A. Ayyad, and N. Mehta, *Materials, Fuels, Upgrading, Economy, And Life Cycle Assessment Of The Pyrolysis Of Algal And Lignocellulosic Biomass : A Review*, vol. 21, no. 3. Springer International Publishing, 2023. doi: 10.1007/s10311-023-01573-7.