

DAFTAR PUSTAKA

- [1] I. Mujiarto, “SIFAT DAN KARAKTERISTIK MATERIAL PLASTIK DAN BAHAN ADITIF Iman Mujiarto *) Abstrak,” vol. 3, no. 2, 2005.
- [2] R. Bin Zakaria, N. Hafizah, B. Mohd, S. Nizam, B. Ab, and J. K. Mekanikal, “Pet Filament Machine,” vol. 10, no. 4, pp. 27–36, 2025.
- [3] A. Maurya, A. Bhattacharya, and S. K. Khare, “Enzymatic Remediation of Polyethylene Terephthalate (PET)– Based Polymers for Effective Management of Plastic Wastes : An Overview,” vol. 8, no. November, pp. 1–13, 2020, doi: 10.3389/fbioe.2020.602325.
- [4] F. Vilaplana, S. Karlsson, and A. Ribes-greus, “Thermal analysis as a quality tool for assessing the influence of thermo-mechanical degradation on recycled poly (ethylene terephthalate),” vol. 28, pp. 169–175, 2009, doi: 10.1016/j.polymertesting.2008.11.010.
- [5] J. Datta, P. Kosiorek, and M. Włoch, “Effect of high loading of titanium dioxide particles on the morphology , mechanical and thermo - mechanical properties of the natural rubber - based composites,” *Iran. Polym. J.*, vol. 25, no. 12, pp. 1021–1035, 2016, doi: 10.1007/s13726-016-0488-7.
- [6] K. Grgurević, M. M. Nikolić, D. Kučić Grgić, and V. O. Bulatović, “Thermal, Mechanical, and Barrier Properties of PHBV Nanocomposites via TiO₂ Incorporation for Sustainable Food Packaging,” *Polymers (Basel)*, vol. 18, no. 1, 2026, doi: 10.3390/polym18010011.
- [7] C. Li, H. Liao, H. Gao, S. Duan, and F. Cheng, “Unveiling the dual role and regulatory mechanism of stearic acid in enhancing interface compatibility in high-filled coal gangue-polyethylene composites,” *Surfaces and Interfaces*, vol. 48, no. January, p. 104336, 2024, doi: 10.1016/j.surfin.2024.104336.
- [8] I. Santosa, “Mewujudkan desa inovasi teknologi melalui penggunaan komposit (resin dan serbuk limbah bawang) di desa bangsri dan desa pesantunan kabupaten brebes,” vol. 2, no. 1, pp. 59–72, 2021.
- [9] J. Pre-proofs and M. K. Egbo, “A fundamental review on composite materials and some of their applications in biomedical engineering,” *J.*

- King Saud Univ. - Eng. Sci.*, 2020, doi: 10.1016/j.jksues.2020.07.007.
- [10] R. Hanifi, G. B. Dewangga, E. Widiyanto, T. Mesin, F. Teknik, and U. S. Karawang, "ANALISIS MATERIAL KOMPOSIT BERBASIS SERAT PELEPAH KELAPA," vol. 2, no. 2, pp. 15–23, 2019.
- [11] D. Budi Ariani, K. Sayyidatun Nisa, F. Ika Aryanti, and G. Sabrina Hanifati, "Jurnal Rekayasa Kimia & Lingkungan Properties of Recycled Polyethylene Terephthalate," vol. 20, no. 1, pp. 219–230, 2025.
- [12] U. Habib *et al.*, "Mechanical, Thermal, and Flammability Properties of Eco-Friendly Nanocomposites from Recycled PET/PA-11 Blends Reinforced with Graphene Nanoplatelets," *Polymers (Basel)*., vol. 17, no. 8, 2025, doi: 10.3390/polym17081038.
- [13] R. J. Mizban and W. H. Jassim, "The Effect of Nano Sized TiO₂ Particles on Improving the Stress Resistance and Thermal Stability of Unsaturated Polyester," no. 13, pp. 114–124, 2025.
- [14] S. Thipperudrappa, A. U. Kini, and A. Hiremath, "An experimental study to evaluate the effect of TiO₂ nanoparticles on the strength and stability of unidirectional glass fiber reinforced epoxy composites," *Mater. Res. Express*, vol. 6, no. 11, 2019, doi: 10.1088/2053-1591/ab5031.
- [15] F. Z. Benabid, D. E. Grairi, and F. Zouai, "effect of stearic acid-treated titanium Dioxide on its Dispersion in Recycled Polypropylene for the Production of Recycled Polypropylene/titanium Dioxide composites," *South African J. Chem.*, vol. 78, no. 1, pp. 276–282, 2024, doi: 10.17159/0379-4350/2024/v78a35.
- [16] M. Iturrondobeitia, L. Alonso, and E. Lizundia, "Resources , Conservation & Recycling Prospective life cycle assessment of poly (ethylene terephthalate) upcycling via chemoselective depolymerization," *Resour. Conserv. Recycl.*, vol. 198, no. November 2022, p. 107182, 2023, doi: 10.1016/j.resconrec.2023.107182.
- [17] V. Dhaka *et al.*, "Occurrence, toxicity and remediation of polyethylene terephthalate plastics. A review," *Environ. Chem. Lett.*, vol. 20, no. 3, pp. 1777–1800, 2022, doi: 10.1007/s10311-021-01384-8.
- [18] M. L. Di Lorenzo, "polymers Crystallization of of," *Polymers (Basel)*., vol.

- 16, no. 1975, pp. 1–28, 2024.
- [19] J. Li, J. Chen, Y. Zhang, L. Wang, P. Gao, and J. Yang, “Bridging Green Chemistry and Circular Economy: A Pathway to Sustainable Polyester Plastics Through Feedstock, Synthesis, and Waste Upcycling,” *Adv. Sci.*, vol. 13, no. 11, 2026, doi: 10.1002/advs.202521680.
- [20] O. Albatayneh and M. N. Akhtar, “Evaluating Recycled PET as an Alternative Material for the Construction Sector Towards Sustainability,” vol. 10, no. 04, pp. 1336–1353, 2024.
- [21] A. M. Al-sabagh, F. Z. Yehia, G. Eshaq, A. M. Rabie, and A. E. Elmetwally, “Greener routes for recycling of polyethylene terephthalate,” *Egypt. J. Pet.*, vol. 25, no. 1, pp. 53–64, 2016, doi: 10.1016/j.ejpe.2015.03.001.
- [22] T. M. Joseph *et al.*, “Case Studies in Chemical and Environmental Engineering,” no. xxxx, 2024.
- [23] A. K. Singh, R. Bedi, and B. S. Kaith, “Composite materials based on recycled polyethylene terephthalate and their properties – A comprehensive review,” 2021. doi: 10.1016/j.compositesb.2021.108928.
- [24] P. Benyathiar, P. Kumar, G. Carpenter, J. Brace, and D. K. Mishra, “Polyethylene Terephthalate (PET) Bottle-to-Bottle Recycling for the Beverage Industry: A Review,” *Polymers (Basel)*, vol. 14, no. 12, 2022, doi: 10.3390/polym14122366.
- [25] I. Oktama, “ANALISA PELEBURAN PLASTIK JENIS POLYETHYLENE TERPHTALATE (PET) MENJADI BIJI PLASTIK MELALUI PENGUJIAN ALAT PELEBUR PLASTIK,” vol. 05, no. 1, pp. 0–4, 2016.
- [26] PubChem, “Titanium dioxide,” 1992. doi: 10.1016/S0306-3747(05)80006-5.
- [27] L. Stephen, “Titanium Dioxide Versatile Solid Crystalline : An Overview,” pp. 1–16, 2020.
- [28] M. A. Al-shafei, A. K. Al-asseel, A. M. Adab, H. A. Al-jama, and A. A. Al-tuwailib, “Deactivation Mechanism of Titania Catalyst,” vol. 5, no. 4, pp. 22–33, 2016, doi: 10.5539/jmsr.v5n4p22.

- [29] S. Bagheri, N. M. Julkapli, S. Bee, and A. Hamid, "Titanium Dioxide as a Catalyst Support in Heterogeneous Catalysis," vol. 2014, 2014, doi: 10.1155/2014/727496.
- [30] F. B. Emre, "Investigation of Physicochemical Properties and Specific Heat Capacity of TiO₂ Doped-Polydimethylsiloxane Composites," *Nanofabrication*, vol. 7, pp. 1–10, 2022, doi: 10.37819/nanofab.007.224.
- [31] A. Fujishima, X. Zhang, and D. A. Tryk, "Surface Science Reports TiO₂ photocatalysis and related surface phenomena," vol. 63, no. 2008, pp. 515–582, 2020, doi: 10.1016/j.surfrep.2008.10.001.
- [32] M. Sheikh, S. Makkad, S. Shende, and M. Deshmukh, "Antimicrobial Efficacy of Metal-Doped Titanium Dioxide Nanoparticles : A Comprehensive Review," vol. 14, no. 4, pp. 1042–1051, 2024, doi: 10.5530/ijpi.14.4.114.
- [33] C. Cazan, A. Enesca, and L. Andronic, "Synergic effect of tio₂ filler on the mechanical properties of polymer nanocomposites," *Polymers (Basel)*, vol. 13, no. 12, pp. 1–24, 2021, doi: 10.3390/polym13122017.
- [34] J. Sudeepan, K. Kumar, and T. Kumar, "Mechanical and Tribological Behavior of ABS / TiO₂ Polymer Composites and Optimization of Tribological Properties Using Grey Relational Analysis," *J. Inst. Eng. Ser. C*, 2015, doi: 10.1007/s40032-015-0192-y.
- [35] A. Patti, H. Lecocq, A. Serghei, D. Acierno, and P. Cassagnau, "Journal of Industrial and Engineering Chemistry The universal usefulness of stearic acid as surface modifier : applications to the polymer formulations and composite processing," *J. Ind. Eng. Chem.*, vol. 96, pp. 1–33, 2021, doi: 10.1016/j.jiec.2021.01.024.
- [36] K. S. Nisa, F. I. Aryanti, and A. Wedian, "Pengaruh Penambahan Bio-filler Serbuk Pelepah Pisang pada Sifat Termal, Reologi, dan Mekanik Komposit Termoplastik Berbasis Polipropilena," *J. Tek. Kim. USU*, vol. 14, no. 2, pp. 38–46, 2025, doi: 10.32734/jtk.v14i2.20963.
- [37] Sugiarto, T. C. Sunarti, A. Suryani, Sutrisno, and I. Yuliasih, "Aplikasi asam stearat sebagai," *J. Teknol. Ind. Pertan.*, vol. 26, no. 1, pp. 1–8, 2016.
- [38] A. Deghiche *et al.*, "Journal of Environmental Chemical Engineering Effect

- of the stearic acid-modified TiO₂ on PLA nanocomposites : Morphological and thermal properties at the microscopic scale,” *J. Environ. Chem. Eng.*, vol. 9, no. 6, p. 106541, 2021, doi: 10.1016/j.jece.2021.106541.
- [39] M. Younesi and M. E. Bahrololoom, “Effect of temperature and pressure of hot pressing on the mechanical properties of PP – HA bio-composites,” *Mater. Des.*, vol. 30, no. 9, pp. 3482–3488, 2009, doi: 10.1016/j.matdes.2009.03.011.
- [40] O. F. Olusunmade, S. J. Antony, E. Danso-Boateng, V. Sarhosis, and O. C. Ogunnigbo, “Development and optimisation of sustainable recycled PET–sand composites for construction applications,” *Innov. Infrastruct. Solut.*, vol. 11, no. 5, 2026, doi: 10.1007/s41062-026-02609-x.
- [41] R. D. Salindeho, J. Soukota, R. Poeng, J. Teknik, M. Universitas, and S. Ratulangi, “Pemodelan pengujian tarik untuk menganalisis sifat mekanik material,” pp. 1–11, 2013.
- [42] Z. I. Khan, U. Habib, Z. B. Mohamad, and A. M. Raji, “Enhanced mechanical properties of a novel compatibilized recycled polyethylene terephthalate/polyamide 11 (rPET/PA11) blends,” *Express Polym. Lett.*, vol. 15, no. 12, pp. 1206–1215, 2021, doi: 10.3144/expresspolymlett.2021.96.
- [43] Asroni and S. Dei Handono, “KAJI EKSPERIMEN VARIASI JENIS SERAT BATANG PISANG,” vol. 7, no. 2, pp. 214–222, 2018.
- [44] ASTM D638-14, “ASTM D638-14.pdf,” 2014.
- [45] E. Maulan and A. Asrori, “Pengaruh Fraksi Volume Polyurethane terhadap Uji Tarik dan Lentur Komposit Pegas Daun,” vol. 4, no. November 2025, 2026.
- [46] H. N. Beliu, Y. M. Pellle, and J. U. Jarson, “Analisa kekuatan tarik dan bending pada komposit widuri - polyester,” *J. Tek. Mesin UNDANA - Lontar*, vol. 03, no. 02, pp. 11–20, 2016.
- [47] M. Souisa, “No Title,” vol. 5, no. 2, pp. 9–14, 2011.
- [48] E. Tamjid, P. Najafi, M. A. Khalili, N. Shokouhnejad, and M. Karimi, *Discover Nano Review of sustainable , eco - friendly , and conductive polymer nanocomposites for electronic and thermal applications : current*

status and future prospects. Springer US, 2024. doi: 10.1186/s11671-024-03965-2.

- [49] A. Seyedzadeh *et al.*, “Activating Carbon Fibers and Date Pits for Use in Liver Toxin Adsorption Activating Carbon Fibers and Date Pits for Use in Liver Toxin Adsorption,” 2017, doi: 10.5772/intechopen.71891.
- [50] Astm E1131 – 08, “Standard Test Method for Compositional Analysis by Thermogravimetry 1,” *ASTM Int.*, vol. 08, no. Reapproved 2014, p. 6, 2015, doi: 10.1520/E1131-08R14.2.
- [51] M. Brown, “1-Introduction to Thermal Analysis Techniques and Applications.pdf,” 2001.
- [52] S. Vyazovkin, A. K. Burnham, J. M. Criado, L. A. Pérez-maqueda, C. Popescu, and N. Sbirrazzuoli, “Thermochimica Acta ICTAC Kinetics Committee recommendations for performing kinetic computations on thermal analysis data,” *Thermochim. Acta*, vol. 520, no. 1–2, pp. 1–19, 2011, doi: 10.1016/j.tca.2011.03.034.
- [53] M. Sahu and A. Satapathy, “Materials Today : Proceedings Processing and characterization of TiO₂ filled polymer composites,” *Mater. Today Proc.*, vol. 44, pp. 4945–4951, 2021, doi: 10.1016/j.matpr.2020.12.502.
- [54] K. P. Rajan, M. Rafic, and S. P. Thomas, “Thermal degradation kinetic studies of polypropylene (PP)/titanium dioxide (TiO₂) composites,” *ChemPhysMater*, vol. 5, no. 1, pp. 118–132, 2025, doi: 10.1016/j.chphma.2025.09.003.
- [55] A. Deghiche *et al.*, “Effect of the stearic acid-modified TiO₂ on PLA nanocomposites: Morphological and thermal properties at the microscopic scale,” *J. Environ. Chem. Eng.*, vol. 9, no. 6, p. 106541, 2021, doi: 10.1016/j.jece.2021.106541.