

DAFTAR PUSTAKA

- [1] R. Melentiev, A. Yudhanto, R. Tao, T. Vuchkov, dan G. Lubineau, “Metallization of polymers and composites: State-of-the-art approaches,” 1 September 2022, *Elsevier Ltd.* doi: 10.1016/j.matdes.2022.110958.
- [2] J. G. Tejani, “Thermoplastic Elastomers: Emerging Trends and Applications in Rubber Manufacturing,” canonsburg, 2017. [Daring]. Tersedia pada: <http://i-proclaim.my/archive/index.php/gdeb/article/view/435>
- [3] C. F. Lee, C. W. Chen, S. P. Rwei, dan F. S. Chuang, “Thermal behavior and morphology of thermoplastic polyurethane derived from different chain extenders of 1,3-and 1,4-butanediol,” *Applied Sciences (Switzerland)*, vol. 11, no. 2, hlm. 1–18, Jan 2021, doi: 10.3390/app11020698.
- [4] Y. H. Que *dkk.*, “The crystallisation, microphase separation and mechanical properties of the mixture of ether-based tpu with different ester-based tpus,” *Polymers (Basel)*., vol. 13, no. 20, Okt 2021, doi: 10.3390/polym13203475.
- [5] ASTM International, “ASTM D2240-15: Standard Test Method for Rubber Property—Durometer Hardness,” ASTM International, West Conshohocken, PA, Agu 2015. doi: 10.1520/D2240-15.
- [6] M. A. Moreno-Mateos dan P. Steinmann, “Cutting soft materials: how material differences shape the response,” *NPJ Comput. Mater.*, vol. 12, no. 1, Des 2026, doi: 10.1038/s41524-025-01869-y.
- [7] E. H. Backes *dkk.*, “Thermoplastic polyurethanes: synthesis, fabrication techniques, blends, composites, and applications,” 1 Januari 2024, *Springer*. doi: 10.1007/s10853-023-09077-z.
- [8] L. Yang, Z. Ou, dan G. Jiang, “Research Progress of Elastomer Materials and Application of Elastomers in Drilling Fluid,” 1 Februari 2023, *MDPI*. doi: 10.3390/polym15040918.
- [9] F. Mengeloğlu dan V. Çavuş, “Preparation of thermoplastic polyurethane-based biocomposites through injection molding: Effect of the filler type and content,” 2020. Diakses: 18 April 2026. [Daring]. Tersedia pada: <https://bioresources.cnr.ncsu.edu/resources/preparation-of-thermoplastic->

polyurethane-based-biocomposites-through-injection-molding-effect-of-the-filler-type-and-content/

- [10] H. Liu *dkk.*, “Preparation and Characterization of Polycarbonate-Based Blend System with Favorable Mechanical Properties and 3D Printing Performance,” *Polymers (Basel)*., vol. 15, no. 20, Okt 2023, doi: 10.3390/polym15204066.
- [11] Y. F. Minale *dkk.*, “Mechanical Properties of PVC/TPU Blends Enhanced with a Sustainable Bio-Plasticizer,” *Sustainability (Switzerland)*, vol. 17, no. 5, Mar 2025, doi: 10.3390/su17052033.
- [12] J. Smorawska, M. Włoch, dan E. Głowińska, “Structure–Property Relationship and Multiple Processing Studies of Novel Bio-Based Thermoplastic Polyurethane Elastomers,” *Materials*, vol. 16, no. 18, Sep 2023, doi: 10.3390/ma16186246.
- [13] P. Prathumrat, M. Nikzad, F. T. Jahromi, E. Hajizadeh, dan I. Sbarski, “Three-Dimensional Printing of Shape Memory Liquid Crystalline Thermoplastic Elastomeric Composites Using Fused Filament Fabrication,” *Polymers (Basel)*., vol. 15, no. 19, Okt 2023, doi: 10.3390/polym15193961.
- [14] J. Huang, X. Lu, G. Zhang, dan J. Qu, “Study on the rheological, thermal and mechanical properties of thermoplastic polyurethane/poly (butylene terephthalate) blends,” *Polym. Test.*, vol. 36, hlm. 69–74, 2014, doi: 10.1016/j.polymertesting.2014.03.006.
- [15] M. N. Hamidi, J. Abdullah, A. S. Mahmud, M. H. Hassan, dan A. Y. Zainoddin, “Influence of thermoplastic polyurethane (TPU) and printing parameters on the thermal and mechanical performance of polylactic acid (PLA) / thermoplastic polyurethane (TPU) polymer,” *Polym. Test.*, vol. 143, Feb 2025, doi: 10.1016/j.polymertesting.2025.108697.
- [16] D. S. Handayani, E. Pramono, dan B. I. Suwaji, “Sintesis Kopolimer (Anetol-Stearil Akrilat-Divinilbenzena) sebagai Material Alternatif Adsorben,” *ALCHEMY Jurnal Penelitian Kimia*, vol. 20, no. 1, hlm. 82, Mar 2024, doi: 10.20961/alchemy.20.1.77588.82-97.

- [17] R. I. Manullang, “PENYELIDIKAN KEAUSAN RODA GIGI LURUS BAHAN POLIMER PADA SISTEM TRANSMISI,” FAKULTAS TEKNIK UNIVERSITAS MEDAN AREA, Medan, 2024.
- [18] A. Ameilia *dkk.*, “Identifikasi Polimer Tekstil,” *Teknologi Rekayasa Proses*, vol. 1, no. 1, Jun 2021.
- [19] E. Cahya *dkk.*, *KIMIA FISIKA POLIMER*, 1 ed. Tangah Padang Sumatera Barat: GET PRESS INDONESIA, 2025. [Daring]. Tersedia pada: www.getpress.co.id
- [20] E. Rannaste, “USAGE OF RICE HUSK AS FILLER MATERIAL IN PHBV BASED BIOPOLYMER,” University of Applied Sciences, Oulu, 2015.
- [21] A. Rahayu, Sukarjati, P. S. W. Kusuma, dan N. Ambarwati, *SistemPengantaran Obat*, 1 ed. Yogyakarta: Gerbang Media Aksara, 2022.
- [22] M. L. Chaudhary dan R. K. Gupta, “Polyurethanes: An Introduction,” dalam *ACS Symposium Series*, vol. 1507, American Chemical Society, 2025, hlm. 1–14. doi: 10.1021/bk-2025-1507.ch001.
- [23] B. Almamari, “The Future of Small-to-Medium-Scale Production of Ceramics: The Use of Thermoplastic Polyurethane 3D Printing to Produce Molds in Educational Institutions,” *The Barcelona Conference on Arts, Media & Culture 2022 Official Conference Proceedings*, 2022, [Daring]. Tersedia pada: www.iafor.org
- [24] M. Takano, K. Takamatsu, dan H. Saito, “High-Strength Heat-Elongated Thermoplastic Polyurethane Elastomer Consisting of a Stacked Domain Structure,” *Polymers (Basel)*, vol. 14, no. 7, Apr 2022, doi: 10.3390/polym14071470.
- [25] M. Fuensanta dan J. M. Martín-Martínez, “Structural and viscoelastic properties of thermoplastic polyurethanes containing mixed soft segments with potential application as pressure sensitive adhesives,” *Polymers (Basel)*, vol. 13, no. 18, Sep 2021, doi: 10.3390/polym13183097.
- [26] G. Scetta, N. Selles, P. Heuillet, M. Ciccotti, dan C. Creton, “Cyclic fatigue failure of TPU using a crack propagation approach,” *Polym. Test.*, vol. 97, Mei 2021, doi: 10.1016/j.polymertesting.2021.107140.

- [27] Y. S. Jhao, H. Ouyang, C. C. Huang, F. Yang, dan S. Lee, “A Mechanical Model for Stress Relaxation of Polylactic Acid/Thermoplastic Polyurethane Blends,” *Journal of Composites Science*, vol. 8, no. 5, Mei 2024, doi: 10.3390/jcs8050169.
- [28] T. Allami, A. Alamiery, M. H. Nassir, dan A. H. Kadhum, “Investigating Physio-Thermo-Mechanical Properties of Polyurethane and Thermoplastics Nanocomposite in Various Applications,” Jul 2021, doi: 10.3390/polym.
- [29] M. Amirkhosravi, L. Yue, T. Ju, dan I. Manas-Zloczower, “Designing thermal annealing to control mechanical performance of thermoplastic polyurethane elastomers,” *Polymer (Guildf)*, vol. 214, Feb 2021, doi: 10.1016/j.polymer.2020.123254.
- [30] Covestro, “Utechllan U.95AU10.” Chang Hua, 25 September 2015. Diakses: 4 Agustus 2026. [Daring]. Tersedia pada: <http://www.tpu.covestro.com/>
- [31] BASF, “General Productinformation Elastollan® SP 9561 Elastollan® BMB SP 9561 ® = registered trademark of BASF Polyurethanes GmbH.” 6 Agustus 2025. [Daring]. Tersedia pada: www.elastollan.com
- [32] I. Khan, M. Mansha, dan M. A. Jafar Mazumder, “Polymer Blends,” 2019, hlm. 513–549. doi: 10.1007/978-3-319-95987-0_16.
- [33] V. P. Khavilla, S. Wahyuni, A. F. Riyanto, Jumaeri, dan Harjono, “Preparasi dan Karakterisasi PP (Polypropylene) Termodifikasi LLDPE (Linear Low Density Polyethylene) dengan Teknik Pencampuran Biasa,” Agu 2019. [Daring]. Tersedia pada: <http://journal.unnes.ac.id/sju/index.php/ijcs>
- [34] A. Korycki, F. Carassus, O. Tramis, C. Garnier, T. Djilali, dan F. Chabert, “Polyaryletherketone Based Blends: A Review,” 1 Oktober 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/polym15193943.
- [35] P. Mehra, S. Tarannum, dan K. Jain, “Polymer blends and additives,” dalam *Polymers for Oral Drug Delivery Technologies*, Elsevier, 2024, hlm. 787–809. doi: 10.1016/B978-0-443-13774-7.00020-7.
- [36] J. Huang, X. Lu, G. Zhang, dan J. Qu, “Study on the rheological, thermal and mechanical properties of thermoplastic polyurethane/poly (butylene

- terephthalate) blends,” *Polym. Test.*, vol. 36, hlm. 69–74, 2014, doi: 10.1016/j.polymertesting.2014.03.006.
- [37] Y. Hao, H. Yang, H. Zhang, dan Z. Mo, “Miscibility, Crystallization Behaviors and Toughening Mechanism of Poly(butylene terephthalate)/Thermoplastic Polyurethane Blends,” *Fibers and Polymers*, vol. 19, no. 1, hlm. 1–10, Jan 2018, doi: 10.1007/s12221-018-7305-6.
- [38] M. Arif Rachman, A. Meidinariasty, S. Yuliati, P. Studi Teknologi Kimia Industri, dan P. Negeri Sriwijaya, “RANCANG BANGUN ALAT SCREW EXTRUDER PEMBUATAN MEDIUM DENSITY FIBERBOARD BERBASIS SERAT TANDAN KOSONG KELAPA SAWIT DAN PEREKAT HIGH DENSITY POLYETHYLENE (HDPE) (UJI KINERJA ALAT DITINJAU DARI EFISIENSI SCREW EXTRUDER),” *Indonesia Sosial Teknologi*, vol. 3, no. 1, Jan 2022.
- [39] Irwan Suriaman, Sendi Ariyandi, Wawan Wawan, Ariyandi Ariyandi, dan Uus Supriatna, “Analisis Pengaruh Tekanan Mesin Exsstruder Terhadap Kuat Tekan Hasil Produk Bata Merah,” *Mars: Jurnal Teknik Mesin, Industri, Elektro Dan Ilmu Komputer*, vol. 3, no. 3, hlm. 131–141, Jun 2025, doi: 10.61132/mars.v3i3.843.
- [40] A. Zotti, T. Paduano, F. Napolitano, S. Zuppolini, M. Zarrelli, dan A. Borriello, “Fused Deposition Modeling of Polymer Composites: Development, Properties and Applications,” 1 April 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/polym17081054.
- [41] S. C. Yarlagadda, “Integrating Artificial Intelligence in Polymer Extrusion: Trends, Challenges, and Future Directions,” 2024. [Daring]. Tersedia pada: www.ijisae.org
- [42] M. F. Ansyari dan Y. Utami, “Optimization of Polypropylene-Based Polymer Composites Fabrication Using Manual Forming for Automotive and Energy Applications,” *Journal of Chemical Process Engineering*, vol. 9, no. 3, hlm. 211–219, Jul 2025, doi: 10.33096/jcpe.v9i3.1453.
- [43] P. Giani dan S. Locarno, “Tensile testing of polymeric materials: a model-based approach to estimate the material strength without position sensor,” *J.*

- Phys. D Appl. Phys.*, vol. 58, no. 7, Feb 2025, doi: 10.1088/1361-6463/ad9615.
- [44] D. L. Zariatn, R. M. Kurniawan, dan N. Ikhsan, “Pengembangan alat uji tarik dengan beban maksimal 2 kN,” *Dinamika Teknik Mesin*, vol. 11, no. 2, hlm. 96, Okt 2021, doi: 10.29303/dtm.v11i2.371.
 - [45] M. Paneva, P. Panev, dan V. Tsonev, “Tensile Testing of Polymer Material Specimens Obtained by Fused Deposition Modeling †,” *Engineering Proceedings*, vol. 100, no. 1, 2025, doi: 10.3390/engproc2025100050.
 - [46] R. Gomaa, S. S. A. ELTAHIR, dan C. Yilmaz, “Effect of ASTM-D638 Specimen Type on the Tensile Properties of Fused Deposition Modelling 3D-Printed PLA Specimens,” *Erciyes University Journal of Institue Of Science and Technology*, vol. 41, Feb 2025.
 - [47] T. D. Widodo *dkk.*, “Effect of Zeolite Addition on The Tensile Strength of Polypropylene as Injection Molding Product,” Malang, Okt 2018.
 - [48] T. Xu, “Mechanical Properties and Applications of Additively Manufactured Thermoplastic Polyurethane Material,” 2021.
 - [49] P. Kasprzyk dan J. Datta, “Novel bio-based thermoplastic poly(ether-urethane)s. Correlations between the structure, processing and properties,” *Polymer (Guildf)*, vol. 160, hlm. 1–10, Jan 2019, doi: 10.1016/j.polymer.2018.11.032.
 - [50] H. Norazlina dan Y. Kamal, “Elucidating the plasticizing effect on mechanical and thermal properties of poly(lactic acid)/carbon nanotubes nanocomposites,” *Polymer Bulletin*, vol. 78, no. 12, hlm. 6911–6933, Des 2021, doi: 10.1007/s00289-020-03471-2.
 - [51] K. Oubellaouch *dkk.*, “A melt flow index-based approach for the viscosity curves determination,” dalam *Materials Research Proceedings*, Association of American Publishers, 2024, hlm. 2720–2729. doi: 10.21741/9781644903131-298.
 - [52] S. Yu, S. Wang, M. Lu, dan L. Zuo, “Review of MEMS differential scanning calorimetry for biomolecular study,” 1 Desember 2017, *Higher Education Press*. doi: 10.1007/s11465-017-0451-0.

- [53] C. Leyva-Porras *dkk.*, “Application of differential scanning calorimetry (DSC) and modulated differential scanning calorimetry (MDSC) in food and drug industries,” 1 Januari 2020, *MDPI AG*. doi: 10.3390/polym12010005.
- [54] M. Santiago-Calvo *dkk.*, “Analysis of the foaming window for thermoplastic polyurethane with different hard segment contents,” *Polymers (Basel)*., vol. 13, no. 18, Sep 2021, doi: 10.3390/polym13183143.
- [55] C. Abeykoon, A. McMillan, dan B. K. Nguyen, “Energy efficiency in extrusion-related polymer processing: A review of state of the art and potential efficiency improvements,” 1 September 2021, *Elsevier Ltd*. doi: 10.1016/j.rser.2021.111219.
- [56] S. K. Yeh, R. Rangappa, T. H. Hsu, dan S. Utomo, “Effect of extrusion on the foaming behavior of thermoplastic polyurethane with different hard segments,” *Journal of Polymer Research*, vol. 28, no. 7, Jul 2021, doi: 10.1007/s10965-021-02604-z.
- [57] A. L. Fathoni, X. Salahudin, dan S. Hastuti, “ANALISIS PENGARUH RASIO SERAT RAMI DAN HIDROKSIAPATIT TERHADAP KEKUATAN MEKANIK KOMPOSIT BERMATRIKS UHMWPE DENGAN METODE HOT PRESS,” *ELEMEN : JURNAL TEKNIK MESIN*, vol. 12, no. 1, hlm. 10–19, Jun 2025, doi: 10.34128/je.v12i1.294.
- [58] G. Marsura, J. O. Bahú, L. P. Tovar, R. Fernandez-Felisbino, dan E. L. Gomes, “Recycled PVC to eco-friendly materials for footwear industry: process and mechanical properties,” *Polimeros*, vol. 34, no. 4, 2024, doi: 10.1590/0104-1428.20240064.
- [59] D. Setyawan, A. Sulisetyono, dan W. D. Aryawan, “EFFECT OF ADDITIONAL GRIP ON TENSILE STRENGTH OF NONFERROUS MATERIALS FOR SHIP,” *Journal of Applied Engineering Science*, vol. 20, no. 4, hlm. 1175–1183, 2022, doi: 10.5937/jaes0-37093.
- [60] G. Scetta, J. Ju, N. Selles, P. Heuillet, M. Ciccotti, dan C. Creton, “Strain induced strengthening of soft thermoplastic polyurethanes under cyclic deformation,” *Journal of Polymer Science*, vol. 59, no. 8, hlm. 685–696, Apr 2021, doi: 10.1002/pol.20210060.

- [61] N. Sabahi, I. Roohani, C. H. Wang, E. Farajzadeh, dan X. Li, “Thermoplastic polyurethane-based shape memory polymers with potential biomedical application: The effect of TPU soft-segment on shape memory effect and cytocompatibility,” *Polymer (Guildf)*., vol. 283, Sep 2023, doi: 10.1016/j.polymer.2023.126189.
- [62] M. Nejatpour, A. Fallah, dan B. Koc, “Shape Memory PLA/TPU Blend Using High-Speed Thermo-Kinetic Mixing,” *ACS Omega*, vol. 10, no. 1, hlm. 193–206, Jan 2025, doi: 10.1021/acsomega.4c04338.