

DAFTAR PUSTAKA

- [1] A. Eko dan B. Nusantara, “TIMSTUDI SIFAT TARIK DAN TAHAN BAKAR KOMPOSIT LIMBAH PLASTIK BERPENGISI LEMPUNG UNTUK BAHAN ALTERNATIF PANEL INTERIOR KENDARAAN,” *Jurnal Teknik ATW*, vol. 14, hlm. 47–54, 2015.
- [2] A. Ladhari, E. Kucukpinar, H. Stoll, dan S. Sangerlaub, “Comparison of properties with relevance for the automotive sector in mechanically recycled and virgin polypropylene,” *Recycling*, vol. 6, no. 4, 2021, doi: 10.3390/recycling6040076.
- [3] A. Patil, A. Patel, dan R. Purohit, “An overview of Polymeric Materials for Automotive Applications,” *Mater. Today Proc.*, vol. 4, no. 2, hlm. 3807–3815, 2017, doi: 10.1016/j.matpr.2017.02.278.
- [4] A. Albedah *dkk.*, “Journal of King Saud University - Science Potential of recycled polypropylene : A study on effect of natural fiber on the morphology and properties of biocomposite,” *J. King Saud Univ. Sci.*, vol. 36, no. 5, hlm. 103167, 2024, doi: 10.1016/j.jksus.2024.103167.
- [5] I. A. Larasati, B. D. Argo, dan L. C. Hawa, “Proses Delignifikasi Kandungan Lignoselulosa Serbuk Bambu Betung dengan Variasi NaOH dan Tekanan,” *Jurnal Keteknik Pertanian Tropis dan Biosistem*, vol. 7, no. 3, hlm. 235–244, 2019, doi: 10.21776/ub.jkptb.2019.007.03.03.
- [6] D. Rochman dan M. Irfai, “PENGARUH KONSENTRASI LARUTAN KOH TERHADAP KEKUATAN TARIK DAN STRUKTUR MIKRO KOMPOSIT HIBRID SERAT RAMI DAN SERAT BAMBU,” hlm. 111–118, 2020.
- [7] V. Dananjaya, M. Yang, Y. Zheng, dan C. Abeykoon, “Effect of filler characteristics and processing route on bamboo powder-reinforced PLA composites,” *J. Clean. Prod.*, vol. 537, no. December, 2025, doi: 10.1016/j.jclepro.2025.147193.
- [8] S. Wasti, S. Kore, P. Yeole, H. Tekinalp, S. Ozcan, dan U. Vaidya, “Bamboo fiber reinforced polypropylene composites for transportation applications,” *Front. Mater.*, vol. 9, no. October 2022, hlm. 1–14, 2022, doi: 10.3389/fmats.2022.967512.
- [9] M. Ramesh, L. N. Rajeshkumar, N. Srinivasan, D. V. Kumar, dan D. Balaji, “Influence of filler material on properties of fiber-reinforced polymer composites: A review,” 1 Januari 2022, *Walter de Gruyter GmbH*. doi: 10.1515/epoly-2022-0080.

- [10] S. Jiang, Y. Wei, Z. Hu, S. Ge, H. Yang, dan W. Peng, “Potential application of bamboo powder in PBS bamboo plastic composites,” *J. King Saud Univ. Sci.*, vol. 32, no. 1, hlm. 1130–1134, Jan 2020, doi: 10.1016/j.jksus.2019.10.014.
- [11] E. Delli, D. Gkiliopoulos, E. Vouvoudi, D. Bikiaris, dan K. Chrissafis, “Defining the Effect of a Polymeric Compatibilizer on the Properties of Random Polypropylene/Glass Fibre Composites,” *Journal of Composites Science*, vol. 8, no. 2, Feb 2024, doi: 10.3390/jcs8020044.
- [12] A. R. Sanadi dan W. Stelte, “Effect of the Characteristics of Maleic Anhydride-Grafted Polypropylene (MAPP) Compatibilizer on the Properties of Highly Filled (85%) Kenaf-Polypropylene Composites,” *Materials Research*, vol. 26, 2023, doi: 10.1590/1980-5373-MR-2022-0428.
- [13] S. K. Chattopadhyay, R. K. Khandal, R. Uppaluri, dan A. K. Ghoshal, “Bamboo fiber reinforced polypropylene composites and their mechanical, thermal, and morphological properties,” *J. Appl. Polym. Sci.*, vol. 119, no. 3, hlm. 1619–1626, Feb 2011, doi: 10.1002/app.32826.
- [14] P. H. Tjahjanti, “Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer,” *Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer*, 2018, doi: 10.21070/2019/978-602-5914-27-0.
- [15] A. D. Laksono dan M. N. Rozikin, “POTENSI SERBUK KAYU ULIN DAN SERBUK BAMBU SEBAGAI APLIKASI PAPAR PARTIKEL RAMAH LINGKUNGAN – A REVIEW,” no. April, hlm. 267–274, 2021, doi: <https://doi.org/10.21776/ub.jrm.2021.012.02.4>.
- [16] M. S. Al-Otaibi, O. Y. Alothman, M. M. Alrashed, A. Anis, J. Naveen, dan M. Jawaid, “Characterization of date palm fiber-reinforced different polypropylene matrices,” *Polymers (Basel)*, vol. 12, no. 3, Mar 2020, doi: 10.3390/polym12030597.
- [17] M. T. Hossain *dkk.*, “Research and application of polypropylene: a review,” *Discover Nano*, vol. 19, no. 1, 2024, doi: 10.1186/s11671-023-03952-z.
- [18] K. Aoki, “The Function and Effect of Maleic Anhydride-modified Polypropylene (MAP) on PP Composites,” no. September, hlm. 65–70, 2020, doi: 10.11618/adhesion.57.65.
- [19] B. Fred W, *TEXTBOOK OF POLYMER SCIENCE*. 1984.
- [20] P. Abeydeera dan E. de Silva, *Polymer science and technology*. 2023. doi: 10.4018/978-1-6684-6830-2.ch001.

- [21] M. Mihelčič, A. Oseli, M. Huskić, dan L. Slemenik Perše, “Influence of Stabilization Additive on Rheological, Thermal and Mechanical Properties of Recycled Polypropylene,” *Polymers (Basel)*., vol. 14, no. 24, Des 2022, doi: 10.3390/polym14245438.
- [22] L. Miaoyun, Wang; Chenyang, Li; Binqing, Sun; Lili, Yu; Hui, Li; Zhifeng, Ma; Songting He; Hao, “Preparation and Properties of Waste Polypropylene/Bamboo Fiber Composite,” 2026, doi: 10.15376/biores.21.1.81-94.
- [23] R. D. Zulnazri, “PERBANDINGAN KETEBALAN SERAT DALAM MENINGKATKAN KUALITAS KOMPOSIT POLIPROPILEN DAUR ULANG DENGAN METODE CETAK TEKAN,” *Jurnal Teknologi Kimia Unimal*, vol. 1, no. 1, hlm. 65–78, 2012, doi: <https://doi.org/10.29103/jtku.v1i1.41>.
- [24] M. Martijanti, S. Sutarno, dan A. L. Juwono, “Polymer composite fabrication reinforced with bamboo fiber for particle board product raw material application,” *Polymers (Basel)*., vol. 13, no. 24, Des 2021, doi: 10.3390/polym13244377.
- [25] I. Chrysafi, C. Fuentes, G. Mertz, dan C. A. Fuentes, “Enhancing Bamboo Fiber-Polypropylene Composites: a Novel Approach for Improved Interface and Mechanical Properties By Selective Deposition of Maleic Anhydride Graft.... Enhancing Bamboo Fiber-Polypropylene Composites: a Novel Approach for Improved Interface and Mechanical Properties By Selective Deposition of Maleic Anhydride Grafted Polypropylene,” no. July, hlm. 1–8, 2024.
- [26] wypych george, *Handbook of Polymers*. 2016.
- [27] A. Mengual, D. Juárez, R. Balart, dan S. Ferrándiz, “PE-g-MA, PP-g-MA and SEBS-g-MA compatibilizers used in material blends,” *Procedia Manuf.*, vol. 13, hlm. 321–326, 2017, doi: 10.1016/j.promfg.2017.09.083.
- [28] E. Sabbagh, “Composites : Part B Effect of coupling agent on natural fibre in natural fibre / polypropylene composites on mechanical and thermal behaviour,” *Composites Part B*, vol. 57, hlm. 126–135, 2014, doi: 10.1016/j.compositesb.2013.09.047.
- [29] I. Chrysafi, C. Fuentes, G. Mertz, dan C. A. Fuentes, “Enhancing Bamboo Fiber-Polypropylene Composites: a Novel Approach for Improved Interface and Mechanical Properties By Selective Deposition of Maleic Anhydride Graft.... Enhancing Bamboo Fiber-Polypropylene Composites: a Novel Approach for Improved Interfa,” no. July, hlm. 1–8, 2024, [Daring]. Tersedia pada: <https://orcid.org/0000-0003-1590-4216>

- [30] L. Pereira dan T. S. Flores-sahagun, “Effect of processing parameters on the properties of polypropylene – sawdust composites,” no. 167, 2015, doi: 10.1177/0021998314568331.
- [31] L. Arma, R. Rahimuddin, A. Hayat, dan I. Renreng, “Karakteristik Mekanik Poliester berpengisi Serbuk Bambu dalam Kondisi Lingkungan Panas,” vol. 22, hlm. 58–64, 2025, doi: 10.71452/590890.
- [32] I. Rinasari, R. Karolina, Fathurrahman, I. H. Pulungan, dan O. Handinata, *Alat Universal Testing Machine (Utm) Dan Pengoperasiannya*. 2022. [Daring]. Tersedia pada: <https://www.researchgate.net/publication/370940117>
- [33] ASTM, “ASTM D638-14, Standard practice for preparation of metallographic specimens,” *ASTM International*, vol. 82, no. C, hlm. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [34] N. Saadatkah dkk., “Experimental methods in chemical engineering: Thermogravimetric analysis—TGA,” *Canadian Journal of Chemical Engineering*, vol. 98, no. 1, hlm. 34–43, 2020, doi: 10.1002/cjce.23673.
- [35] R. Mansa dan S. Zou, “Thermogravimetric analysis of microplastics: A mini review,” *Environmental Advances*, vol. 5, hlm. 100117, 2021, doi: 10.1016/j.envadv.2021.100117.
- [36] M. E. Vallejos dkk., “Response of Polypropylene Composites Reinforced with Natural Fibers: Impact Strength and Water-Uptake Behaviors,” *Polymers (Basel)*, vol. 15, no. 4, 2023, doi: 10.3390/polym15040900.
- [37] P. Krishnaiah, C. T. Ratnam, dan S. Manickam, “Enhancements in crystallinity, thermal stability, tensile modulus and strength of sisal fibres and their PP composites induced by the synergistic effects of alkali and high intensity ultrasound (HIU) treatments,” *Ultrason. Sonochem.*, vol. 34, hlm. 729–742, 2017, doi: 10.1016/j.ultsonch.2016.07.008.
- [38] X. Zhou, Y. Yu, Q. Lin, dan L. Chen, “Effects of Maleic Anhydride-Grafted Polypropylene (MAPP) on the physico-Mechanical Properties and Rheological Behavior of Bamboo Powder-Polypropylene Foamed Composites,” 2013. doi: 10.15376/biores.8.4.6263-6279.
- [39] A. Alonso, D. Lázaro, M. Lázaro, dan D. Alvear, “Self-heating evaluation on thermal analysis of polymethyl methacrylate (PMMA) and linear low-density polyethylene (LLDPE),” *J. Therm. Anal. Calorim.*, vol. 147, no. 18, hlm. 10067–10081, 2022, doi: 10.1007/s10973-022-11364-x.

- [40] J. S. S. Neto, H. F. M. de Queiroz, R. A. A. Aguiar, dan M. D. Banea, “A review on the thermal characterisation of natural and hybrid fiber composites,” *Polymers (Basel)*., vol. 13, no. 24, 2021, doi: 10.3390/polym13244425.
- [41] A. U. M. Shah, M. T. H. Sultan, F. Cardona, M. Jawaid, A. R. A. Talib, dan N. Yidris, “Thermal analysis of bamboo fibre and its composites,” *Bioresources*, vol. 12, no. 2, hlm. 2394–2406, 2017, doi: 10.15376/biores.12.2.2394-2406.
- [42] S. C. Chin, K. F. Tee, F. S. Tong, H. R. Ong, dan J. Gim bun, “Thermal and mechanical properties of bamboo fiber reinforced composites,” *Mater. Today Commun.*, vol. 23, no. December 2019, hlm. 100876, 2020, doi: 10.1016/j.mtcomm.2019.100876.
- [43] X. Zhou, W. Li, R. Mabon, dan L. J. Broadbelt, “A critical review on hemicellulose pyrolysis,” *Energy Technology*, vol. 5, no. 1, hlm. 52–79, 2017, doi: 10.1002/ente.201600327.
- [44] S. Sayam, “Natural fibers in sustainable materials: extraction technologies, fiber modification, and performance–sustainability relationships,” *RSC Adv.*, vol. 16, no. 12, hlm. 10495–10537, 2026, doi: 10.1039/d5ra09029f.