

DAFTAR PUSTAKA

- [1] E. K. W. Wu and J.-D. Gu, "Biodegradability of Synthetic Plastics and Polymeric Materials : An Illusion or Reality in Waste Managements ?," *Appl. Environ. Biotechnol.*, vol. 5, no. 2, pp. 34–52, 2021, doi: <http://doi.org/10.26789/AEB.2020.02.003>.
- [2] Ifmalinda, S. A. Kurnia, and D. Cherie, "Characteristics of Edible Film from Corn Starch (*Zea mays* L.) with Additional Glycerol and Variations of Zinc Oxide (ZnO) Nanoparticles," *J. Appl. Agric. Sci. Technol.*, vol. 7, no. 3, pp. 272–285, 2023.
- [3] N. Q. Annisa, S. D. Ismanto, and Santosa, "Analisis Sifat Fisik dan Mekanik Plastik Biodegradable Berbahan Dasar Pati Singkong dengan Penambahan Plasticizer Sorbitol," *GreenTech*, vol. 1, no. 2, pp. 158–172, 2024, doi: <https://doi.org/10.25077/greentech.v1i2.13>.
- [4] D. I. Lailyningtyas, M. Lutfi, and A. M. Ahmad, "Uji Mekanik Bioplastik Berbahan Pati Umbi Ganyong (*Canna edulis*) dengan Variasi Selulosa Asetat dan Sorbitol," *J. Keteknikan Pertan. Trop. dan Biosist.*, vol. 8, no. 1, pp. 91–100, 2020.
- [5] K. J. Winata, J. R. Anggara, B. M. Angkadjaja, F. F. Gunawan, and J. Sulisty, "Pengaruh Penambahan Ekstrak Buah Duwet dan Bunga Mawar pada Kemasan Pintar Berbasis Selulosa Bakteri sebagai Indikator Kerusakan Makanan," *Abdimas Indones. J.*, vol. 4, no. 2, pp. 169–178, 2024, doi: [10.59525/aij.v4i2.409](https://doi.org/10.59525/aij.v4i2.409).
- [6] E. Agustina, R. Purnamasari, N. F. Erfansyah, F. Andiarna, N. Lusiana, and I. Hidayati, "Pemanfaatan Limbah Pucuk Tebu sebagai Sumber Selulosa Bahan Baku Plastik Biodegradable," *J. Trop. Biol.*, vol. 8, no. 1, 2024.
- [7] C. Amni, Marwan, and Mariana, "Pembuatan Bioplastik dari Pati Ubi Kayu berpenguat Nano Serat Jerami dan ZnO," *J. Litbang Ind.*, vol. 5, no. 2, pp. 91–99, 2015.
- [8] F. Mirjalili and A. Y. Ardekani, "Preparation and characterization of starch film accompanied with ZnO nanoparticles," no. February, 2017, doi: [10.1111/jfpe.12561](https://doi.org/10.1111/jfpe.12561).
- [9] S. R. Dewi, A. Widyasanti, and S. H. Putri, "Pengaruh Konsentrasi Pati Singkong Terhadap Karakteristik Edible Film Berbahan Pati Singkong dengan Penambahan Ekstrak Daun Belimbing Wuluh," *J. Keteknikan Pertan. Trop. dan Biosist.*, vol. 11, no. 2, pp. 158–167, 2023, doi: [10.21776/ub.jkptb.2023.011.02.05](https://doi.org/10.21776/ub.jkptb.2023.011.02.05).
- [10] Maulida, M. Siagian, and P. Tarigan, "Production of Starch Based Bioplastic from Cassava Peel Reinforced with Microcrystalline Cellulose Avicel PH101 Using Sorbitol as Plasticizer," *J. Phys. Conf. Ser.* 710, 2016, doi: [10.1088/1742-6596/710/1/012012](https://doi.org/10.1088/1742-6596/710/1/012012).

- [11] S. Solekah, N. Sasria, and H. A. Dewanto, "Pengaruh Penambahan Gliserol dan Kitosan Kulit Udang terhadap Biodegradasi dan Ketahanan Air Plastik Biodegradable," *al-Kimiya J. Ilmu Kim. dan Terap.*, vol. 8, no. 2, pp. 80–86, 2021.
- [12] D. Gusriandi and Ratnawulan, "Pengaruh Penambahan Carboxy Methyl Cellulose (CMC) dengan Plasticizer Gliserol terhadap Sifat Fisik Plastik Biodegradable Berbahan Dasar Durian (*Durio zibethinus*)," *J. Inov. dan Pengabd. Kpd. Masy.*, vol. 4, no. 2, pp. 782–796, 2025, doi: <https://doi.org/10.58578/alldyas.v4i2.4936>.
- [13] L. Ma'arif, U. Fitrass, and E. Sedyadi, "Bioplastic Biodegradation Based on Ganyong Umbi States with Addition of Sorbitol and CMC (Carboxy Methil Cellulose) In Soil Media," *Proc. Internat. Conf. Sci. Engin.*, vol. 3, no. April, pp. 429–435, 2020.
- [14] T. Tamara, Sumari, Nazriati, and S. Arni, "Properties of cassava starch-based bioplastics and CMC with sorbitol as A plasticizer," *IOP Conf. Ser. Earth Environ. Sci.*, 2020, doi: 10.1088/1755-1315/456/1/012077.
- [15] E. P. Ningsih, D. Ariyani, and Sunardi, "Pengaruh Penambahan Carboxymethyl Cellulose terhadap Karakteristik Bioplastik dari Pati Ubi Nagara (*Ipomoea batatas* L.)," *Indo. J. Chem. Res.*, vol. 7, no. 1, pp. 77–85, 2019.
- [16] A. Vyas, S. Ng, T. Fu, and I. Anum, "ZnO-Embedded Carboxymethyl Cellulose Bioplastic Film Synthesized from Sugarcane Bagasse for Packaging Applications," *Polymers (Basel)*, vol. 17, pp. 1–23, 2025.
- [17] H. R. Arifin, Z. A. Mauliani, P. W. Harlina, E. Subroto, R. C. Nissa, and A. Nawaz, "Characteristics of nanocomposite film based on elephant foot-yam starch (*Amorphophallus paeoniifolius*) with different nanocrystalline cellulose concentration," *Int. J. Food Prop.*, vol. 26, no. 2, pp. 3512–3530, 2023, doi: 10.1080/10942912.2023.2286897.
- [18] S. Hidayati, Zulferiyenni, U. Maulidia, W. Satyajaya, and S. Hadi, "Effect of glycerol concentration and carboxy methyl cellulose on biodegradable film characteristics of seaweed waste," *Heliyon*, vol. 7, 2021, doi: 10.1016/j.heliyon.2021.e07799.
- [19] T. Muharam, D. Fitriani, D. F. M. Jannah, Z. M. Al Ghifari, and R. P. Sihombing, "Karakteristik Daya Serap Air dan Biodegradabilitas pada Bioplastik Berbasis Pati Singkong dengan Penambahan Polyvinyl Alcohol," no. November, pp. 35–49, 2022.
- [20] R. P. Sihombing, M. Z. Al-Ghifari, F. I. Maulana, and A. Ngatin, "Pengaruh Konsentrasi Kaolin dan ZnO dengan Penambahan PVOH Terhadap Karakteristik Bioplastik Berbasis Pati," pp. 13–14, 2022.
- [21] A. H. D. Abdullah *et al.*, "Harnessing the Excellent Mechanical, Barrier and Antimicrobial Properties of Zinc Oxide (ZnO) to Improve the Performance of Starch-based Bioplastic," *Polym. Technol. Mater.*, vol. 59,

- no. 12, pp. 1259–1267, 2020, doi: 10.1080/25740881.2020.1738466.
- [22] T. Hasna, C. A. Lestari, W. D. R. Putri, and V. Fathuroya, “The effect of ZnO (zinc oxide) and glycerol concentrations on the mechanical properties of bioplastics made from Canna tuber (*Canna edulis*) starch,” *Adv. Food Sci. Sustain. Agric. Agroindustrial Eng.*, vol. 5, no. 1, pp. 21–28, 2022.
 - [23] N. U. Maslahah, D. Alisaputra, and E. Sedyadi, “Biodégradation Bioplastic Based on Arrowroot Starch with Glycerol Plasticizer and ZnO Fillers,” *J. Phys. Conf. Ser.*, vol. 1788, no. 1, pp. 1–10, 2021, doi: 10.1088/1742-6596/1788/1/012007.
 - [24] R. D. A. Putri, A. Setiawan, and P. D. Anggraini, “Effect of Carboxymethyl Cellulose (CMC) as Biopolymers to,” 2017, doi: 10.1063/1.4976908.
 - [25] M. Lubis *et al.*, “Mechanical , SEM and FTIR characteristics of bioplastics from mango seed starch with nanoparticle zinc oxide as filler and ethylene glycol as plasticizers,” *IOP Conf. Ser. Mater. Sci. Eng.*, pp. 1–7, 2020, doi: 10.1088/1757-899X/1003/1/012122.
 - [26] A. C. Latifa, P. P. A. Dewi, I. Lestari, and F. Irfandy, “Pembuatan Bioplastik dari Pati Umbi Ganyong Menggunakan Penguat Seng Oksida dan Plastilizer Gliserol dengan Metode Melt Intercalation,” *J. Ilm. Tek. Kim.*, vol. 21, no. 2, pp. 122–132, 2024.
 - [27] Harunsyah, M. Yunus, and R. Fauzan, “Mechanical properties of bioplastics cassava starch film with Zinc Oxide nanofiller as reinforcement,” *IOP Conf. Ser. Mater. Sci. Eng.*, pp. 1–9, 2017, doi: 10.1088/1757-899X/210/1/012015.
 - [28] F. A. Putri, “Karakterisasi Bioplastik dari Pati Limbah Kulit Pisang Dengan Penambahan ZnO dan Gliserol,” *Prism. Fis.*, vol. 10, no. 2, pp. 105–109, 2022.
 - [29] S. Abang, F. Wong, R. Sarbatly, J. Sariau, and R. Baini, “Bioplastic classifications and innovations in antibacterial , antifungal , and antioxidant applications,” *J. Bioresour. Bioprod.*, vol. 8, pp. 361–387, 2023, doi: 10.1016/j.jobab.2023.06.005.
 - [30] B. Armynah, R. Anugrahwidya, and D. Tahir, “Composite cassava starch/chitosan/Pineapple Leaf Fiber (PALF)/Zinc Oxide (ZnO): Bioplastics with high mechanical properties and faster degradation in soil and seawater,” *Int. J. Biol. Macromol.*, vol. 213, pp. 814–823, 2022, doi: 10.1016/j.ijbiomac.2022.06.038.
 - [31] M. Shah, S. Rajhans, H. A. Pandya, and A. U. Mankad, “Bioplastic for future : A review then and now,” *World J. Adv. Res. Rev.*, vol. 09, no. 02, pp. 56–67, 2021.
 - [32] I. Dodino-Duarte, L. A. Quiroz-Ortega, J. C. Arias-Benítez, and R. A. García-León, “Development of biodegradable plastic films from cassava starch,” *DYNA*, vol. 91, no. 233, pp. 75–85, 2024.

- [33] N. Shelvi, S. Nafita, Nurlin, and R. Hidayatullah, "Tensile Strenght dan Elongation At Break Edible Film Pati Singkong dengan Variasi Bahan Tambahan," *J. Pengabd. Masy. dan Ris. Pendidik.*, vol. 3, no. 4, pp. 2847–2851, 2025.
- [34] S. S. Scaria *et al.*, "Cassava (*Manihot esculenta* Crantz) — A potential source of phytochemicals , food , and nutrition — An updated review," pp. 1–16, 2024, doi: 10.1002/efd2.127.
- [35] E. M. Combatt *et al.*, "Characteristics of cassava starch (*Manihot esculenta*) and its use as raw material for the development of technologies in agricultural production," *J. Sci. with Technol. Appl.*, vol. 113, pp. 1–10, 2025, doi: 10.34294/j.jsta.25.19.113.
- [36] V. Garces, A. García-Quintero, T. A. Lerma, M. Palencia, E. M. Combatt, and Á. A. Arrieta, "Characterization of Cassava Starch and Its Structural Changes Resulting of Thermal Stress by Functionally-Enhanced Derivative Spectroscopy (FEDS)," pp. 866–877, 2021.
- [37] P. T. Akonor *et al.*, "Granular structure , physicochemical and rheological characteristics of starch from yellow cassava (*Manihot esculenta*) genotypes," *Int. J. Food Prop.*, vol. 26, no. 1, pp. 259–273, 2023, doi: 10.1080/10942912.2022.2161572.
- [38] M. Palencia, A. García-Quintero, and E. M. Combatt, "Biopolymers containing in cassava starch (*Manihot esculenta*): Amylose and amylopectin," *J. Sci. with Technol. Appl.*, vol. 110, pp. 1–9, 2025, doi: 10.34294/j.jsta.25.19.110.
- [39] N. E. Wahyuningtiyas and H. Suryanto, "Analysis of Biodegradation of Bioplastics Made of Cassava Starch," *J. Mech. Eng. Sci. Technol.*, vol. 1, no. 1, pp. 41–54, 2017.
- [40] F. H. Saleh, A. Y. Nugroho, and M. R. Juliantama, "Pembuatan Edible Film dari Pati Singkong Sebagai Pengemas Makanan," *Teknoin*, vol. 23, no. 1, pp. 43–48, 2017.
- [41] T. M. Ogunrinola and U. G. Akpan, "Production of Cassava Starch Bioplastic Film Reinforced with Poly-Lactic Acid (PLA)," *Int. J. Eng. Res. Adv. Technol.*, vol. 4, no. 8, pp. 56–62, 2018.
- [42] R. B. de Pauli, L. B. Quast, I. M. Demiate, and L. S. Sakanaka, "Production and characterization of oxidized cassava starch (*Manihot esculenta* Crantz) biodegradable films," vol. 63, pp. 595–603, 2011, doi: 10.1002/star.201000163.
- [43] P. R. Sougandhi, S. K. Jena, and P. S. Brahmanand, "Multifunctional Bio-Nanocomposite Films of Carboxymethyl Cellulose and Pectin with Incorporated Zinc Oxide Nanoparticles," vol. 12, no. 3, pp. 1–14, 2023.
- [44] S. Hidayat, P. Ardiaksa, N. Riveli, and Rahayu, "Synthesis and characterization of carboxymethyl cellulose (CMC) from salak-fruit seeds as anode binder for lithium-ion battery," *IOP Conf. Ser. J. Phys. Conf. Ser.*

1080, 2018, doi: 10.1088/1742-6596/1080/1/012017.

- [45] T. Churam, P. Usubharatana, and H. Phungrassami, “Sustainable Production of Carboxymethyl Cellulose : A Biopolymer Alternative from Sugarcane (*Saccharum officinarum* L .) Leaves,” *Sustainability*, vol. 16, pp. 1–16, 2024, doi: 10.3390/su16062352.
- [46] G. S. R. da S. Júnior *et al.*, “Arrowroot Starch/Carboxymethylcellulose-ZnO NP Films : Thermal , Tensile , and Biodegradation Properties,” *Polym. Eng. Sci.*, vol. 65, pp. 5469–5481, 2025, doi: 10.1002/pen.70079.
- [47] A. Biswas *et al.*, “Fabrication and Characterization of ZnO Nanoparticles-Based Biocomposite Films Prepared Using Carboxymethyl Cellulose, Taro Mucilage , and Black Cumin Seed Oil for Evaluation of Antioxidant and Antimicrobial Activities,” *Agronomy*, vol. 13, pp. 1–20, 2023, doi: 10.3390/agronomy13010147.
- [48] M. M. Rahman, “Polyurethane/ZincOxide (PU/ZnO) Composite—Synthesis, Protective Property and Application,” *Polymers (Basel)*., vol. 12, pp. 1–23, 2020, doi: 10.3390/polym12071535.
- [49] S. D. Hardiningtyas, D. Winarsih, and B. Ibrahim, “Efek Penambahan Sorbitol terhadap Karakteristik Film Bioplastik Berbasis Kitosan dan Agar,” *JPB Kelaut. dan Perikan.*, vol. 19, no. 1, pp. 17–26, 2024.
- [50] M. K. Hidayat, Latifah, and S. M. R. Sedyawati, “Penggunaan Carboxymethyl Cellulose dan Gliserol pada Pembuatan Plastik Biodegradable Pati Gembili,” *Indones. J. Chem. Sci.*, vol. 2, no. 3, 2013.
- [51] S. Widyaningsih, D. Kartika, and Y. T. Nurhayati, “Pengaruh Penambahan Sorbitol dan Kalsium Karbonat terhadap Karakteristik dan Sifat Biodegradasi Film dari Pati Kulit Pisang,” vol. 7, no. 1, pp. 69–81, 2012.
- [52] S. Hidayati, A. S. Zuidar, and A. Ardiani, “Aplikasi Sorbitol Pada Produksi Biodegradable Film dari Nata de Cassava,” vol. 15, no. 3, pp. 196–204, 2015, doi: 10.14710/reaktor.15.3.196- 204.
- [53] H. R. Arifin *et al.*, “Corn Starch-Based Bionanocomposite Film Reinforced With ZnO Nanoparticles and Different Types of Plasticizers,” *Front. Sustain. Food Syst.*, vol. 6, pp. 1–13, 2022, doi: 10.3389/fsufs.2022.886219.
- [54] L. Ávila-Martín, D. K. G. Silva, J. E. Perilla, and C. C. V. Zabala, “Preliminary Modeling Study of a Tape Casting System for Thermoplastic Starch Film Forming,” *Biol. Life Sci. Forum*, vol. 28, no. 4, pp. 1–7, 2023, doi: 10.3390/blsf2023028004.
- [55] F. V Borbolla-Jiménez *et al.*, “Films for Wound Healing Fabricated Using a Solvent Casting Technique,” *Pharmaceutics*, vol. 15, pp. 1–27, 2023, doi: 10.3390/pharmaceutics15071914.
- [56] A. Kramar, I. R. Ortega, G. González-Gaitano, and J. González-Benito, “Solution casting of cellulose acetate films : influence of surface substrate

and humidity on wettability , morphology and optical properties,” *Cellulose*, vol. 30, pp. 2037–2052, 2023, doi: 10.1007/s10570-022-05026-2.

- [57] T. Emiola-sadiq, L. Zhang, and A. K. Dalai, “Thermal and Kinetic Studies on Biomass Degradation via Thermogravimetric Analysis : A Combination of Model-Fitting and Model-Free Approach,” 2021, doi: 10.1021/acsomega.1c02937.
- [58] S. Susi, M. Ainuri, W. Wagiman, and M. A. F. Falah, “Enhanced Carboxymethyl Cellulose Based on Empty Fruit Bunches in a High Degree of Substitution and Thermal Stability as a Biocomposite Film Backbone,” *Int. J. Chem. Eng.*, pp. 1–22, 2024, doi: 10.1155/2024/3319401.
- [59] F. A. Syamani, W. B. Kusumaningrum, F. Akbar, Ismadi, B. A. Widyaningrum, and D. A. Pramasari, “Characteristics of bioplastic made from modified cassava starch with addition of polyvinyl alcohol,” pp. 1–8, 2020, doi: 10.1088/1755-1315/591/1/012016.
- [60] A. Fauzan and E. Supriyo, “Pembuatan Plastik Biodegradable Pati Jagung Terplastisasi Sorbitol dengan Pengisi Selulosa dari Ampas Tebu,” vol. 6, no. 1, pp. 45–49, 2022.
- [61] R. D. A. Putri, A. Setiawan, and P. D. Anggraini, “Physical Properties of Edible Sorghum Starch Film Added with Carboxymethyl Cellulose,” *J. Phys. Sci.*, vol. 29, pp. 185–194, 2018.
- [62] B. Yesika, Y. Al-jilani, E. A. Balfour, and C. K. Pwamang, “Local Resources , Global Impact : Crafting Bioplastics from Salak and Cassava in Indonesia,” *J. Educ. Technol. Learn. Creat.*, vol. 3, no. 1, pp. 138–148, 2025, doi: 10.37251/jetlc.v3i1.1839.
- [63] D. Apriatin, I. Dersan, A. Nuryadin, and L. Subagyo, “Pengembangan Plastik Biodegradable Berbasis Pati: Studi Ketahanan Biodgradasi Lingkungan Tanah dan Air,” *J. Chemurg.*, vol. 9, no. 1, pp. 39–48, 2025.
- [64] K. M. Tavares, A. de Campos, B. R. Luchesi, A. A. Resende, J. E. de Oliveira, and J. M. Marconcini, “Effect of carboxymethyl cellulose concentration on mechanical and water vapor barrier properties of corn starch films,” *Carbohydr. Polym.*, vol. 246, p. 116521, 2020, doi: 10.1016/j.carbpol.2020.116521.
- [65] N. E. Wahyuningtiyas, H. Suryanto, E. Rudiyanto, S. Sukarni, and P. Puspitasari, “Thermogravimetric and Kinetic Analysis of Cassava Starch Based Bioplastic,” *J. Mech. Eng. Sci. Technol.*, vol. 1, no. 2, pp. 69–77, 2017, doi: 10.17977/um016v1i22017p069.
- [66] U. Werapun, W. Werapun, and A. Phatthiya, “Characterization of composite bioplastic from Cassava starch with titanium dioxide and zinc oxide,” vol. 19, no. 1, pp. 275–282, 2024.
- [67] S. Qin *et al.*, “Carboxymethylcellulose reinforced starch fi lms and rapid detection of spoiled beverages,” *Front. Bioeng. Biotechnol.*, pp. 1–10,

2023, doi: 10.3389/fbioe.2022.1099118.

- [68] A. Kodsangma *et al.*, “Mechanical properties and water resistance improvement of thermoplastic modified starch, carboxymethyl cellulose, and zinc oxide nanometal particles by reactive blending,” *Int. J. Biol. Macromol.*, vol. 253, p. 126783, 2023, doi: 10.1016/j.ijbiomac.2023.126783.
- [69] H. E. Salama, M. A. Khattab, M. W. Sabaa, and M. S. A. Aziz, “Xanthan/carboxymethyl Cellulose-based Edible Coatings Enriched with Greenly Synthesized ZnO-NPs for Active Packaging Applications,” *Cellulose*, vol. 31, no. 13, pp. 8189–8202, 2024, doi: 10.1007/s10570-024-06077-3.
- [70] L. Yao, H. Sun, C. Yu, and Y. Weng, “Enhanced Xylan / PVA Composite Films via Nano-ZnO Reinforcement for Sustainable Food Packaging,” *Polymer (Guildf)*, vol. 17, pp. 1–12, 2025.
- [71] Hasri, M. Syahrir, and D. E. Pratiwi, “Synthesis and characterization of bioplastics made from chitosan combined using glycerol plasticizer,” *Indones. J. Fundam. Sci.*, vol. 7, no. 2, pp. 110–119, 2021.
- [72] S. Munfarida, G. R. R. Simamora, Y. L. V. Arista, S. A. R. Imani, R. A. C. Firdaus, and L. B. Naibaho, “The Effect of Carboxymethyl Cellulose and Glycerol Addition on the Biodegradability of Cassava Starch-based Biofilms,” *J. Trop. AgriFood* 8, pp. 44–50, 2026.