

DAFTAR PUSTAKA

- [1] W. Phanitwong, U. Boochakul, and S. Thipprakmas, “Design of U-Geometry Parameters Using Statistical Analysis Techniques in the U-Bending Process,” 2017, doi: 10.3390/met7070235.
- [2] I. Suchy, *HANDBOOK OF DIE DESIGN*. 2006.
- [3] H. Kim, X. Huo, and J. Shi, “A single interval based classifier,” *Ann. Oper. Res.*, vol. 216, no. 1, pp. 307–325, 2014, doi: 10.1007/s10479-011-0886-3.
- [4] M. Groover, “Fundamentals of Modern Manufacturing Materials, Processes and Systems,” *John Wiley Sons*, p. 493, 2010.
- [5] V. Boljanovic, *Sheet Metal Forming Processed and Die Design*. 2014.
- [6] S. Sah, N. Mahayotsanun, M. Peshkin, J. Cao, and R. X. Gao, “Pressure and draw-in maps for stamping process monitoring,” *J. Manuf. Sci. Eng. Trans. ASME*, vol. 138, no. 9, 2016, doi: 10.1115/1.4033039.
- [7] S. L. Semiatin, *Introduction to Sheet-Forming Processes*, vol. 14. 2006. doi: 10.31399/asm.hb.v14b.a0005100.
- [8] V. Boljanovic, J. R. Paquin, and J. R. Paquin, *Die design fundamentals*. 2006.
- [9] A. Kindsmüller *et al.*, “Influence of cutting parameters on mechanisms causing slug pulling,” *Prod. Eng.*, vol. 15, no. 6, pp. 833–842, 2021, doi: 10.1007/s11740-021-01061-3.
- [10] X. Z. Wang, S. H. Masood, and M. Dingle, “Numerical Simulation and Optimisation of Sheet Metal Forming for Auto-Body Panel Using AutoForm Software,” *Mater. Sci. Forum*, vol. 561–565, pp. 1911–1914, 2007, doi: 10.4028/www.scientific.net/msf.561-565.1911.
- [11] E. Spišák, J. Majerníková, P. Mulidrán, J. Hajduk, and F. Ruda, “Springback Analysis and Prediction of Automotive Steel Sheets Used in Compression Bending,” *Materials (Basel)*, vol. 18, no. 4, pp. 1–15, 2025, doi: 10.3390/ma18040774.
- [12] A. C. S. Reddy, “Introduction To Deep Drawing,” pp. 1–26, 2023.
- [13] C. Zhou, K. Liu, X. Zhang, W. Zhang, and J. Shi, “An Automatic Process Monitoring Method Using Recurrence Plot in Progressive Stamping

- Processes,” *IEEE Trans. Autom. Sci. Eng.*, vol. 13, no. 2, pp. 1102–1111, 2016, doi: 10.1109/TASE.2015.2468058.
- [14] Thomas Djunaedi, “Analisa Perhitungan Gaya - Gaya Mekanis Pada Pembuatan Komponen Otomotif Braket Upper Arm,” vol. 8, no. 2, pp. 1–6, 2014.
- [15] M. Wasif, A. Fatima, S. A. Iqbal, M. Tufail, and H. Karim, “Analysis and optimization of springback during the V-bending of hot-rolled high strength steels (JSH440),” *J. Eng. Res.*, vol. 9, 2021, doi: 10.36909/JER.11027.
- [16] R. S. Theryo, *Teknologi Press Dies*. 2009.
- [17] S. Dou, X. Wang, J. Xia, and L. Wilson, “Analysis of sheet metal forming (Warm stamping process): A study of the variable friction coefficient on 6111 aluminum alloy,” *Metals (Basel)*, vol. 10, no. 9, pp. 1–16, 2020, doi: 10.3390/met10091189.
- [18] Schuler, *Metal forming handbook*. Springer Science & Business Media, 1998.
- [19] T. Trzepieciński, “Recent Developments and Trends in Sheet Metal Forming,” 2020. doi: 10.3390/met10060779.
- [20] M. I. Mihrozi, N. A. Mufarida, and K. Kosjoko, “PENGARUH DIAMETER ELEKTRODA TERHADAP UJI TARIK LAS SMAW,” *J-Proteksion*, vol. 2, no. 2, p. 23, Feb. 2018, doi: 10.32528/jp.v2i2.2226.
- [21] H. Zhang, W. Wei, S. Long, M. Zhou, and C. Li, “Optimization of Stamping Process Parameters for Sustainable Manufacturing: Numerical Simulation Based on AutoForm,” *Sustain.*, vol. 17, no. 1, pp. 1–16, 2025, doi: 10.3390/su17010341.
- [22] F. Guo, H. Jeong, D. Park, G. Kim, B. Sung, and N. Kim, “Numerical Optimization of Variable Blank Holder Force Trajectories in Stamping Process for Multi-Defect Reduction,” *Materials (Basel)*, vol. 17, no. 11, 2024, doi: 10.3390/ma17112578.
- [23] A. Sunanta and S. Suranuntchai, “Optimization of Process Parameters for Advanced High-Strength Steel JSC980Y Automotive Part Using Finite Element Simulation and Deep Neural Network,” *J. Manuf. Mater. Process.*,

vol. 9, no. 6, 2025, doi: 10.3390/jmmp9060197.

- [24] R. S. Theryo, *Teknologi press dies : panduan desain*. Penerbit Kanisius, 2009.
- [25] S. Steel, “Jurnal Teknologi SPRING-BACK ANALYSIS OF THE VEE BENDING PROCESS FOR HIGH-STRENGTH,” vol. 3, pp. 135–144, 2023.