DAFTAR PUSTAKA

[1] E. J. Permadi, D. Antonius, M. Sc, Y. N. S, M. T, and F. Ardana, "Analisis Mengengurangi Downtime Pada Dies Dengan Menurunkan Problem Burry Dengan Menggunakan Metode QCC Dan FMEA," vol. 7, no. 1, pp. 65–80, 2025.

[2] M. F. D. Chandra, "PENGARUH QUENCHING TERHADAP SPRINGBACK BAJA AISI 1040," 2024.

[3] H. Widjaja, Y. S. Kamulyan, T. R. Manufaktur, and P. M. Bandung, "ANALISIS SPRINGBACK PADA PROSES V- BENDING DENGAN VARIABEL KEKERASAN POLYURETHANE SEBAGAI DIE PEMBENTUK DAN ARAH TEKUNAN," vol. 25, no. 1, pp. 53–61, 2023.

[4] S. F. XU Bing-kun, "Numerical Simulation of Springback in Sheet Metal Forming," pp. 4–7, 2001.

[5] R. S. Theryo, *Teknologi press dies : panduan desain*. Penerbit Kanisius, 2009.

[6] E. Firnandes, "RANCANG BANGUN PROGRESSIVE TOOL UNTUK MEMPRODUKSI LANDASAN LUBANG KUNCI," pp. 5–38, 2015.

[7] N. Jyothirmayi, "The design and fabrication of a compound die to make hexagonal washer," vol. 9, no. 4, pp. 517–528, 2019.

[8] B. Setyono and Mrihrenaningtyas, "Progressive dies untuk meningkatkan daya saing produk pengunci sabuk," *J. Ind. Eng. an Manag. Tekmapro*, pp. 1–9, 2016.

[9] Sukarman, C. Anwar, N. Rahdiana, Khoirudin, and A. I. Ramadhan, "Analisis Pengaruh Radius Dies Terhadap Springback Logam Lembaran Stainless-Steel Pada Proses Bending Hidrolik V-Die," *Junal Teknol.*, vol. 12, no. 2, 2020.

[10] A. Z. Hudaya, S. Khoeron, M. S. Syamsuddin, and B. St, "Pembuatan Press

Dies Proses Blanking dan Piercing pada Handle Tanam Pintu Geser," vol. 2, no. 1, pp. 69–83, 2024.

[11] P. Kalokhe, V. Raijade, P. Patil, and V. Patil, "Design and analysis of piercing tools," no. 05, pp. 1–5, 2021.

[12] A. Yunan, D. Raya, and R. I. Rosihan, "Analisis Upaya Menurunkan Cacat Produk Crank Case LH pada Proses Die Casting dengan Metode PDCA dan FMEA di PT. Suzuki Indo Mobil/Motor," *J. Ind. Eng. Syst.*, vol. 1, no. 1, pp. 1–10, 2020, doi: 10.31599/jies.v1i1.160.

[13] A. Totre, R. Nishad, and S. Bodke, "An Overview Of Factors Affecting In Blanking Processes," 2013.

[14] V. Magesh, S. Sundar, and S. Karuppudaiyan, "Finite Element Analysis of Wrinkling and Shearing of Sheet Metal Forming," *Indian J. Sci. Technol.*, vol. 9, no. 34, 2016, doi: 10.17485/ijst/2016/v9i34/95252.

[15] C. R. M. Silva, F. J. G. Silva, R. M. Gouveia, M. Silva, J. G. Silva, and M. Gouveia, "investigations on the edge crack defect in Dual Phase steel stamping process," *Procedia Manuf.*, vol. 17, pp. 737–745, 2018, doi: 10.1016/j.promfg.2018.10.124.

[16] R. Cada, "VRBA2024-00004 BLANK MATERIAL INFLUENCE ON STAMPING SPRINGBACK," vol. 1269, pp. 7185–7195, 2024, doi: 10.17973/MMSJ.2024.

[17] A. Behrouzi, B. M. Dariani, and M. Shakeri, "Tool shape design in the sheet bending process by inverse analysis of springback," *Proc. Inst. Mech. Eng. Part B J. Eng. Manuf.*, vol. 223, no. 10, pp. 1331–1340, 2009, doi: 10.1243/09544054JEM1561.

[18] S. K. Panthi, N. Ramakrishnan, M. Ahmed, S. S. Singh, and M. D. Goel, "Finite Element Analysis of sheet metal bending process to predict the springback," *Mater. Des.*, vol. 31, no. 2, pp. 657–662, 2010, doi: https://doi.org/10.1016/j.matdes.2009.08.022.

[19] L. Ben Said *et al.*, “Anisotropic Plasticity in Sheet Metal Forming: Experimental and Numerical Analysis of Springback Using U-Bending Test,” *Machines*, vol. 13, no. 11, pp. 1–24, 2025, doi: 10.3390/machines13111029.

[20] H. Kurtaran, “A novel approach for the prediction of bend allowance in air bending and comparison with other methods,” *Int. J. Adv. Manuf. Technol.*, vol. 37, no. 5, pp. 486–495, 2008, doi: 10.1007/s00170-007-0987-y.

[21] W. F. Hosford and J. L. Duncan, “Sheet metal forming: A review,” *JOM - J. Miner. Met. Mater. Soc.*, vol. 51, no. 11, pp. 39–44, Nov. 1999, doi: 10.1007/s11837-999-0221-5.

[22] R. Bahloul, L. Ben Ayed, and A. Potiron, “Comparison between three optimization methods for the minimization of maximum bending load and springback in wiping die bending obtained by an experimental approach,” pp. 1185–1203, 2010, doi: 10.1007/s00170-009-2332-0.

[23] R. Srinivasan, “Experimental Study on Bending Behaviour of Aluminium–Copper Clad Sheets in V-Bending Process.pdf.”

[24] Y.E.Ling, “Finite element analysis of springback in L-bending of sheet metal,” 2010.

[25] M. A. Suyuti, R. Nur, D. Jurusan, T. Mesin, P. Negeri, and U. Pandang, “SPRINGBACK HASIL PROSES TEKUK BENTUK “ V “ PELAT BAJA KARBON St . 60 KETEBALAN 4 mm,” vol. 2018, pp. 30–34, 2018.

[26] G. Patria, A. Kusnayat, and ..., “Pengembangan Alat Pemisah Kulit Ari Kedelai Menggunakan Metode Reverse Engineering,” *eProceedings …*, vol. 7, no. 3, pp. 9481–9490, 2020.

[27] N. J. Baharuddin, A. R. A. Manaf, and A. S. Jamaludin, “Study on Die Shoulder Patterning Method (DSPM) to Minimise Springback of,” vol. 19, no. 1, pp. 9509–9518, 2022.

[28] İ. Karaağaç, “The Evaluation of Process Parameters on Springback in V-

bending Using the Flexforming Process," vol. 20, no. 5, pp. 1291–1299, 2017.

[29] S. Yin, J. Mason, and S. Schmidde, "Bending and Springback ofLaminated Steel," pp. 159–163, 2022.

[30] B. L. Vinh, "Finite Element Analysis of Springback Behavior in SPCC Double- Layer Sheets During L-Die Bending : Influence of Die Radius , Clearance , and Plate Length Journal of Chemical Health Risks," vol. 15, pp. 2146–2153, 2025.

[31] T. Xia, "Impact of non-ideal rotation of bending dies on.pdf," 2026.