DAFTAR PUSTAKA

Almeida-Naranjo, C. E., Frutos, M., Guerrero, V. H., & Villamar-Ayala, C. (2024). Characterization and performance of peanut shells in caffeine and triclosan removal in batch and fixed-bed column tests. *Molecules*, *29*(12), 2923. https://doi.org/10.3390/molecules29122923

Alshammari, B. A., Alothman, O. Y., Alhamidi, A., Jawaid, M., & Shaikh, H. M. (2022). Effect of accelerated weathering on the thermal, tensile, and morphological characteristics of polypropylene/date nanofiller composites. *Materials*, *15*(17), 6053. https://doi.org/10.3390/ma15176053

ASTM Indonesia. (2023). *ASTM D1238-23a: Standard test method for melt flow rates of thermoplastics by extrusion plastometer*. https://doi.org/10.1520/D1238-23A

ASTM Indonesia. (2024a). *ASTM E793-24: Standard test method for enthalpies of fusion and crystallization by differential scanning calorimetry*. https://doi.org/10.1520/E0793-24

ASTM Indonesia. (2024b). *ASTM E794-24: Standard test method for melting and crystallization temperatures by thermal analysis*. https://doi.org/10.1520/E0794-24

Auriemma, F., Ruiz de Ballesteros, O., De Rosa, C., & Corradini, P. (2000). Structural disorder in the alpha form of isotactic polypropylene. *Macromolecules*, *33*(23), 8764–8774. https://doi.org/10.1021/ma0002895

Bano, S., & Negi, Y. S. (2017). Studies on cellulose nanocrystals isolated from groundnut shells. *Carbohydrate Polymers*, *157*, 1041–1049. https://doi.org/10.1016/j.carbpol.2016.10.069

Benarab, A., Trujillo, M., Arnal, M. L., Müller, A. J., & Cerrada, M. L. (2021). Composites of a polypropylene random copolymer and date stone flour: Crystalline details and mechanical response. *Polymers*, *13*(17), 2957. https://doi.org/10.3390/polym13172957

Bledzki, A. K., & Gassan, J. (1999). Composites reinforced with cellulose based fibres. *Progress in Polymer Science*, *24*(2), 221–274. https://doi.org/10.1016/S0079-6700(98)00018-5

Borysiak, S. (2013). Influence of cellulose polymorphs on the polypropylene crystallization. *Journal of Thermal Analysis and Calorimetry*, *113*, 281–289. https://doi.org/10.1007/s10973-013-3109-0

Chatterjee, A., & Singh, H. (2019). *Development and characterization of peanut shell flour–polypropylene composite. Journal of The Institution of Engineers (India): Series D, 100(2), 147–153*. https://doi.org/10.1007/s40033-019-00200-6

da Silveira, dos S. M. C. C. P. H. P. M., Chaves, Y. S., Ribeiro, M. P., Marchi, B. Z., Monteiro, S. N., Gomes, A. V, Tapanes, N. de L. C. O., Pereira, P. S. da C., & Bastos, D. C. (2023). Characterization of thermo-mechanical and chemical

properties of polypropylene/hemp fiber biocomposites: Impact of maleic anhydride compatibilizer and fiber content. *Polymers*, *15*(15), 3271. https://doi.org/10.3390/polym15153271

Delli, E., Gkiliopoulos, D., Vouvoudi, E., Bikiaris, D., & Chrissafis, K. (2024). Defining the effect of a polymeric compatibilizer on the properties of random polypropylene/glass fibre composites. *Journal of Composites Science*, *8*(2), 44. https://doi.org/10.3390/jcs8020044

Faruk, O., Bledzki, A. K., Fink, H. P., & Sain, M. (2012). Biocomposites reinforced with natural fibers: 2000-2010. *Progress in Polymer Science*, *37*(11), 1552–1596.

Fayzullin, I., Gorbachev, A., Volfson, S., Zhakypova, G., Uderbayev, S., Nakyp, A., & Akylbekov, N. (2025). Influence of different dosages of rice husk particles on thermal, physical, mechanical and rheological properties of polypropylene-based composites. *Journal of Composites Science*, *9*(8), 443. https://doi.org/10.3390/jcs9080443

Fritsch, C., Staebler, A., Happel, A., Márquez, M. A. C., Aguiló-Aguayo, I., Abadias, M., Gallur, M., Cigognini, I. M., Montanari, A., López, M. J., Suárez-Estrella, F., Brunton, N., Luengo, E., Sisti, L., Ferri, M., & Belotti, G. (2017). Processing, valorization and application of bio-waste derived compounds from potato, tomato, olive and cereals: A review. *Sustainability*, *9*(8), 1492. https://doi.org/10.3390/su9081492

Gebrechristos, H. Y., & Chen, W. (2018). Utilization of potato peel as eco-friendly products: A review. *Food Science & Nutrition*, *6*(6), 1352–1356. https://doi.org/10.1002/fsn3.691

González-González, V. A., Neira-Velázquez, G., & Angulo-Sánchez, J. L. (1998). Polypropylene chain scissions and molecular weight changes in multiple extrusion. *Polymer Degradation and Stability*, *60*(1), 33–42. https://doi.org/10.1016/S0141-3910(96)00233-9

Huang, C.-W., Yang, T.-C., Hung, K.-C., Xu, J.-W., & Wu, J.-H. (2018). The effect of maleated polypropylene on the non-isothermal crystallization kinetics of wood fiber-reinforced polypropylene composites. *Polymers*, *10*(4), 382. https://doi.org/10.3390/polym10040382

Ijaz, N., Bashir, S., Ikram, A., Zafar, A., Ul Ain, H. B., Ambreen, S., Ahmad, M., Almalki, R. S., Khalid, M. Z., Khalid, W., & Madilo, F. K. (2024). Valorization of potato peel: A sustainable eco-friendly approach. *CyTA–Journal of Food*, *22*(1), 2306951. https://doi.org/10.1080/19476337.2024.2306951

ASTM Indonesia. (2021). *ASTM D3418-21: Standard test method for transition temperatures and enthalpies of fusion and crystallization of polymers by differential scanning calorimetry*. https://doi.org/10.1520/D3418-21

Javed, A., Ahmad, A., Tahir, A., Shabbir, U., Nouman, M., & Hameed, A. (2019). Potato peel waste—Its nutraceutical, industrial and biotechnological applications.

AIMS Agriculture and Food, *4*(3), 807–823. https://doi.org/10.3934/agrfood.2019.3.807

Junaedi, H., Baig, M., Dawood, A., Albahkali, E., & Almajid, A. (2022). Effect of the matrix melt flow index and fillers on mechanical properties of polypropylene-based composites. *Materials*, *15*(21), 7568. https://doi.org/10.3390/ma15217568

Jurado-Contreras, S., Navas-Martos, F. J., Rodríguez-Liébana, J. A., Moya, A. J., & La Rubia, M. D. (2022). Manufacture and characterization of recycled polypropylene and olive pits biocomposites. *Polymers*, *14*(19), 4206. https://doi.org/10.3390/polym14194206

Kag, S., Kumar, P., & Kataria, R. (2024). Acid hydrolysis of Solanum tuberosum periderm for accumulation of polyhydroxyalkanoates in Pseudomonas putida MTCC 2475. *Frontiers in Bioengineering and Biotechnology*, *12*, 1343540. https://doi.org/10.3389/fbioe.2024.1343540

Khanal, S., Karimi, K., Majumdar, S., Kumar, V., Verma, R., Bhatia, S. K., Kuca, K., Esteban, J., & Kumar, D. (2024). Sustainable utilization and valorization of potato waste: State of the art, challenges, and perspectives. *Biomass Conversion and Biorefinery*, *14*(19), 23335–23360. https://doi.org/10.1007/s13399-023-04521-1

La Mantia, F. P., Scaffaro, R., Balsamo, G., Giuffré, C., Rodi, E. G., Corviseri, S., & Citarrella, M. C. (2025). Sustainable composites from recycled polypropylene and hazelnut shell flour for application in irrigation systems. *Polymers*, *17*(23), 3207. https://doi.org/10.3390/polym17233207

Mandala, R., Hegde, G., Kodali, D., & Kode, V. R. (2023). From waste to strength: Unveiling the mechanical properties of peanut-shell-based polymer composites. *Journal of Composites Science*, *7*(8), 307. https://doi.org/10.3390/jcs7080307

Mertz, A. M., Mix, A. W., Baek, H. M., & Giacomin, A. J. (2013). Understanding melt index and ASTM D1238. *Journal of Testing and Evaluation*, *41*(1), 50–62. https://doi.org/10.1520/JTE20120161

Miller, K., Reichert, C. L., Loeffler, M., & Schmid, M. (2024). Effect of particle size on the physical properties of PLA/potato peel composites. *Compounds*, *4*(1), 119–140. https://doi.org/10.3390/compounds4010006

Osswald, T. A., & Menges, G. (2012). *Materials science of polymers for engineers (3rd ed.). Hanser*.

Pączkowski, P., Puszka, A., & Gawdzik, B. (2021). Effect of eco-friendly peanut shell powder on the chemical resistance, physical, thermal, and thermomechanical properties of unsaturated polyester resin composites. *Polymers*, *13*(21), 3690. https://doi.org/10.3390/polym13213690

Pickering, K. L., Efendy, M. G. A., & Le, T. M. (2016). *A review of recent developments in natural fibre composites and their mechanical performance. Composites Part A: Applied Science and Manufacturing, 83, 98–112*. https://doi.org/10.1016/j.compositesa.2015.08.038

Qian, S., Igarashi, T., & Nitta, K.-H. (2011). Thermal degradation behavior of polypropylene in the melt state: Molecular weight distribution changes and chain scission mechanism. *Polymer Bulletin*, *67*, 1661–1670. https://doi.org/10.1007/s00289-011-0560-6

Rodríguez-Martínez, B., Gullón, B., Yáñez, R., & Domínguez, H. (2021). Identification and recovery of valuable bioactive compounds from potato peels: A comprehensive review. *Antioxidants*, *10*(10), 1630. https://doi.org/10.3390/antiox10101630

Sadeghi-Shapourabadi, M., Mohanty, A. K., & Misra, M. (2023). Microwave-assisted chemical purification and ultrasonication for extraction of nanofibrillated cellulose from potato peel waste. *Waste*, *1*(4), 930–950. https://doi.org/10.3390/waste1040044

ISO. (2023). *ISO 11357-1:2023: Plastics—Differential scanning calorimetry (DSC)—Part 1: General principles.* https://www.iso.org/standard/83904.html

Sugumaran, V., Bhunia, H., & Narula, A. K. (2018). Evaluation of biodegradability of potato peel powder based polyolefin biocomposites. *Journal of Polymers and the Environment*, *26*, 2049–2060. https://doi.org/10.1007/s10924-017-1103-5

Tariq, A., Ahmad, N. M., Abbas, M. A., Shakir, M. F., Khaliq, Z., Rafiq, S., Ali, Z., & Elaissari, A. (2021). Reactive extrusion of maleic-anhydride-grafted polypropylene by torque rheometer and its application as compatibilizer. *Polymers*, *13*(4), 495. https://doi.org/10.3390/polym13040495

Zaaba, N. F., & Ismail, H. (2018). Comparative study of irradiated and non-irradiated recycled polypropylene/peanut shell powder composites under the effects of natural weathering degradation. *BioResources*, *13*(1), 487–505. https://doi.org/10.15376/biores.13.1.487-505

Zaaba, N. F., Ismail, H., & Jaafar, M. (2013). Effect of peanut shell powder content on the properties of recycled polypropylene/peanut shell powder composites. *BioResources*, *8*(4), 5826–5841. https://doi.org/10.15376/biores.8.4.5826-5841

Zhiltsova, T., Campos, J., Costa, A., & Oliveira, M. S. A. (2024). Sustainable polypropylene-based composites with agro-waste fillers: Thermal, morphological, mechanical properties and dimensional stability. *Materials*, *17*(3), 696. https://doi.org/10.3390/ma17030696

Zielińska, D., Szentner, K., Waśkiewicz, A., & Borysiak, S. (2021). Production of nanocellulose by enzymatic treatment for application in polymer composites. *Materials*, *14*(9), 2124. https://doi.org/10.3390/ma14092124