

DAFTAR PUSTAKA

- [1] H. Wu *et al.*, “Effect of oil extraction on properties of spent coffee ground–plastic composites,” *Journal of Materials Science*, vol. 51, no. 22, pp. 10205–10214, 2016, doi: 10.1007/s10853-016-0248-2.
- [2] A. Hejna, “Potential applications of by-products from the coffee industry in polymer technology – Current state and perspectives,” *Waste Management*, vol. 121, pp. 296–330, 2021, doi: 10.1016/j.wasman.2020.12.018.
- [3] H. K. Lee, Y. G. Park, T. Jeong, and Y. S. Song, “Green nanocomposites filled with spent coffee grounds,” *Journal of Applied Polymer Science*, vol. 132, no. 23, pp. 2–7, 2015, doi: 10.1002/app.42043.
- [4] S. Ketaren, “Pengantar Teknologi Minyak dan Lemak Pangan. UI. Press. Jakarta.,” p. 327, 2008.
- [5] Barleany Dhena Ria, Rudi Hartono, and Santoso, “Pengaruh Komposisi Montmorillonite pada Pembuatan Polipropilen- Nanokomposit terhadap Kekuatan Tarik dan Kekerasannya,” *Teknologi Kimia*, pp. 1–6, 2011.
- [6] I. Gunawan *et al.*, “Sintesis dan Karakterisasi Komposit Polipropilena / Serbuk Kayu Gergaji Analisis Sifat Mekanik (Tensile Strength),” *Jurnal Sains Materi Indonesia*, vol. 4, no. 1, pp. 20–25, 2002.
- [7] K. H. Nitta and M. Kuriyagawa, *Handbook of Polymers*. 2016.
- [8] Z. Yang, H. Peng, W. Wang, and T. Liu, “Flammability and Mechanical Properties of Wood Flour-Filled Polypropylene Composites,” *Journal of Applied Polymer Science*, vol. 116, no. 5, pp. 2658–2667, 2010, doi: 10.1002/app.
- [9] “Synthesis of Degradable Bio-Composites Based on Recycle Polypropylene Filled with Bamboo Powder Using a Reactive Process | Semantic Scholar.” Accessed: Apr. 05, 2022. [Online]. Available: <https://www.semanticscholar.org/paper/Synthesis-of-Degradable-Bio-Composites-Based-on-a-Suharty-Wirjosentono/35dd85a6210484ace0659d0169fd6e4cc87d4548>
- [10] S. Al-Malaika and N. Suharty, “Reactive processing of polymers: mechanisms of grafting reactions of functional antioxidants on polyolefins in the presence of a coagent,” *Polymer Degradation and Stability*, vol. 49, no. 1, pp. 77–89, 1995, doi: 10.1016/0141-3910(95)00114-2.

- [11] “Handbook of Polypropylene and Polypropylene Composites (Harutun Karian) | PDF | Polymers | Materials.” Accessed: Apr. 05, 2022. [Online]. Available: <https://id.scribd.com/document/401911930/Handbook-of-Polypropylene-and-Polypropylene-Composites-Harutun-Karian-pdf>
- [12] Clive. Maier and Teresa. Calafut, “Polypropylene : the definitive user’s guide and databook,” p. 432, 1998.
- [13] K. Siburuan, Rikson; Simbolon, Tua Raja; Sebayang, *Ilmu material*. 2007.
- [14] C. A. Harper, *Plastics*.
- [15] J. A. Brydson, “Plastics Materials 7th Edition,” *Elsevier*, vol. 7, p. 920, 1999.
- [16] International Coffee Organization, “Coffee Market Report September 2018,” *Coffee Market Report*, no. September 2018, pp. 1–7, 2018.
- [17] J. McNutt and Q. (Sophia) He, “Spent coffee grounds: A review on current utilization,” *Journal of Industrial and Engineering Chemistry*, vol. 71. Korean Society of Industrial Engineering Chemistry, pp. 78–88, Mar. 25, 2019. doi: 10.1016/j.jiec.2018.11.054.
- [18] L. F. Ballesteros, J. A. Teixeira, and S. I. Mussatto, “Chemical, Functional, and Structural Properties of Spent Coffee Grounds and Coffee Silverskin,” *Food and Bioprocess Technology 2014 7:12*, vol. 7, no. 12, pp. 3493–3503, Jun. 2014, doi: 10.1007/S11947-014-1349-Z.
- [19] M. A. Silva, S. A. Nebra, M. J. Machado Silva, and C. G. Sanchez, “The use of Biomass Residues in the Brazilian Soluble Coffee Industry,” *Biomass and Bioenergy*, vol. 14, no. 5–6, pp. 457–467, 1998, doi: 10.1016/S0961-9534(97)10034-4.
- [20] S. Maimunah, “Sintesis Etilendiamida dari Metil Ester Minyak Biji Kopi Arabika,” *Jurnal Atomik*, vol. 05, no. 2, pp. 99–106, 2020.
- [21] N. dkk Susilowati, “Pengambilan Minyak Biji Kemiri (*Aleurites moluccana*, Wild) Melalui Ekstraksi Dengan Menggunakan Soxhlet,” *Journal of Chemical Information and Modeling*, vol. 53, no. 9, pp. 1689–1699, 2012.
- [22] Z. Al-Hamamre, S. Foerster, F. Hartmann, M. Kröger, and M. Kaltschmitt, “Oil extracted from spent coffee grounds as a renewable source for fatty acid methyl ester manufacturing,” *Fuel*, vol. 96, no. x, pp. 70–76, 2012, doi: 10.1016/j.fuel.2012.01.023.
- [23] H. Heru and M. Hanif, “Variasi Waktu dan Massa Ampas Kopi Pada Leaching Minyak Dari Residu Kopi Instan,” *Inovasi Pembangunan : Jurnal Kelitbangan*, vol. 7, no. 1, p. 49, 2019, doi: 10.35450/jip.v7i1.119.
- [24] D. Irwansyah, C. Budiyanoro, and Sunardi, “Perancangan Mesin Vacuum Forming Untuk Material Plastik Polystyrene (Ps) Dengan Ukuran Maksimal Cetakan,” *Material dan Proses Manufaktur*, vol. 1, no. 2, pp. 87–95, 2017.

- [25] A. A. Shamsuri, "Compression Moulding Technique for Manufacturing Biocomposite Products," *International Journal of Applied Science and Technology*, vol. 5, no. 3, pp. 23–26, 2015.
- [26] A. Nuari, "Analisis Laju Aliran Panas pada Proses Thermoforming Blister Packing Mesin PAM-PAC BP-102 dengan 2Desain," vol. 06, pp. 207–214, 2017.
- [27] American Society for Testing and Materials, "ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens," *ASTM International*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [28] T. Molding and E. Materials, "ASTM D256-97 (Impact)," vol. V.
- [29] N. J. Chitra, R. Vasanthakumari, and S. Amanulla, "Preliminary Studies of the Effect of Coupling Agent on the Properties of Spent Coffee Grounds Polypropylene Bio-Composites," *International Journal of Engineering Research and Technology*, vol. 7, no. 1, pp. 9–16, 2014.
- [30] ASTM, "D1238-13 Test Method for Melt Flow Rates of Thermoplastics by Extrusion Plastometer," *Norma*, vol. 08, pp. 1–16, 2010, doi: 10.1520/D1238-13.
- [31] L. Wisojodharmo *et al.*, "Pengaruh Antioksidan pada Proses Pengolahan dan Daur Ulang Polipropilen".
- [32] N. Suaduang, S. Ross, G. M. Ross, S. Pratumshat, and S. Mahasaranon, "Effect of spent coffee grounds filler on the physical and mechanical properties of poly(lactic acid) bio-composite films," *Materials Today: Proceedings*, vol. 17, pp. 2104–2110, 2019, doi: 10.1016/j.matpr.2019.06.260.
- [33] muhamad subhan Aprianto, *Karakterisasi Ftir Membran Komposit Nilon-Arang Berbahan Dasar Limbah Jaring Benang Nilon Dan Ampas Tebu*. 2018.
- [34] C. Maria, "Application of FTIR Spectroscopy in Environmental Studies," *Advanced Aspects of Spectroscopy*, no. Figure 1, 2012, doi: 10.5772/48331.
- [35] Laporan Analisis Pangan IPB, "Laporan Praktikum Analisa Pangan Lanjut Analisis Fingerprint Kafein dengan Instrumen FTIR (Fourier Transform Infra Red Spectrometer) Tempat dan Waktu," 2020.
- [36] M. Mecozzi and E. Sturchio, "Computer assisted examination of infrared and near infrared spectra to assess structural and molecular changes in biological samples exposed to pollutants: A case of study," *Journal of Imaging*, vol. 3, no. 1, 2017, doi: 10.3390/jimaging3010011.
- [37] H. Essabir, M. Raji, S. A. Laaziz, D. Rodrique, R. Bouhfid, and A. el kacem Qaiss, "Thermo-mechanical performances of polypropylene biocomposites based on untreated, treated and compatibilized spent coffee grounds," *Composites Part B: Engineering*, vol. 149, pp. 1–11, 2018, doi: 10.1016/j.compositesb.2018.05.020.