

DAFTAR PUSTAKA

- [1] ICO, "Crop year production by country," *Nature*, 2021, doi: 10.1079/9781845931292.0017.
- [2] ICO, "World coffee consumption," *International Coffee Organization*, no. August, p. 1, 2021.
- [3] A. I. Juwita, A. Mustafa, and R. Tamrin, "STUDI PEMANFAATAN KULIT KOPI ARABIKA (Coffee arabica L.) SEBAGAI MIKRO ORGANISME LOKAL (MOL)," *Agrointek*, vol. 11, no. 1, 2017, doi: 10.21107/agrointek.v11i1.2937.
- [4] N. L. U. Sumadewi, D. H. D. Puspaningrum, and N. N. Adisanjaya, "PKM Pemanfaatan Limbah Kopi Di Desa Catur Kabupaten Bangli," *Jurnal Pendidikan dan Pengabdian Masyarakat*, vol. 3, no. 2, 2020, doi: 10.29303/jppm.v3i2.1897.
- [5] G. Wypych, *Handbook of Polymers*. 2012.
- [6] D. Ginting and R. N. Fitri, "Efek Sintesis Silane Coupling Agent Pada Sifat Fisis Dan Mekanis Komposit Serbuk Kenaf," *Jurnal Fisika*, vol. 6, no. 2, pp. 113–117, 2021.
- [7] M. Y. Tan, H. T. N. Kuan, and M. C. Lee, "Characterization of Alkaline Treatment And Fiber Content on the Physical, Thermal, and Mechanical Properties of Ground Coffee Waste/Oxobiodegradable HDPE Biocomposites," *International Journal of Polymer Science*, vol. 2017, 2017, doi: 10.1155/2017/6258151.
- [8] A. Hejna, "Potential applications of by-products from the coffee industry in polymer technology – current state and perspectives," *Waste Management*, vol. 121, pp. 296–330, 2021, doi: 10.1016/j.wasman.2020.12.018.
- [9] M. Y. Tan, H. T. N. Kuan, and A. A. Khan, "Tensile Properties of Ground Coffee Waste Reinforced Polyethylene Composite," *Materials Science Forum*, vol. 880, pp. 73–76, 2017, doi: 10.4028/www.scientific.net/MSF.880.73.
- [10] U. Fathanah, "Kualitas Papan Komposit Dari Sekam Padi dan Plastik HDPE Daur Ulang Menggunakan Maleic Anhydride (MAH) sebagai Compatibilizer," *Jurnal Rekayasa Kimia dan Lingkungan*, vol. 8, no. 2, pp. 53–59, 2011.
- [11] Zulnazri and Meriatna, "Pembuatan Komposit dari Limbah Plastik Polypropilena (PP) dengan Menggunakan Penguat Fiber Glass dan Coupling Agent Anhidrat Maleat," *Journal of science and technology*, vol. 10, no. 2, 2012.
- [12] A. Afzal and Y. Nawab, *Polymer composites*. 2021. doi: 10.1016/B978-0-12-821984-3.00003-6.
- [13] E. Melyna and A. P. Afridana, "The Effect of Coffee Husk Waste Addition with alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites," *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, pp. 14–22, 2023, doi: 10.20961/equilibrium.v7i1.68556.

- [14] A. Nurhidayat, "Pengaruh Fraksi Volume Pada Pembuatan Komposit Hdpe Limbah- Cantula dan Berbagai Jenis Perekat Dalam Pembuatan Laminat," 2013.
- [15] M. R. Jung *et al.*, "Validation of ATR FT-IR to Identify Polymers of Plastic Marine Debris, Including Those Ingested by Marine Organisms," *Marine Pollution Bulletin*, vol. 127, no. November 2017, pp. 704–716, 2018, doi: 10.1016/j.marpolbul.2017.12.061.
- [16] S. G. S. Giat, S. Sudirman, D. I. Anwar, F. Lukitowati, and B. Abbas, "Sifat fisis dan mekanis komposit high density polyethylene (HDPE) – hydroxyapatite (HAp) dengan teknik iradiasi gamma," *Jurnal Kimia dan Kemasan*, vol. 37, no. 1, p. 53, 2015, doi: 10.24817/jkk.v37i1.1812.
- [17] A. K. Goel *et al.*, "High density polyethylene (HDPE) and polypropylene (PP) polyblend: an experimental approach," *New Advances in Materials Science and Engineering Vol. 1*, no. September, 2019, doi: 10.9734/bpi/namse/v1.
- [18] E. Melyna and I. Zahrina, "Perengkahan Sampah Plastik (HDPE , PP , PS) Menjadi Precursor Bahan Bakar dengan Variasi Perbandingan Bahan Baku / Katalis H-Zeolit," 2011.
- [19] I. Ramadhan, "High Density Polyethylene (HDPE) Sebagai Substitusi Bahan Binder Pada Bata Ringan," 2019.
- [20] A. H. Awad, R. El Gamasy, A. S. University, Cairo, and Egypt, "Mechanical and Physical Properties of PP and HDPE," *Engineering Science*, vol. 4, no. 2, p. 34, 2019, doi: 10.11648/j.es.20190402.12.
- [21] R. Yunita, M. Oktavioni, I. Chaniago, L. Syukriani, M. A. Setiawan, and J. Jamsari, "Analysis of Genetic Diversity of Arabica Coffee [*Coffea Arabica* L.] in Solok Regency by SRAP Molecular Markers," *IOP Conference Series: Earth and Environmental Science*, vol. 497, no. 1, pp. 6–12, 2020, doi: 10.1088/1755-1315/497/1/012018.
- [22] Elfariyanti, E. Silviana, and M. Santika, "Analisis Kandungan Kafein Pada Kopi Seduhan Warung Kopi Di Kota Banda Aceh," *Lantanida Journal*, vol. 8, no. 1, pp. 1–95, 2020, doi: 10.22373/lj.v8i1.5759.
- [23] H. Wu *et al.*, "Effect of oil extraction on properties of spent coffee ground–plastic composites," *Journal of Materials Science*, vol. 51, no. 22, pp. 10205–10214, 2016, doi: 10.1007/s10853-016-0248-2.
- [24] R. Campos-Vega, G. Loarca-Piña, H. A. Vergara-Castañeda, and B. Dave Oomah, "Spent coffee grounds: A review on current research and future prospects," *Trends in Food Science and Technology*, vol. 45, no. 1, pp. 24–36, 2015, doi: 10.1016/j.tifs.2015.04.012.
- [25] S. Oko, Mustafa, A. Kurniawan, and E. S. B. Palulun, "Pengaruh suhu dan konsentrasi aktivator HCl terhadap karakteristik karbon aktif dari ampas kopi," *Metana: Media Komunikasi Rekayasa Proses dan Teknologi Tepat Guna*, vol. 17, no. 1, pp. 15–21, 2021.