

## DAFTAR PUSTAKA

- [1] H. Essabir, M. Raji, S. A. Laaziz, D. Rodrique, R. Bouhfid, and A. el kacem Qaiss, "Thermo-mechanical performances of polypropylene biocomposites based on untreated, treated and compatibilized spent coffee grounds," *Composites Part B: Engineering*, vol. 149, pp. 1–11, 2018, doi: 10.1016/j.compositesb.2018.05.020.
- [2] K. tak Lau, P. yan Hung, M. H. Zhu, and D. Hui, "Properties of natural fibre composites for structural engineering applications," *Composites Part B: Engineering*, vol. 136, no. October 2017, pp. 222–233, 2018, doi: 10.1016/j.compositesb.2017.10.038.
- [3] S. Moritomi, T. Watanabe, and S. Kanzak, "Polypropylene compounds for automotive application," *Predicting the Potential of Agro Waste Fibers*, vol. 1, pp. 1–16, 2010.
- [4] E. Oktariani *et al.*, "Sifat mekanis polipropilena berpenguat serat kenaf pendek: pengaruh fraksi massa dan talk," *Sainmatika: Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, vol. 15, no. 2, pp. 90–95, 2018, doi: 10.31851/sainmatika.v15i2.2303.
- [5] N. Farhaty and Muchtaridi, "Tinjauan kimia dan aspek farmakologi senyawa asam klorogenat pada biji kopi : review," *Farmaka*, vol. 14, no. 1, pp. 214–227, 2016.
- [6] J. S. Sohn, Y. Ryu, C. S. Yun, K. Zhu, and S. W. Cha, "Extrusion compounding process for the development of eco-friendly SCG/PP composite pellets," *Sustainability (Switzerland)*, vol. 11, no. 6, 2019, doi: 10.3390/su11061720.
- [7] N. A. Sutono, "Karakterisasi ampas kopi robusta (coffe canephora) pada berbagai tingkat penyangraian dansuhu penyeduhan," Universitas Jember, 2017.
- [8] M. Y. Tan, H. T. N. Kuan, and A. A. Khan, "Tensile properties of ground coffee waste reinforced polyethylene composite," *Materials Science Forum*, vol. 880, pp. 73–76, 2017, doi: 10.4028/www.scientific.net/MSF.880.73.
- [9] L. Edahwati, D. Suci, and D. Siswati, "Penurunan lignin kulit buah kopi dengan metode organosolve," *Jurnal Universitas Pembangunan Nasional Jawa Timur*, vol. 11, no. 02, pp. 7–10, 2014.
- [10] W. Qiu, F. Zhang, T. Endo, and Takahiro Hirotsu, "Effect of maleated polypropylene on the performance of olypropylene/cellulose composite," *Polimer Composites*, pp. 448–453, 2005, doi: 10.1002/pc.20119.
- [11] S. Raharjo, "Studi pengaruh kadar komonomer etilena terhadap karakteristik polipropilena (PP) homopolimer grade thermoforming," Universitas Indonesia, 2009.
- [12] F. W. Billmeyer, *Textbook of polymer science*, vol. 12, no. 3. United States of America, 1984. doi: 10.1295/kobunshi.12.240.

- [13] G. Wypych, *Handbook of polymers*, 2nd editio. Toronto: Chemtech Publishing, 2016.
- [14] Suryadiwansa. Hamni, A., Akhyar, G. and T. Burhanuddin, Y., "Potensi pengembangan teknologi proses produksi kopi Lampung," *Jurnal Mechanical*, vol. 4, no. 1, pp. 45–51, 2013.
- [15] B. P. Statistik, "Statistik kopi Indonesia 2020," 2020.
- [16] P. Esquivel and V. M. Jiménez, "Functional properties of coffee and coffee by-products," *Food Research International*, vol. 46, no. 2, pp. 488–495, 2012, doi: 10.1016/j.foodres.2011.05.028.
- [17] R. Campos-Vega, G. Loarca-Piña, H. A. Vergara-Castañeda, and B. Dave Oomah, "Spent coffee grounds: A review on current research and future prospects," *Trends in Food Science and Technology*, vol. 45, no. 1, pp. 24–36, 2015, doi: 10.1016/j.tifs.2015.04.012.
- [18] M. R. Huseini, E. I. Marjuki, D. Iryawan, and T. Y. Hendrawati, "Pengaruh variasi temperatur pengolahan hidrotermal ampas kopi terhadap yield energi untuk bahan baku pembuatan biobriket," *Seminar Nasional Sains dan Teknologi*, pp. 4–7, 2018.
- [19] H. Wu *et al.*, "Effect of oil extraction on properties of spent coffee ground–plastic composites," *Journal of Materials Science*, vol. 51, no. 22, pp. 10205–10214, 2016, doi: 10.1007/s10853-016-0248-2.
- [20] Jumatriatikah Hadrawi, "Kandungan lignin, selulosa, dan hemiselulosa limbah baglog jamur tiram putih (*pleurotus ostreatus*) dengan masa inkubasi yang berbeda sebagai bahan pakan ternak," Universitas Hasanuddin Makassar, 2014.
- [21] I. Mulyadi, "Isolasi dan karakterisasi selulosa : review," *Jurnal Saintika Unpam : Jurnal Sains dan Matematika Unpam*, vol. 1, no. 2, p. 177, 2019, doi: 10.32493/jsmu.v1i2.2381.
- [22] F. Analda Souhoka and J. Latupeirissa, "Synthesis and characterization of cellulose acetate (CA)," *J. Chem. Res*, vol. 5, no. 2, pp. 58–62, 2018.
- [23] V. Ambrogi, C. Carfagna, P. Cerruti, and V. Marturano, *Additives in polymers*. Elsevier Inc., 2017. doi: 10.1016/B978-0-323-44353-1.00004-X.
- [24] K. W. Allen, "Adhesion and adhesives," *Encyclopedia of Physical Science and Technology*, pp. 237–250, 2003, doi: 10.3131/jvsj.9.5.
- [25] C. DeArmitt and R. Rothon, *Dispersants and coupling agents*. Elsevier, 2011. doi: 10.1016/B978-1-4377-3514-7.10025-X.
- [26] H. Ismail, S. Shuhelmy, and M. R. Edyham, "The effects of a silane coupling agent on curing characteristics and mechanical properties of bamboo fibre filled natural rubber composites," *European Polymer Journal*, vol. 38, no. 1, pp. 39–47, 2002, doi: 10.1016/S0014-3057(01)00113-6.

- [27] S. H. Lee and S. Wang, "Biodegradable polymers/bamboo fiber biocomposite with bio-based coupling agent," *Composites Part A: Applied Science and Manufacturing*, vol. 37, no. 1, pp. 80–91, 2006, doi: 10.1016/j.compositesa.2005.04.015.
- [28] D. K. Hood and O. M. Musa, *Application of maleic anhydride-based materials*. Springer International Publishing, 2016. doi: 10.1007/978-3-319-29454-4\_10.
- [29] Y. Adityawardhana, "Studi penambahan coupling agent anhidrat maleat terhadap sifat mekanik dan morfologi komposit serat karbon / epoksi untuk lambung kapal," *Institut Teknologi Sepuluh Nopember*, 2018.
- [30] N. J. Chitra, R. Vasanthakumari, and S. Amanulla, "Preliminary studies of the effect of coupling agent on the properties of spent coffee grounds polypropylene bio-composites," *International Journal of Engineering Research and Technology*, vol. 7, no. 1, pp. 9–16, 2014.
- [31] R. M. Jones, *Mechanics of composites materials*, 2nd ed. New York: McGraw-Hill Book Company, 1999.
- [32] R. F. Gibson, *Principles of composite material mechanics*, 4th ed. Florida: CRC Press, 2016. doi: 10.1201/b14889.
- [33] H. R. Permatasari, F. Gulo, and B. Lesmini, "Pengaruh konsentrasi H<sub>2</sub>SO<sub>4</sub> dan NaOH terhadap delignifikasi serbuk bambu ( gigantochloa apus )," Universitas Sriwijaya, 2013.
- [34] M. Gefri, "Studi laboratori pengaruh temperatur dan konsentrasi H<sub>2</sub>SO<sub>4</sub> terhadap kualitas lignin sebagai bahan dasar pembuatan surfaktan lignosulfonat dari tandan kosong kelapa sawit," Universitas Islam Riau, 2022.
- [35] L. Sindy, "Effect of ethanol organosolv pretreatment on spent coffee grounds," Universitas Tunku Abdur Rahman, 2019.
- [36] I. G. Wiratmaja, I. G. Bagus, W. Kusuma, and I. N. S. Winaya, "Pembuatan etanol generasi kedua dengan memanfaatkan limbah rumput laut eucheuma cottonii sebagai bahan baku," *Jurnal Ilmiah Teknik Mesin*, vol. 5, no. 1, 2011.
- [37] Merck KGaA, "Lembar data keselamatan bahan," Frankfurter, Jerman, 2022.
- [38] Ir. Roosmariharso, "Petunjuk praktik pemrosesan polimer," Jakarta, 2021.
- [39] A. S. Sinaga, "Pengaruh penambahan massa serat sisal terhadap sifat fisik dan mekanik komposit serat sisal-epoksi," Universitas Sumatera Utara, 2021.
- [40] ASTM D638-14, "Standard test method for tensile properties of plastics," 2015 doi: 10.1520/D0638-14.
- [41] A. Hassan, N. A. Rahman, and R. Yahya, "Extrusion and injection-molding of glass fiber/MAPP/polypropylene: Effect of coupling agent on DSC, DMA, and mechanical properties," *Journal of Reinforced Plastics and Composites*, vol. 30, no. 14, pp. 1223–1232, 2011, doi: 10.1177/0731684411417916.

- [42] A. Fajrin and A. R. Astuti, "Thermogravimetric analysis (TGA) dan diverntial thermal analysis (DTA)," Universitas Sebelas Maret Surakarta, 2012.
- [43] R. Yang, "Analytical methods for polymer characterization," CRC Press. Accessed: Apr. 07, 2023. [Online]. Available: [https://books.google.co.id/books?hl=id&lr=&id=f3FQDwAAQBAJ&oi=fnd&pg=PP1&dq=Analytical+Methods+for+Polymer+Characterization&ots=NgRth2SQ1P&sig=blCad-gko02YZDyeKaRaHyY90VU&redir\\_esc=y#v=onepage&q=Analytical Methods for Polymer Characterization&f=false](https://books.google.co.id/books?hl=id&lr=&id=f3FQDwAAQBAJ&oi=fnd&pg=PP1&dq=Analytical+Methods+for+Polymer+Characterization&ots=NgRth2SQ1P&sig=blCad-gko02YZDyeKaRaHyY90VU&redir_esc=y#v=onepage&q=Analytical Methods for Polymer Characterization&f=false)
- [44] D. A. Skoog, F. J. Holler, and S. R. Crouch, *Principal of instrumental analysis*, 7th ed. Cengage Learning, 2017. doi: 10.5111/bunkou.9.181.
- [45] Y. Cai, W. Song, Y. Yang, X. Cheng, and M. Jiang, "Utilization of spent coffee grounds as fillers to prepare polypropylene composites for food packaging applications," pp. 1–12, 2023.
- [46] H. D. A. Leal, A. S. Babetto, and B. C. Bonse, "Properties of lignocellulosic composites of coffee husk filled polypropylene," *AIP Conference Proceedings*, vol. 2205, no. January, 2020, doi: 10.1063/1.5142987.
- [47] E. Igarza *et al.*, "Structure-fracture properties relationship for Polypropylene reinforced with fly ash with and without maleic anhydride functionalized isotactic Polypropylene as coupling agent," *Materials and Design*, vol. 55, pp. 85–92, 2014, doi: 10.1016/j.matdes.2013.09.055.
- [48] M. Bassyouni and S. Waheed UI Hasan, *The use of rice straw and husk fibers as reinforcements in composites*. 2015. doi: 10.1533/9781782421276.4.385.
- [49] N. H. Sari, *Teknologi papan komposit*. Deepublish, 2019.
- [50] D. I. Bower, *Introduction to polymer physics*, vol. 21, no. 4. New York: Cambridge University Press, 2002. doi: 10.1016/s0097-8485(97)00027-2.