

DAFTAR PUSTAKA

- [1] J. Veeraprabahar, G. Mohankumar, S. Senthil Kumar, and S. Sakthivel, “Development of natural coir/jute fibers hybrid composite materials for automotive thermal insulation applications,” *Journal of Engineered Fibers and Fabrics*, vol. 17, 2022, doi: 10.1177/15589250221136379.
- [2] S. Czlonka, A. Strąkowska, K. Strzelec, A. Kairytė, and A. Kremensas, “Bio-Based Polyurethane Composite Foams with Improved Mechanical, Thermal, and Antibacterial Properties,” *Materials*, vol. 13, no. 5, p. 1108, Mar. 2020, doi: 10.3390/ma13051108.
- [3] M. Kurańska, K. Polaczek, M. Auguścik-Królikowska, A. Prociak, and J. Ryszkowska, “Open-cell polyurethane foams based on modified used cooking oil,” *Polimery/Polymers*, vol. 65, no. 3, pp. 216–225, 2020, doi: 10.14314/polimery.2020.3.6.
- [4] H. Dodiuk and S. H. Goodman, “Handbook of Thermoset Plastics,” 4th edition. Accessed: May 27, 2023. [Online]. Available: <https://books.google.co.id/books?id=JF8BEAAAQBAJ&printsec=frontcover#v=onepage&q&f=false>
- [5] I. Singh, S. K.samal, S. Mohanty, and sanjay K. Nayak, “Recent Advancement in Plant-oil derived polyol based polyurethane foam for future perspective: review,” pp. 4–4, 2019, doi: 10.1553/rra_mab.s4.
- [6] A. Strąkowska, S. Czlonka, K. Miedzińska, and K. Strzelec, “Rigid polyurethane foams with antibacterial properties modified with pine oil,” *Polimery/Polymers*, vol. 65, no. 10, pp. 691–697, 2020, doi: 10.14314/polimery.2020.10.4.
- [7] N. Sienkiewicz and S. Czlonka, “Natural Additives Improving Polyurethane Antimicrobial Activity,” *Polymers*, vol. 14, no. 13, 2022, doi: 10.3390/polym14132533.
- [8] A. Kemona and M. Piotrowska, “Polyurethane recycling and disposal: Methods and prospects,” *Polymers*, vol. 12, no. 8, 2020, doi: 10.3390/POLYM12081752.

- [9] F. Li *et al.*, “Crystallinity and morphology of segmented polyurethanes with different soft-segment length,” *Journal of Applied Polymer Science*, vol. 62, no. 4, pp. 631–638, 1996, doi: 10.1002/(SICI)1097-4628(19961024)62:4<631::AID-APP6>3.0.CO;2-U.
- [10] L. Shufen, J. Zhi, Y. Kaijun, Y. Shuqin, and W. K. Chow, “Studies on the thermal behavior of polyurethanes,” *Polymer - Plastics Technology and Engineering*, vol. 45, no. 1, pp. 95–108, 2006, doi: 10.1080/03602550500373634.
- [11] S. Czlonka, M. F. Bertino, J. Kośny, A. Strąkowska, M. Maślowski, and K. Strzelec, “Linseed oil as a natural modifier of rigid polyurethane foams,” *Industrial Crops and Products*, vol. 115, no. January 2018, pp. 40–51, 2018, doi: 10.1016/j.indcrop.2018.02.019.
- [12] D. J. Mohamed, N. J. Hadi, and Z. K. Alobad, “Investigation of the Polyol Types and Isocyanate Concentrations on the Rheological, Morphological and Mechanical Properties of Polyurethane Foams,” *IOP Conference Series: Materials Science and Engineering*, vol. 1094, no. 1, p. 012157, 2021, doi: 10.1088/1757-899x/1094/1/012157.
- [13] G. Kasi, S. Gnanasekar, K. Zhang, E. T. Kang, and L. Q. Xu, “<scp>Polyurethane-based</scp> composites with promising antibacterial properties,” *Journal of Applied Polymer Science*, vol. 139, no. 20, p. 52181, May 2022, doi: 10.1002/app.52181.
- [14] M. Cregut, M. Bedas, M. J. Durand, and G. Thouand, “New insights into polyurethane biodegradation and realistic prospects for the development of a sustainable waste recycling process,” *Biotechnology Advances*, vol. 31, no. 8, pp. 1634–1647, 2013, doi: 10.1016/j.biotechadv.2013.08.011.
- [15] L. Fan *et al.*, “In situ self-foaming preparation of hydrophobic polyurethane foams for oil/water separation,” *New Journal of Chemistry*, vol. 45, no. 31, pp. 13902–13908, 2021, doi: 10.1039/d0nj05208f.
- [16] M. Szycher, *SZYCHER'S HANDBOOK OF POLYURETHANES*, vol. 142, no. 3602. 2012. doi: 10.1038/142853a0.
- [17] A. Das and P. Mahanwar, “A brief discussion on advances in polyurethane applications,” *Advanced Industrial and Engineering Polymer Research*, vol. 3, no. 3, pp. 93–101, 2020, doi: 10.1016/j.aiepr.2020.07.002.

- [18] N. Nurdjannah and N. Bermawie, “Cloves,” *Handbook of Herbs and Spices: Second Edition*, vol. 1, pp. 197–215, 2012, doi: 10.1533/9780857095671.197.
- [19] A. Turki, E. O. Asma, and M. Slah, “Characterization and Antimicrobial Activity Studies of Agave Sheets with Thymol and Clove Oil for Active Packaging,” *Journal of Natural Fibers*, vol. 20, no. 1, 2023, doi: 10.1080/15440478.2023.2178583.
- [20] İ. Tarhan, “A robust method for simultaneous quantification of eugenol, eugenyl acetate, and β-caryophyllene in clove essential oil by vibrational spectroscopy,” *Phytochemistry*, vol. 191, no. August, 2021, doi: 10.1016/j.phytochem.2021.112928.
- [21] J. N. Haro-González, G. A. Castillo-Herrera, M. Martínez-Velázquez, and H. Espinosa-Andrews, “Clove essential oil (*Syzygium aromaticum* l. myrtaceae): Extraction, chemical composition, food applications, and essential bioactivity for human health,” *Molecules*, vol. 26, no. 21, 2021, doi: 10.3390/molecules26216387.
- [22] P. C. Frohlich, K. A. Santos, F. Palú, L. Cardozo-Filho, C. da Silva, and E. A. da Silva, “Evaluation of the effects of temperature and pressure on the extraction of eugenol from clove (*Syzygium aromaticum*) leaves using supercritical CO₂,” *Journal of Supercritical Fluids*, vol. 143, pp. 313–320, 2019, doi: 10.1016/j.supflu.2018.09.009.
- [23] K. Banerjee, H. Madhyastha, R. Sandur V., N. T. Manikandanath, N. Thiagarajan, and P. Thiagarajan, “Anti-inflammatory and wound healing potential of a clove oil emulsion,” *Colloids and Surfaces B: Biointerfaces*, vol. 193, no. May, p. 111102, 2020, doi: 10.1016/j.colsurfb.2020.111102.
- [24] S. M. Hasan, L. D. Nash, and D. J. Maitland, “Porous shape memory polymers: Design and applications,” *Journal of Polymer Science, Part B: Polymer Physics*, vol. 54, no. 14, pp. 1300–1318, 2016, doi: 10.1002/polb.23982.
- [25] ASTM D1622, “Apparent Density of Rigid Cellular Plastics 1,” *ASTM International*, vol. 14, pp. 3–6, 2004.
- [26] E. Riande, R. D. Calleja, M. G. Prolongo, R. M. Masegosa, and C. Salom, *Polymer Viscoelasticity Stress and Strain in Practice*, no. Mi. 1967.

- [27] S. R. Byrn, G. Zografi, and X. S. Chen, “Differential Scanning Calorimetry and Thermogravimetric Analysis,” *Solid State Properties of Pharmaceutical Materials*, pp. 124–141, 2017, doi: 10.1002/9781119264408.ch10.
- [28] B. Fernández-d’Arlas *et al.*, “SSA fractionation of thermoplastic polyurethanes,” *Polymer Crystallization*, vol. 4, no. 1, pp. 1–12, 2021, doi: 10.1002/pcr2.10148.
- [29] E. Oktariani and L. R. Sari, “Potensi Zeolit Alam dalam Meningkatkan Sifat Termal Busa Poliuretan,” *Jurnal Teknologi dan Manajemen*, vol. 19, no. 2, pp. 53–58, 2021, doi: 10.52330/jtm.v19i2.40.
- [30] F. J. Lanyi, N. Wenzke, J. Kaschta, and D. W. Schubert, “On the Determination of the Enthalpy of Fusion of α -Crystalline Isotactic Polypropylene Using Differential Scanning Calorimetry, X-Ray Diffraction, and Fourier-Transform Infrared Spectroscopy: An Old Story Revisited,” *Advanced Engineering Materials*, vol. 22, no. 9, 2020, doi: 10.1002/adem.201900796.
- [31] S. Tariq *et al.*, “A comprehensive review of the antibacterial, antifungal and antiviral potential of essential oils and their chemical constituents against drug-resistant microbial pathogens,” *Microbial Pathogenesis*, vol. 134, no. June, p. 103580, 2019, doi: 10.1016/j.micpath.2019.103580.
- [32] J. Hudzicki, “Kirby-Bauer Disk Diffusion Susceptibility Test Protocol Author Information,” *American Society For Microbiology*, no. December 2009, pp. 1–13, 2012.
- [33] T. M. De Almeida Alves *et al.*, “Biological Screening of Brazilian Medicinal Plants,” *Memorias do Instituto Oswaldo Cruz*, vol. 95, no. 3, pp. 367–373, 2000, doi: 10.1590/s0074-02762000000300012.
- [34] M. R. Kessler, “Advanced Topics in Characterization of Composites - Google Books.” Accessed: Aug. 01, 2023. [Online]. Available: https://books.google.co.id/books?id=_2DiOdYOaoC&printsec=frontcover&source=gbs_ge_summary_r&cad=0#v=onepage&q&f=false
- [35] K. Tisato and M. William, “Themal Properties of Polyurethanes. Enthalpies and Entropies of Fusion.,” *Polymer Journal*, vol. 1, no. 5, pp. 548–554, 1990.
- [36] M. K. Zarkani, “Design and implementation of Laboratory incubator,” no. September, pp. 1–51, 2020.

- [37] G. Węgrzyk, D. Grzeda, and J. Ryszkowska, “The Effect of Mixing Pressure in a High-Pressure Machine on Morphological and Physical Properties of Free-Rising Rigid Polyurethane Foams—A Case Study,” *Materials*, vol. 16, no. 2, 2023, doi: 10.3390/ma16020857.
- [38] F. J. Lanyi, N. Wenzke, J. Kaschta, and D. W. Schubert, “On the Determination of the Enthalpy of Fusion of α -Crystalline Isotactic Polypropylene Using Differential Scanning Calorimetry, X-Ray Diffraction, and Fourier-Transform Infrared Spectroscopy: An Old Story Revisited,” *Advanced Engineering Materials*, vol. 22, no. 9, Sep. 2020, doi: 10.1002/ADEM.201900796/FORMAT/PDF.
- [39] M. Leszczyńska, J. Ryszkowska, and L. Szczepkowski, “Rigid polyurethane foam composites with nut shells,” *Polimery/Polymers*, vol. 65, no. 10, pp. 728–737, 2020, doi: 10.14314/polimery.2020.10.8.
- [40] C. Brondi, M. Santiago-Calvo, E. Di Maio, and M. Á. Rodríguez-Perez, “Role of Air Bubble Inclusion on Polyurethane Reaction Kinetics,” *Materials*, vol. 15, no. 9, pp. 1–18, 2022, doi: 10.3390/ma15093135.
- [41] A. Grzabka-Zasadzinska, B. Przemysław, and S. Borysiak, “Highly Insulative PEG-Grafted Cellulose Polyurethane,” *Materials*, vol. 14, no. 6363, pp. 1–18, 2021.
- [42] N. Aida *et al.*, “The effect of sorghum bagasse particles and composite density on the physical, mechanical and morphological properties of rigid polyurethane foam composites,” *IOP Conference Series: Earth and Environmental Science*, vol. 1017, no. 1, 2022, doi: 10.1088/1755-1315/1017/1/012014.
- [43] M. Borowicz, J. Paciorek-Sadowska, and M. Isbrandt, “Synthesis and application of new bio-polyols based on mustard oil for the production of selected polyurethane materials,” *Industrial Crops and Products*, vol. 155, no. May 2020, p. 112831, 2020, doi: 10.1016/j.indcrop.2020.112831.
- [44] S. H. Kim, H. C. Park, H. M. Jeong, and B. K. Kim, “Glass fiber reinforced rigid polyurethane foams,” *Journal of Materials Science*, vol. 45, no. 10, pp. 2675–2680, 2010, doi: 10.1007/s10853-010-4248-3.
- [45] M. Zieleniewska, L. Szczepkowski, M. Krzyżowska, M. K. Leszczyński, and J. Ryszkowska, “Rigid polyurethane foam composites with vegetable filler for application in the cosmetics

industry,” *Polimery/Polymers*, vol. 61, no. 11–12, pp. 807–814, 2016, doi: 10.14314/polimery.2016.807.

- [46] V. S. Dagostin *et al.*, “Bactericidal polyurethane foam mattresses: Microbiological characterization and effectiveness,” *Materials Science and Engineering C*, vol. 30, no. 5, pp. 705–708, 2010, doi: 10.1016/j.msec.2010.03.004.
- [47] W. W. Davis and T. R. Stout, “Disc plate method of microbiological antibiotic assay. I. Factors influencing variability and error.,” *Applied microbiology*, vol. 22, no. 4, pp. 659–665, 1971, doi: 10.1128/aem.22.4.659-665.1971.
- [48] S. M. El-Darier, A. M. D. El-Ahwany, E. T. Elkenany, and A. A. Abdeldaim, “An in vitro study on antimicrobial and anticancer potentiality of thyme and clove oils,” *Rendiconti Lincei*, vol. 29, no. 1, pp. 131–139, 2018, doi: 10.1007/s12210-018-0672-0.