

DAFTAR PUSTAKA

- [1] H. Nurdin, "Buku Metalurgi Logam - Hendri Nurdin.pdf," *Buku Metalurgi Logam*. pp. 1–288, 2019.
- [2] R. Hafizh, "Study Perbandingan Serat Jute Jawa Dengan Kevlar Sebagai Penguat Epoxy Untuk Aplikasi Helm Anti Peluru Berdasarkan Analisa Numerik," *Jurnal Teknik Mesin ITI*, vol. 4, no. 2, p. 37, 2020, doi: 10.31543/jtm.v4i2.400.
- [3] A. Kudva, M. Gt, and K. Dayananda Pai, "Physical, thermal, mechanical, sound absorption and vibration damping characteristics of natural fiber reinforced composites and hybrid fiber reinforced composites: A review," *Cogent Engineering*, vol. 9, no. 1, 2022, doi: 10.1080/23311916.2022.2107770.
- [4] S. S. Todkar and S. A. Patil, "Review on mechanical properties evaluation of pineapple leaf fibre (PALF) reinforced polymer composites," *Composites Part B: Engineering*, vol. 174, no. May, p. 106927, 2019, doi: 10.1016/j.compositesb.2019.106927.
- [5] N. Uppal, A. Pappu, V. K. S. Gowri, and V. K. Thakur, "Cellulosic fibres-based epoxy composites: From bioresources to a circular economy," *Industrial Crops and Products*, vol. 182, no. April, p. 114895, 2022, doi: 10.1016/j.indcrop.2022.114895.
- [6] V. Fiore and A. Valenza, *Epoxy resins as a matrix material in advanced fiber-reinforced polymer (FRP) composites*. 2013. doi: 10.1533/9780857098641.1.88.
- [7] K. Senthilkumar, M. Chandrasekar, O. Y. Alothman, H. Fouad, M. Jawaid, and M. A. Azeem, "Flexural, impact and dynamic mechanical analysis of hybrid composites: Olive tree leaves powder/ pineapple leaf fibre/epoxy matrix," *Journal of Materials Research and Technology*, vol. 21, pp. 4241–4252, 2022, doi: 10.1016/j.jmrt.2022.11.036.
- [8] C. Santulli, S. Palanisamy, and M. Kalimuthu, "Chapter 14 - Pineapple fibers, their composites and applications," 2022.
- [9] M. Ertekin, "Aramid fibers," *Fiber Technology for Fiber-Reinforced Composites*, no. January, pp. 153–167, 2017, doi: 10.1016/B978-0-08-101871-2.00007-2.
- [10] M. D. Kiran, H. K. Govindaraju, B. R. L. Yadav, B. Suresha, and N. Keerthi Kumar, "Fracture toughness study of epoxy composites reinforced with carbon fibers with various thickness," *Materials Today: Proceedings*, vol. 46, no. xxxx, pp. 2630–2634, 2021, doi: 10.1016/j.matpr.2021.02.271.
- [11] J. K. Fink, *In Plastics Design Library, Reactive Polymers: Fundamentals and Applications - 3. Epoxy Resins*. 2018. doi: 10.1016/B978-0-12-814509-8.00003-8.
- [12] Y. S. Mohamed and A. Abdelbary, "Theoretical and experimental study on the influence of fiber orientation on the tensile properties of unidirectional carbon

- fiber/epoxy composite," *Alexandria Engineering Journal*, vol. 67, pp. 693–705, 2023, doi: 10.1016/j.aej.2022.12.058.
- [13] M. Sanjay and B. Yogesha, "Studies on Natural/Glass Fiber Reinforced Polymer Hybrid Composites: An Evolution," *Materials Today: Proceedings*, vol. 4, no. 2, pp. 2739–2747, 2017, doi: 10.1016/j.matpr.2017.02.151.
- [14] M. H. Zin, K. Abdan, N. Mazlan, E. S. Zainudin, and K. E. Liew, "The effects of alkali treatment on the mechanical and chemical properties of pineapple leaf fibres (PALF) and adhesion to epoxy resin," *IOP Conference Series: Materials Science and Engineering*, vol. 368, no. 1, 2018, doi: 10.1088/1757-899X/368/1/012035.
- [15] R. Kumar, S. Bhowmik, K. Kumar, and J. P. Davim, "Perspective on the mechanical response of pineapple leaf filler/toughened epoxy composites under diverse constraints," *Polymer Bulletin*, vol. 77, no. 8, pp. 4105–4129, 2020, doi: 10.1007/s00289-019-02952-3.
- [16] C. Agarwal and L. Csóka, *Surface-modified cellulose in biomedical engineering*. 2019. doi: 10.1016/B978-0-12-818431-8.00007-6.
- [17] K. S. Nisa, E. Melyna, and M. R. M. Samida, "Sintesis Biokomposit Serat Sabut Kelapa dan Resin Poliester dengan Alkalisasi KOH Menggunakan Metode Hand Lay-Up," *Rekayasa*, vol. 15, no. 3, pp. 354–361, 2022, doi: 10.21107/rekayasa.v15i3.16713.
- [18] N. H. Sari and S. Sinarep, "Analisa Kekuatan Bending Komposit Epoxy Dengan Penguatan Serat Nilon," *Dinamika Teknik Mesin*, vol. 1, no. 1, 2011, doi: 10.29303/d.v1i1.130.
- [19] P. Priyanka, A. Dixit, and H. S. Mali, "High-Strength Hybrid Textile Composites with Carbon, Kevlar, and E-Glass Fibers for Impact-Resistant Structures. A Review," *Mechanics of Composite Materials*, vol. 53, no. 5, pp. 685–704, 2017, doi: 10.1007/s11029-017-9696-2.
- [20] S. K. S and S. S. Hiremath, *Natural Fiber Reinforced Composites in the Context of Biodegradability: A Review*, vol. 1–5, no. 1567. Elsevier Ltd., 2020. doi: 10.1016/B978-0-12-803581-8.11418-3.
- [21] N. Ghamarian, M. A. A. Hanim, P. Penjumras, and D. L. A. Majid, *Effect of Fiber Orientation on the Mechanical Properties of Laminated Polymer Composites*, vol. 1. Elsevier Ltd., 2021. doi: 10.1016/B978-0-12-803581-8.04083-2.
- [22] Z. Roell, "Tensile Machine," 2023.
- [23] American Society for Testing and Materials, "ASTM D638-14, Standard practice for preparation of metallographic specimens," *ASTM International*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [24] B. Suresha, N. M. Indushekhar, C. A. Varun, D. Sachin, and K. Pranao, "Effect of carbon nanotubes reinforcement on mechanical properties of aramid/epoxy

- hybrid composites," *Materials Today: Proceedings*, vol. 43, no. xxxx, pp. 1478–1484, 2020, doi: 10.1016/j.matpr.2020.09.307.
- [25] D. K. Jethi and R. K. Nayak, "Evaluation of mechanical properties and morphology of seawater aged carbon and glass fiber reinforced polymer hybrid composites," *Composites Part B: Engineering*, vol. 174, no. May, p. 106980, 2019, doi: 10.1016/j.compositesb.2019.106980.
- [26] J. Naveen, M. Jawaid, E. S. Zainudin, M. T. H. Sultan, and R. Yahaya, "Mechanical and moisture diffusion behaviour of hybrid Kevlar/Cocos nucifera sheath reinforced epoxy composites," *Journal of Materials Research and Technology*, vol. 8, no. 1, pp. 1308–1318, 2019, doi: 10.1016/j.jmrt.2018.07.023.
- [27] R. Yahaya, S. M. Sapuan, M. Jawaid, Z. Leman, and E. S. Zainudin, "Effect of layering sequence and chemical treatment on the mechanical properties of woven kenaf-aramid hybrid laminated composites," *Materials and Design*, vol. 67, pp. 173–179, 2015, doi: 10.1016/j.matdes.2014.11.024.
- [28] S. Jambari, M. Y. Yahya, M. R. Abdullah, and M. Jawaid, "Woven Kenaf/Kevlar Hybrid Yarn as potential fiber reinforced for anti-ballistic composite material," *Fibers and Polymers*, vol. 18, no. 3, pp. 563–568, 2017, doi: 10.1007/s12221-017-6950-0.
- [29] T. N. Valarmathi, M. Sangeetha, G. Gedela Venkata, D. Muppala, and R. Siva, "Hygro-thermal degradation studies on E-glass woven rovings and aramid fiber composites," *Materials Today: Proceedings*, vol. 44, pp. 3823–3828, 2021, doi: 10.1016/j.matpr.2020.12.336.
- [30] R. Muthalagu, J. Murugesan, S. Sathees Kumar, and B. Sridhar Babu, "Tensile attributes and material analysis of kevlar and date palm fibers reinforced epoxy composites for automotive bumper applications," *Materials Today: Proceedings*, vol. 46, no. xxxx, pp. 433–438, 2021, doi: 10.1016/j.matpr.2020.09.777.