

DAFTAR PUSTAKA

- [1] R. Silalahi, P. Sinuhaji, and T. R. Simbolon, "Pembuatan dan karakterisasi komposit serat kulit jagung - poliester dengan metode chopped strand mat," *Saintia Fisika*, vol. 4, no. 1, pp. 1–5, 2013.
- [2] E. Melyna and A. P. Afridana, "The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites," *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, p. 14, 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [3] Jamasri, "Prospek Pengembangan Komposit Serat Alam di Indonesia.Pdf." 2008.
- [4] N. H. Sari *et al.*, "The effect of water immersion and fibre content on properties of corn husk fibres reinforced thermoset polyester composite," *Polymer Testing*, vol. 91, p. 106751, 2020, doi: 10.1016/j.polymertesting.2020.106751.
- [5] R. Silalahi, P. Sinuhaji, and T. R. Simbolon, "Pembuatan dan karakterisasi komposit serat kulit jagung - poliester dengan metode chopped strand mat," *Saintia Fisika*, vol. 4, no. 1, pp. 1–5, 2013.
- [6] B. Li, R. Li, and Y. Xie, "Properties and effect of preparation method of thermally conductive polypropylene/aluminum oxide composite," *Journal of Materials Science*, vol. 52, no. 5, pp. 2524–2533, 2017, doi: 10.1007/s10853-016-0546-8.
- [7] R. K. Nayak, A. Dash, and B. C. Ray, "Effect of Epoxy Modifiers ($Al_2O_3/SiO_2/TiO_2$) on Mechanical Performance of epoxy/glass Fiber Hybrid Composites," *Procedia Materials Science*, vol. 6, no. 1, pp. 1359–1364, 2014, doi: 10.1016/j.mspro.2014.07.115.
- [8] J. Murphy, "Additives for Plastics Handbook Second Edition," *CHAPTER 13: Modifying Processing Characteristics: Couplings Compatibilizing Agents*, 2003.
- [9] M. A. Mohamed and N. A. Shaltout, "Effect of maleic anhydride content on physico-mechanical properties of γ -irradiated waste polypropylene / corn husk fibers," 2019.
- [10] M. I. Mamungkas, N. Subeki, and A. A. N., "Pengaruh Presentase Alkalisasi NaOH terhadap Kekuatan Tarik Material Komposit Serat Daun Nanas Polyester dengan Metode Vacuum Infusion," *Rotor*, vol. 12, no. 1, p. 5, 2019, doi: 10.19184/rotor.v12i1.14247.
- [11] P. Nuyang, C. Inuppatam, and P. Chotirat, "Mechanical , Rheological , and Morphological Properties of PP / Al composite modified by PP-g-MAH," vol. 18, no. 2, pp. 67–80, 2022, doi: 10.14416/j.ind.tech.2022.06.005.
- [12] G. Wypych, *Handbok of Polymers*. 2012.
- [13] C. A. Harper, *Modern Plastics Handbook*. 2000.

- [14] I. Gunawan, B. Sugeng, K. K. Aloma, and D. Chrissanti, “Pengaruh Quenching Pada Polietilena Dan Polipropilena,” 2006.
- [15] R. Fadhillah, S. Tp, and M. Si, “Kimia Polimer Dasar,” vol. 107, pp. 0–17, 2018.
- [16] B. A. Harsojuwono and I. W. Arnata, “Teknologi Polimer Industri Pertanian,” *Teknologi Polimer*, p. 108, 2015.
- [17] O. Suparno, “Potensi Dan Masa Depan Serat Alam Indonesia Sebagai Bahan Baku Aneka Industri,” *Jurnal Teknologi Industri Pertanian*, vol. 30, no. 2, pp. 221–227, 2020, doi: 10.24961/j.tek.ind.pert.2020.30.2.221.
- [18] A. Komuraiah, N. S. Kumar, and B. D. Prasad, “Chemical Composition of Natural Fibers and its Influence on their Mechanical Properties,” *Mechanics of Composite Materials*, vol. 50, no. 3, pp. 359–376, 2014, doi: 10.1007/s11029-014-9422-2.
- [19] M. Y. Khalid, A. Al Rashid, Z. U. Arif, W. Ahmed, H. Arshad, and A. A. Zaidi, “Natural fiber reinforced composites: Sustainable materials for emerging applications,” *Results in Engineering*, vol. 11, no. July, p. 100263, 2021, doi: 10.1016/j.rineng.2021.100263.
- [20] S. Habibie *et al.*, “Serat Alam Sebagai Bahan Komposit Ramah Lingkungan, Suatu Kajian Pustaka,” *Jurnal Inovasi dan Teknologi Material*, vol. 2, no. 2, pp. 1–13, 2021.
- [21] A. Syarief and M. Amin, “Pengaruh Variasi Fraksi Volume Komposit Polyester-Serat Kulit Jagung (*Zea Mays*) terhadap Kekuatan Impak, Bending, dan Tarik,” *Scientific Journal of Mechanical Engineering Kinematika*, vol. 1, no. 1, pp. 1–10, 2016, doi: 10.20527/sjmekinematika.v1i1.23.
- [22] A. A. B. A. Mohammed *et al.*, “Corn: Its Structure, Polymer, Fiber, Composite, Properties, and Applications,” *Polymers*, vol. 14, no. 20, 2022, doi: 10.3390/polym14204396.
- [23] M. Arya Dimas, M. Rasid, and I. HB, “Pengaruh Struktur Penyusunan Filler/Serat Kulit Jagung Pada Komposit Resin Polyester Terhadap Uji Bending Sebagai Pengganti Plafon,” vol. 2, no. 2, pp. 2723–3359, 2021.
- [24] A. A. B. A. Mohammed *et al.*, “Corn: Its Structure, Polymer, Fiber, Composite, Properties, and Applications,” *Polymers*, vol. 14, no. 20, 2022, doi: 10.3390/polym14204396.
- [25] Salman dkk, “Pengaruh Fraksi Volume Serat Kulit Jagung Terhadap Kekuatan Tarik dan Penyerapan Komposit Polyurethane,” pp. 1–6, 2013.
- [26] Badan Pusat Statistika, “Badan Pusat Statistika.” Accessed: Apr. 03, 2023. [Online]. Available: <https://sumbar.bps.go.id/indicator/53/58/2/luas-panen-produksi-dan-produktivitas-jagung.html>
- [27] D. Cahyo, N. Jati, and N. Azizah, “Studi Literatur Tentang Manfaat Penggunaan Biokeramik Alumina Pada Penggantian Pinggul (Hip Replacement),” *Isbn:978-602-74529-5-4*, pp. 45–48, 2019.

- [28] Pubchem, "Alumina (Al₂O₃)." Accessed: Aug. 09, 2023. [Online]. Available: <https://pubchem.ncbi.nlm.nih.gov/compound/Alumina>
- [29] N. Af'idah, O. A. Manasikana, and ..., "Karakterisasi Komposit Aluminium Berpenguat Al₂O₃ Nanokristalin Hasil Kopresipitasi," *Lensa: Jurnal ...*, vol. 10, no. 1, pp. 8–15, 2022.
- [30] A. Mulki *et al.*, "Sifat Kuat Tekan dan Impak Komposit Abu Sekam Padi/Alumina," *Jurnal Mekanikal*, vol. 10, no. 1, pp. 955–969, 2019.
- [31] R. K. Nayak, A. Dash, and B. C. Ray, "Effect of Epoxy Modifiers (Al₂O₃ /SiO₂ /TiO₂) on Mechanical Performance of epoxy/glass Fiber Hybrid Composites," *Procedia Materials Science*, vol. 6, no. Icmpc, pp. 1359–1364, 2014, doi: 10.1016/j.mspro.2014.07.115.
- [32] E. Melyna, K. S. Nisa, A. Aurel, and L. Fitri, "Pengaruh penambahan serbuk alumina (Al₂O₃) pada komposit serat kayu jati bermatriks polipropilena The effect of alumina (Al₂O₃) addition on teak powder and polypropylene composite Received February 2023 , Revised May 2023 , Accepted for publicat," vol. 29, no. 2, pp. 62–70, 2023.
- [33] A. S. Zohri and N. H. Sari, "Pemanfaatam Serbuk Tempurung Kelapa pada Komposit Al₂O₃-Epoxy," vol. 3, no. 2, pp. 101–105, 2013.
- [34] L. Techawinyutham, A. Frick, and S. Siengchin, "Polypropylene/Maleic Anhydride Grafted Polypropylene (MAGPP)/Coconut Fiber Composites," *Advances in Mechanical Engineering*, vol. 8, no. 5, pp. 1–9, 2016, doi: 10.1177/1687814016645446.
- [35] M Farid Maulana, "Studi Pembuatan Biokomposit Berbasis Sekam Padi dan Recycled Plactics dengan Penambahan Coupling Agent," no. April, 2013.
- [36] D. Prasetyo, W. W. Raharjo, and Ubaidillah, "Pengaruh penambahan coupling agent terhadap kekuatan mekanik komposit polyester-cantula dengan anyaman serat 3D angle interlock," *Mekanika*, vol. 12, no. 1, pp. 44–52, 2013.
- [37] R. Oliver, "Pembuatan Komposit dari Limbah Plastik Polypropilena (PP) dengan menggunakan penguat Fiber Glass Ddan Coupling Agent Anhidrat Maleat," *Angewandte Chemie International Edition*, 6(11), 951–952., pp. 2013–2015, 2021.
- [38] J. Basmal. D. Fithri, "Pengaruh Konsentrasi Maleat Anhidrida terhadap Mutu Papan Partikel yang dibuat dari Limbah Padat Gracilaria Sp. dan polietilena sebagai Perekat," *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, vol. 6, no. 2, 2011.
- [39] D. K. Hood and O. M. Musa, *Application of maleic anhydride-based materials*. 2016. doi: 10.1007/978-3-319-29454-4_10.
- [40] K. S. Nisa, E. Melyna, and M. R. M. Samida, "Sintesis Biokomposit Serat Sabut Kelapa dan Resin Poliester dengan Alkalisasi KOH Menggunakan Metode Hand Lay-Up," *Rekayasa*, vol. 15, no. 3, pp. 354–361, 2022, doi: 10.21107/rekayasa.v15i3.16713.

- [41] E. Lastri, "Pengaruh perlakuan alkali terhadap sifat mekanik pada komposit berpenguat serat alam," 2020.
- [42] U. H. Hasyim, N. A. Yansah, and M. F. Nuris, "Matriks Komposit Serat Alam Dengan Perbandingan Alkalisasi NaOH Dan KOH," *E - Journal UMJ*, vol. 015, no. 3, pp. 1–7, 2018.
- [43] N. H. Sari, I. N. G. Wardana, Y. S. Irawan, and E. Siswanto, "The effect of sodium hydroxide on chemical and mechanical properties of corn husk fiber," *Oriental Journal of Chemistry*, vol. 33, no. 6, pp. 3037–3042, 2017, doi: 10.13005/ojc/330642.
- [44] R. Prasetyo and M. A. Irfai, "Pengaruh Konsentrasi Larutan Koh Dan Arah Orientasi Serat Rami Terhadap Kekuatan Bending Komposit Dengan Matrik Polyester," *Jurnal Teknik Mesin*, 2021.
- [45] M. Mardiyati, "Komposit Polimer Sebagai Material Tahan Balistik," *Jurnal Inovasi Pertahanan dan Keamanan*, vol. 1, no. 1, pp. 20–28, 2018, doi: 10.5614/jipk.2018.1.1.3.
- [46] K. Mukmin, *Pengaruh Arah Serat Ijuk Terhadap Kekuatan Tarik Dan Bending Material Komposit Serat Ijuk-Epoxy*. 2019.
- [47] N. H. Sari and S. Sinarep, "Analisa Kekuatan Bending Komposit Epoxy Dengan Penguatan Serat Nilon," *Dinamika Teknik Mesin*, vol. 1, no. 1, 2011, doi: 10.29303/d.v1i1.130.
- [48] L. Diana, A. Ghani Safitra, and M. Nabel Ariansyah, "Analisis Kekuatan Tarik pada Material Komposit dengan Serat Penguat Polimer," *Jurnal Engine: Energi, Manufaktur, dan Material*, vol. 4, no. 2, pp. 59–67, 2020.
- [49] E. K. Silviya, S. Varma, G. Unnikrishnan, and S. Thomas, "Compounding and mixing of polymers," *Advances in Polymer Processing: From Macro- To Nano- Scales*, pp. 71–105, 2009, doi: 10.1533/9781845696429.1.71.
- [50] P. P. Polimer, "Praktik pemrosesan polimer," 2021.
- [51] A. K. Bledzki, M. Letman, A. Viksne, and L. Rence, "A comparison of compounding processes and wood type for wood fibre - PP composites," *Composites Part A: Applied Science and Manufacturing*, vol. 36, no. 6, pp. 789–797, 2005, doi: 10.1016/j.compositesa.2004.10.029.
- [52] Polimer, "Petunjuk praktik komposit polimer," 2019.
- [53] R. D. Salindeho, J. Soukota, and R. Poeng, "Pemodelan Pengujian Tarik Untuk Menganalisis Sifat Mekanik Material," *Jurnal J-Ensatec*, vol. 3, no. 1, pp. 1–11, 2018.
- [54] E. Guanabara, K. Ltda, E. Guanabara, and K. Ltda, "Universal Testing Machine (UTM)," *Jurnal Teknik Industri*, vol. 4, no. 1, 2016.
- [55] ASTM D638, "ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens," *ASTM International*, vol. 82, no. C, pp. 1–15, 2014, doi: 10.1520/D0638-14.1.

- [56] R. S. Aritonang, "Sifat kuat tarik mekanik komposit frp serat e-glass-polyester dengan metode manufaktur handlay-up," *Inovasi Teknologi Penerbangan dari Pustekbang untuk Indonesia*, pp. 37–38, 2020.
- [57] W. Qiu, F. Zhang, T. Endo, and T. Hirotsu, "Effect of maleated polypropylene on the performance of polypropylene/ cellulose composite," *Polymer Composites*, vol. 26, no. 4, pp. 448–453, 2005, doi: 10.1002/pc.20119.
- [58] M. A. Fuqua and C. A. Ulven, "Characterization of polypropylene/corn fiber composites with maleic anhydride grafted polypropylene," *Journal of Biobased Materials and Bioenergy*, vol. 2, no. 3, pp. 258–263, 2008, doi: 10.1166/jbmb.2008.405.
- [59] N. N. A. Minanti, I. N. Tika, and I Wayan Karyasa, "Karakterisasi Differential Scanning Calorimetry Hasil Sintesis Biomaterial Kalsium Silikoposfat," *Jurnal Wahana Matematika dan Sains*, vol. 10, no. Apri, pp. 22–33, 2016.
- [60] M.-I. M. Chou, "Analisa DSC terhadap Sintesis Plastik HDPE-FLY ASH," *Encyclopedia of Sustainability Science and Technology*, vol. 7, no. 1, pp. 3820–3843, 2012, doi: 10.1007/978-1-4419-0851-3_121.
- [61] I. Gunawan *et al.*, "Sintesis dan Karakterisasi Komposit Polipropilena / Serbuk Kayu Gergaji Analisis Sifat Mekanik (Tensile Strength)," *Jurnal Sains Materi Indonesia*, vol. 4, no. 1, pp. 20–25, 2002.
- [62] M. A. Fuqua and C. A. Ulven, "Characterization of polypropylene/corn fiber composites with maleic anhydride grafted polypropylene," *Journal of Biobased Materials and Bioenergy*, vol. 2, no. 3, pp. 258–263, 2008, doi: 10.1166/jbmb.2008.405.
- [63] T. Ghabeer, R. Dweiri, and S. Al-Khateeb, "Thermal and mechanical characterization of polypropylene/eggshell biocomposites," *Journal of Reinforced Plastics and Composites*, vol. 32, no. 6, pp. 402–409, 2013, doi: 10.1177/0731684412470015.
- [64] T. Ghabeer, R. Dweiri, and S. Al-Khateeb, "Thermal and mechanical characterization of polypropylene/eggshell biocomposites," *Journal of Reinforced Plastics and Composites*, vol. 32, no. 6, pp. 402–409, 2013, doi: 10.1177/0731684412470015.