

## DAFTAR PUSTAKA

- [1] S. Ataei, S. N. Khorasani, dan R. E. Neisiany, "Biofriendly vegetable oil healing agents used for developing self-healing coatings: A review," *Prog. Org. Coatings*, vol. 129, no. December 2018, hal. 77–95, 2019, doi: 10.1016/j.porgcoat.2019.01.012.
- [2] F. Ahangaran, M. Hayaty, A. H. Navarchian, dan F. Picchioni, "Micromechanical assessment of PMMA microcapsules containing epoxy and mercaptan as self-healing agents," *Polym. Test.*, vol. 64, hal. 330–336, 2017, doi: 10.1016/j.polymertesting.2017.10.014.
- [3] H. Ullah, K. A. M. Azizli, Z. B. Man, M. B. Che Ismail, dan M. I. Khan, "The potential of microencapsulated self-healing materials for microcracks recovery in self-healing composite systems: A review," *Polym. Rev.*, vol. 56, no. 3, hal. 429–485, 2016, doi: 10.1080/15583724.2015.1107098.
- [4] C. S. Tumosa dan M. F. Mecklenburg, "Oil Paints: The Chemistry of Drying Oils and the Potential for Solvent Disruption," *New Insights into Clean. Paint. Proc. from Clean. 2010 Int. Conf. Univ. Politec. Val. Museum Conserv. Inst.*, no. November 2010, hal. 51–58, 2013.
- [5] P. C. Calder, "Nutritional benefits of omega-3 fatty acids," *Food Enrich. with Omega-3 Fat. Acids*, hal. 3–26, 2013, doi: 10.1533/9780857098863.1.3.
- [6] P. S. Shisode, C. B. Patil, dan P. P. Mahulikar, "Preparation and Characterization of Microcapsules Containing Soybean Oil and Their Application in Self-Healing Anticorrosive Coatings," *Polym. - Plast. Technol. Eng.*, vol. 57, no. 13, hal. 1334–1343, 2017, doi: 10.1080/03602559.2017.1381248.
- [7] G. Du *et al.*, "The study on the mechanical properties of PU/MF double shell self-healing microcapsules," *Chinese J. Chem. Eng.*, vol. 28, no. 5, hal. 1459–1473, 2020, doi: 10.1016/j.cjche.2020.03.003.
- [8] E. Koh, N. K. Kim, J. Shin, dan Y. W. Kim, "Polyurethane microcapsules for self-healing paint coatings," *RSC Adv.*, vol. 4, no. 31, hal. 16214–16223, 2014, doi: 10.1039/c4ra00213j.
- [9] M. Tripathi, J. Rahamtullah, D. Kumar, C. Rajagopal, dan P. Kumar Roy, "Influence of microcapsule shell material on the mechanical behavior of epoxy composites for self-healing applications," *J. Appl. Polym. Sci.*, vol. 131, no. 15, hal. 1–9, 2014, doi: 10.1002/app.40572.
- [10] X. Pan, R. Mercadé-Prieto, D. York, J. A. Preece, dan Z. Zhang, "Structure and Mechanical Properties of Consumer-Friendly PMMA Microcapsules," *Ind. Eng. Chem. Res.*, vol. 52, 2013, doi: /10.1021/ie303451.
- [11] R. P. Ollier, M. E. Penoff, dan V. A. Alvarez, "Microencapsulation of epoxy resins: Optimization of synthesis conditions," *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 511,

- hal. 27–38, 2016, doi: 10.1016/j.colsurfa.2016.09.081.
- [12] N. Z. Tomić, A. N. Mustapha, M. AlMheiri, N. AlShehhi, dan A. Antunes, “Advanced application of drying oils in smart self-healing coatings for corrosion protection: Feasibility for industrial application,” *Prog. Org. Coatings*, vol. 172, no. April, 2022, doi: 10.1016/j.porgcoat.2022.107070.
- [13] T. Nesterova, K. Dam-Johansen, L. T. Pedersen, dan S. Kiil, “Microcapsule-based self-healing anticorrosive coatings: Capsule size, coating formulation, and exposure testing,” *Prog. Org. Coatings*, vol. 75, no. 4, hal. 309–318, 2012, doi: 10.1016/j.porgcoat.2012.08.002.
- [14] R. K. Pittala dan B. S. Ben, “Synthesis and characterization of amine hardener filled microcapsules for self-healing composite applications,” *Mater. Res. Express*, vol. 6, no. 11, 2019, doi: 10.1088/2053-1591/ab4734.
- [15] S. Lang dan Q. Zhou, “Synthesis and characterization of poly(urea-formaldehyde) microcapsules containing linseed oil for self-healing coating development,” *Prog. Org. Coatings*, vol. 105, hal. 99–110, 2017, doi: 10.1016/j.porgcoat.2016.11.015.
- [16] S. M. Mirabedini, M. Esfandeh, R. R. Farnood, dan P. Rajabi, “Amino-silane surface modification of urea-formaldehyde microcapsules containing linseed oil for improved epoxy matrix compatibility. Part I: Optimizing silane treatment conditions,” *Prog. Org. Coatings*, vol. 136, no. July, hal. 105242, 2019, doi: 10.1016/j.porgcoat.2019.105242.
- [17] J. Viitala, T. Lappalainen, dan M. Järvinen, “Sodium dodecyl sulphate (SDS) residue analysis of foam-formed cellulose-based products,” *Nord. Pulp Pap. Res. J.*, vol. 35, no. 2, hal. 261–271, 2020, doi: 10.1515/npprj-2019-0058.
- [18] H. Jin *et al.*, “Self-Healing Epoxies and Their Composites,” in *Self-Healing Polymers: From Principles to Applications*, 2013, hal. 361–380.
- [19] S. An, M. W. Lee, A. L. Yarin, dan S. S. Yoon, “A review on corrosion-protective extrinsic self-healing: Comparison of microcapsule-based systems and those based on core-shell vascular networks,” *Chem. Eng. J.*, vol. 344, hal. 206–220, 2018, doi: 10.1016/j.cej.2018.03.040.
- [20] M. Naeimirad, A. Zadhoush, R. Kotek, R. Esmaeely Neisiany, S. Nouri Khorasani, dan S. Ramakrishna, “Recent advances in core/shell bicomponent fibers and nanofibers: A review,” *J. Appl. Polym. Sci.*, vol. 135, no. 21, hal. 28–30, 2018, doi: 10.1002/app.46265.
- [21] N. Karak, “Vegetable oils and their derivatives,” *Veg. Oil-Based Polym.*, hal. 54–95, 2012, doi: 10.1533/9780857097149.54.
- [22] S. . White, N. . Sottos, P. . Geubelle, dan J. . Moore, *Autonomic healing of polymer composites*. 2001.
- [23] J. Sri, A. Seethadevi, K. S. Prabha, P. Muthuprasanna, dan P. Pavitra, “Microencapsulation: A

- review,” *Int. J. Pharma Bio Sci.*, vol. 3, no. 1, 2012.
- [24] R. Dubey, T. C. Shami, dan K. U. B. Rao, “Microencapsulation Technology and Applications,” *Def. Sci. J.*, vol. 59, no. 1, hal. 82–95, 2009.
- [25] J. Kothari dan J. O. Iroh, “Self-Healing Poly(urea formaldehyde) Microcapsules: Synthesis and Characterization,” *Polymers (Basel)*, vol. 15, no. 7, 2023, doi: 10.3390/polym15071668.
- [26] H. Wei *et al.*, “Advanced micro/nanocapsules for self-healing smart anticorrosion coatings,” *J. Mater. Chem. A*, vol. 3, no. 2, hal. 469–480, 2015, doi: 10.1039/c4ta04791e.
- [27] N. E. Brown, M. R. Kessler, S. R. Whites, dan N. R. Sottos, “Poly(Urea-Formaldehyde) Microencapsulation of Dicyclopentadiene,” *Taylor Fr. Heal.*, vol. 20, no. 6, hal. 719–730, 2003.
- [28] R. E. Neisiany, S. N. Khorasani, J. Kong Yoong Lee, dan S. Ramakrishna, “Encapsulation of epoxy and amine curing agent in PAN nanofibers by coaxial electrospinning for self-healing purposes,” *RSC Adv.*, vol. 6, no. 74, hal. 70056–70063, 2016, doi: 10.1039/c6ra06434e.
- [29] F. Ahangaran, M. Hayaty, A. H. Navarchian, Y. Pei, dan F. Picchioni, “Development of self-healing epoxy composites via incorporation of microencapsulated epoxy and mercaptan in poly(methyl methacrylate) shell,” *Polym. Test.*, vol. 73, hal. 395–403, 2019, doi: 10.1016/j.polymertesting.2018.11.041.
- [30] N. Shahabudin, R. Yahya, dan S. N. Gan, “Microencapsulation of a palm oil-based alkyd by amino resins,” *Macromol. Symp.*, vol. 354, no. 1, hal. 305–313, 2015, doi: 10.1002/masy.201400085.
- [31] R. S. Jadhav, D. G. Hundiwale, dan P. P. Mahulikar, “Synthesis and Characterization of Phenol–Formaldehyde Microcapsules Containing Linseed Oil and Its Use in Epoxy for Self-Healing and Anticorrosive Coating,” *J. Appl. Polym. Sci.*, vol. 119, hal. 2911–2916, 2010, doi: 10.1002/app.33010.
- [32] G. Wu, J. An, D. Sun, X. Tang, Y. Xiang, dan J. Yang, “Robust microcapsules with polyurea/silica hybrid shell for one-part self-healing anticorrosion coatings,” *J. Mater. Chem. A*, vol. 2, no. 30, hal. 11614–11620, 2014, doi: 10.1039/c4ta01312c.
- [33] E. Katouezadeh, S. M. Zebarjad, dan K. Janghorban, “Investigating the effect of synthesis conditions on the formation of urea-formaldehyde microcapsules,” *J. Mater. Res. Technol.*, vol. 8, no. 1, hal. 541–552, 2019, doi: 10.1016/j.jmrt.2018.04.013.
- [34] G. Peng, Guijing Dou, Y. Hu, Y. Sun, dan Z. Chen, “Review Article Phase Change Material (PCM) Microcapsules for Thermal Energy Storage.pdf,” *Adv. Polym. Technol.*, vol. 2020, hal. 20, 2019.
- [35] M. Samadzadeh, S. H. Boura, M. Peikari, A. Ashrafi, dan M. Kasiriha, “Tung oil: An autonomous repairing agent for self-healing epoxy coatings,” *Prog. Org. Coatings*, vol. 70, no.

- 4, hal. 383–387, 2011, doi: 10.1016/j.porgcoat.2010.08.017.
- [36] N. V. N. Jyothi, P. M. Prasanna, S. N. Sakarkar, K. S. Prabha, P. S. Ramaiah, dan G. Y. Srawan, “Microencapsulation techniques, factors influencing encapsulation efficiency,” *J. Microencapsul.*, vol. 27, no. 3, hal. 187–197, 2010, doi: 10.3109/02652040903131301.
- [37] L. Yuan, A. Gu, dan G. Liang, “Preparation and properties of poly(urea-formaldehyde) microcapsules filled with epoxy resins,” *Mater. Chem. Phys.*, vol. 110, no. 2–3, hal. 417–425, 2008, doi: 10.1016/j.matchemphys.2008.02.035.
- [38] L. Yuan, G. Liang, J. Q. Xie, L. Li, dan J. Guo, “Preparation and characterization of poly(urea-formaldehyde) microcapsules filled with epoxy resins,” *Polymer (Guildf.)*, vol. 47, no. 15, hal. 5338–5349, 2006, doi: 10.1016/j.polymer.2006.05.051.
- [39] E. Yulianto, J. Rofingah, A. Finda, dan F. N. Hakim, “Menentukan Tegangan Permukaan Zat Cair,” *SPEKTRA J. Kaji. Pendidik. Sains*, vol. 2, no. 2, hal. 176, 2016, doi: 10.32699/spektra.v2i2.18.
- [40] M. Tang dan V. Suendo, “Pengaruh Penambahan Pelarut Organik Terhadap Tegangan Permukaan Larutan Sabun,” in *Prosiding Simposium Nasional Inovasi Pembelajaran dan Sains (SNIPS 2011)*, Bandung, Indonesia, 2011.
- [41] Z. Ting, Z. Min, T. Xiao-Mei, C. Feng, dan Q. Jian-Hui, “Optimal Preparation and Characterization of Poly(urea–formaldehyde) Microcapsules,” *J. Appl. Polym. Sci.*, vol. 115, hal. 2162–2169, 2010, doi: 10.1002/app.
- [42] A. M. Tarola, A. M. Girelli, dan S. Lorusso, “High performance liquid chromatography determination of fatty acids in drying oils following lipase action,” *J. Chromatogr. Sci.*, vol. 50, no. 4, hal. 294–300, 2012, doi: 10.1093/chromsci/bms005.
- [43] H. Wang dan Q. Zhou, “Evaluation and failure analysis of linseed oil encapsulated self-healing anticorrosive coating,” *Prog. Org. Coatings*, vol. 118, no. November 2017, hal. 108–115, 2018, doi: 10.1016/j.porgcoat.2018.01.024.
- [44] C. Suryanarayana, K. C. Rao, dan D. Kumar, “Preparation and characterization of microcapsules containing linseed oil and its use in self-healing coatings,” *Prog. Org. Coatings*, vol. 63, no. 1, hal. 72–78, 2008, doi: 10.1016/j.porgcoat.2008.04.008.
- [45] K. Thanawala, N. Mutneja, A. S. Khanna, dan R. K. Singh Raman, “Development of self-healing coatings based on linseed oil as autonomous repairing agent for corrosion resistance,” *Materials (Basel)*, vol. 7, no. 11, hal. 7324–7338, 2014, doi: 10.3390/ma7117324.
- [46] Juita, B. Z. Dlugogorski, E. M. Kennedy, dan J. C. Mackie, “Roles of peroxides and unsaturation in spontaneous heating of linseed oil,” *Fire Saf. J.*, vol. 61, hal. 108–115, 2013, doi: 10.1016/j.firesaf.2013.07.005.
- [47] H. Abdipour, M. Rezaei, dan F. Abbasi, “Synthesis and characterization of high durable linseed

- oil-urea formaldehyde micro/nanocapsules and their self-healing behaviour in epoxy coating,” *Prog. Org. Coatings*, vol. 124, no. April, hal. 200–212, 2018, doi: 10.1016/j.porgcoat.2018.08.019.
- [48] D. M. Kim, I. H. Song, J. Y. Choi, S. W. Jin, K. N. Nam, dan C. M. Chung, “Self-healing coatings based on linseed-oil-loaded microcapsules for protection of cementitious materials,” *Coatings*, vol. 8, no. 11, 2018, doi: 10.3390/COATINGS8110404.
- [49] A. H. Navarchian, N. Najafipour, dan F. Ahangaran, “Surface-modified poly(methyl methacrylate) microcapsules containing linseed oil for application in self-healing epoxy-based coatings,” *Prog. Org. Coatings*, vol. 132, no. February, hal. 288–297, 2019, doi: 10.1016/j.porgcoat.2019.03.029.
- [50] G. K. Çömlekçi dan S. Ulutan, “Role of hardener, crosslinker, and pH in bare process of urea–formaldehyde polymerization and for in situ encapsulation of linseed oil,” *J. Appl. Polym. Sci.*, vol. 136, no. 3, hal. 1–10, 2019, doi: 10.1002/app.46947.
- [51] G. K. Çömlekçi dan S. Ulutan, “Encapsulation of linseed oil and linseed oil based alkyd resin by urea formaldehyde shell for self-healing systems,” *Prog. Org. Coatings*, vol. 121, hal. 190–200, 2018, doi: 10.1016/j.porgcoat.2018.04.027.
- [52] M. K. Mishra, *Applications of Encapsulation and Controlled Release*. 2020.
- [53] C. C. Demerlis dan D. R. Schoneker, “Review of the oral toxicity of polyvinyl alcohol (PVA) - PDF Free Download,” *Food Chem. Toxicol.*, vol. 41, no. 3, hal. 319–326, 2003.
- [54] Z. W. Abdullah, Y. Dong, I. J. Davies, dan S. Barbhuiya, “PVA, PVA blends and their nanocomposites for biodegradable packaging application,” hal. 1–127, 2017.
- [55] D. J. S. A. Karunakaran, T. Ganesh, M. M. Sylvester, P. Senthilkumar, P. Hudge, dan A. C. Kumbharkhane, “Dielectric Dispersion and Molecular Interaction in Polymer (PVA)-Surfactant (SDS) mixtures using picosecond time domain reflectometry,” *J. Mol. Liq.*, vol. 224, hal. 1199–1204, 2016, doi: 10.1016/j.molliq.2016.10.092.
- [56] R. I. D. Suyatmo, A. Topandi, L. O. Sari, dan L. Nulhakim, “Pengaruh Penambahan Poli Vinil Alkohol (PVA) pada Enkapsulasi Minyak Kacang Kenari dalam Urea-Formaldehid untuk Aplikasi Self- Healing Coating,” *J. Teknol.*, vol. 2, no. 2, hal. 173–183, 2023.
- [57] I. M. Tucker *et al.*, “Adsorption of Polymer – Surfactant Mixtures at the Oil – Water Interface,” 2012.
- [58] M. Choudhary dan S. M. Kamil, “Phase diagram study of sodium dodecyl sulfate using dissipative particle dynamics,” *ACS Omega*, vol. 5, no. 36, hal. 22891–22900, 2020, doi: 10.1021/acsomega.0c02255.
- [59] T. Ivanković dan J. Hrenović, “Surfactants in the environment,” *Arh. Hig. Rada Toksikol.*, vol. 61, no. 1, hal. 95–110, 2010, doi: 10.2478/10004-1254-61-2010-1943.

- [60] H. Demissie dan R. Duraisamy, "Effects of electrolytes on the surface and micellar characteristics of Sodium dodecyl sulphate surfactant solution," *J. Sci. Innov. Res.*, vol. 5, no. 6, hal. 208–214, 2016, doi: 10.31254/jsir.2016.5603.
- [61] M. Mahmoudian, E. Nozad, M. G. Kochameshki, dan M. Enayati, "Preparation and investigation of hybrid self-healing coatings containing linseed oil loaded nanocapsules, potassium ethyl xanthate and benzotriazole on copper surface," *Prog. Org. Coatings*, vol. 120, no. December 2017, hal. 167–178, 2018, doi: 10.1016/j.porgcoat.2018.03.014.
- [62] K. Li *et al.*, "Dual-Functional Coatings with Self-Lubricating and Self-Healing Properties by Combining Poly(urea-formaldehyde)/SiO<sub>2</sub> Hybrid Microcapsules Containing Linseed Oil," *Ind. Eng. Chem. Res.*, vol. 58, no. 48, hal. 22032–22039, 2019, doi: 10.1021/acs.iecr.9b04736.
- [63] O. Nguon, F. Lagugn -Labarthe, F. A. Brandys, J. Li, dan E. R. Gillies, "Microencapsulation by in situ Polymerization of Amino Resins," *Polym. Rev.*, vol. 58, no. 2, hal. 326–375, 2018, doi: 10.1080/15583724.2017.1364765.
- [64] A. A. Sharipova *et al.*, "The use of polymer and surfactants for the microencapsulation and emulsion stabilization," *Colloids and Interfaces*, vol. 1, no. 1, hal. 33–35, 2017, doi: 10.3390/colloids1010003.
- [65] J. Jayanudin, R. Rochmadi, M. Fahrurrozi, dan S. K. Wirawan, "Persamaan Empiris Sederhana untuk Memprediksikan Ukuran Partikel dari Enkapsulasi Oleoresin Jahe Merah," *ALCHEMY J. Penelit. Kim.*, vol. 14, no. 2, hal. 178, 2018, doi: 10.20961/alchemy.14.2.17076.178-192.
- [66] G. Chatwal, *Spectroscopy Atomic and Molecule*. Bombay: Himalaya Publishing House, 1985.
- [67] A. F. Mohammed, A. F. Hamza, dan A. E. Al-Kawaz, "Autonomous Self-Healing Coating of Pmma Microcapsules Filled With Epoxy," *Diagnostyka*, vol. 23, no. 1, 2022, doi: 10.29354/diag/146692.
- [68] M. F. Sidiq, "Analisa Korosi dan Pengendaliannya," *J. Foundry*, vol. 3, no. 1, 2013, doi: 10.1016/s0026-0576(02)80201-x.
- [69] Y. K. Song dan C. M. Chung, "Self-healing coating healed with a viscoelastic substance," hal. 292–296, 2013.
- [70] B. Prasetya, A. Purniawan, dan H. Ardhyanta, "Analysis of Formaldehyde Composition Effect on the Morphology of Poly (Urea-Formaldehyde) Microcapsule Containing Linseed Oil," *Mater. Res. Commun.*, vol. 1, no. 1, hal. 53, 2020, doi: 10.12962/j2746279x.v1i1.7263.
- [71] M. Behzadnasab, M. Esfandeh, S. M. Mirabedini, M. J. Zohuriaan-Mehr, dan R. R. Farnood, "Preparation and characterization of linseed oil-filled urea-formaldehyde microcapsules and their effect on mechanical properties of an epoxy-based coating," *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 457, no. 1, hal. 16–26, 2014, doi: 10.1016/j.colsurfa.2014.05.033.
- [72] N. Shahabudin, R. Yahya, dan S. N. Gan, "Microcapsules of Poly(urea-formaldehyde) (PUF)

Containing alkyd from Palm Oil,” *Mater. Today Proc.*, vol. 3, no. Icfmd 2015, hal. S88–S95, 2016, doi: 10.1016/j.matpr.2016.01.012.

- [73] R. Wang, H. Li, H. Hu, X. He, dan W. Liu, “Preparation and characterization of self-healing microcapsules with poly(urea-formaldehyde) grafted epoxy functional group shell,” *J. Appl. Polym. Sci.*, vol. 113, hal. 1501–1506, 2009, doi: 10.1002/app.
- [74] B. Balanuca, R. Stan, A. Hanganu, dan H. Iovu, “Novel linseed oil-based monomers: synthesis and characterization,” *U.P.B. Sci. Bull., Ser. B*, vol. 76, no. 3, 2014.
- [75] Y. Tiandho, “Analisis Kuantitatif Pori Berdasarkan Pengolahan Citra Menggunakan Wolfram Mathematica,” *Klik - Kumpul. J. Ilmu Komput.*, vol. 4, no. 1, hal. 15, 2017, doi: 10.20527/klik.v4i1.65.
- [76] Juita, B. Z. Dlugogorski, E. M. Kennedy, dan J. C. Mackie, “Low temperature oxidation of linseed oil: a review,” *Fire Sci. Rev.*, vol. 1, no. 1, hal. 1–36, 2012, doi: 10.1186/2193-0414-1-3.
- [77] T. Szabó, J. Telegdi, dan L. Nyikos, “Linseed oil-filled microcapsules containing drier and corrosion inhibitor - Their effects on self-healing capability of paints,” *Prog. Org. Coatings*, vol. 84, hal. 136–142, 2015, doi: 10.1016/j.porgcoat.2015.02.020.